

Provided By:

New Central Office Direct Replacement Fans



TAG INC.

Telecom Assistance Group, Inc.

856-753-8585

www.tagcords.com

ALCATEL FANS (1000, 7300, ECS1, 1603 & 1631)



EDGE LINK FANS



DMS FANS



→ NEW DMS ← UNIVERSAL FAN TRAYS

(for NT3X90AA/AB, NT3X90AC & NT3X90AF units)
(NO MORE PADDLES)

5ESS FANS



DDM-2000 FANS




DMS-100 BLOWERS (SQUIRREL CAGE & DUAL-SCROLL)




**ADTRAN, ADC, BIGBAND, CISCO, DEX600E, EWSD, GTD-5, GALAXY 595LTB,
LUCENT FANS (DACS III/ IV, CBX500, FT-2000, METROPOLIS DMX),
NORTEL / GENBAND, NEC, JDSU PATHTRAK, KENTROX, LORAIN / MARCONI,
STROMBERG CARLSON DCO, WAVESTAR, WIDEBAND 3190 FANS & MORE !!**

856-753-8585

**NEW Central Office
Direct Replacement Fans,
Blowers, Alarm Control Boards
& Universal Fan Trays**




Part #	Description	PG #
5ESS FANS		
TF-5ESS-01P	KS22501L3 Equiv. 5ESS Fan w/ 3 Leads & AMP Connector (w/ power prongs)	1
TF-5ESS-01F	KS22501L3 Equiv. 5ESS Fan w/ 3 Leads & Faston Connectors (w/ power prongs)	1
TF-5ESS-02P	KS23912L1A Equiv. 5ESS Fan w/ 5 Leads & AMP Connector w/ Internal Thermal Speed Control Sensor	1
TF-5ESS-02F	KS23912L1A Equiv. 5ESS Fan w/ 5 Leads & Faston Connectors w/ Internal Thermal Speed Control Sensor	1
TF-5ESS-03P	KS23912L2 Equiv. 5ESS Fan w/ 4 Leads & AMP Connector	1
TF-5ESS-04P	KS22501L3A Equiv. 5ESS Fan w/ 5 Leads & AMP Connector	1
TF-5ESS-04F	KS22501L3A Equiv. 5ESS Fan w/ 5 Leads & Faston Connectors	1
TF-5ESS-10P	KS23398L2 Equiv. 5ESS ISLU (Square Fan) w/ 5 Leads & AMP Connector	1
ADTRAN FANS		
TF-TA3000-01	Adtran TA3000 , 48V Fan w/ 3 Wire Plug (use in HECI: M3PQ0AV, 1181006L1)	2
TF-TA5K-01	Adtran TA5000 , 48V Fan w/ 4 Wire Plug	2
TF-TA5K-02	Adtran TA5000 , 48V Fan w/ 3 Wire Plug	2
ALCATEL FANS		
TF-ALC-01	Alcatel 1000/7300 , 48V Fan w/ Tach Output & 3 Wire Plug (use in 3EC 15478 (XXXX), 3EC 37933 (XXXX) & 3EC 36760 (XXXX) Fan Trays	3
TF-AL7300-02	Alcatel 7300 , 48V Fan w/ Internal Sensor & Tach output (use in 3EC 16697 (XXXX) fan trays)	3
TF-DSCECS1-01	DSC / Alcatel ECS1 , 48V Fan w/ 3 Wire Plug	3
TF-ALC1603-01	Alcatel 1603 , 48V Fan w/ 3 Wire Plug (use in Low-Volume Fan Tray # 625052-000-0XX)	3
TF-ALC1631-01	Alcatel 1631 , 48V Fan (Square) w/ Power Prongs (use in # 695-3363-302)	4
TF-ALC1631-02	Alcatel 1631 , 48V Fan (Round) w/ Power Prongs & Tach Lead (use in # 3AL45446AA)	4
TF-ALC1631-03	Alcatel 1631 APS , 48V Fan (Square) w/ Pwr Prongs & Tach Lead (use in # 695-8489-001)	4
TF-ALC1680-01	Alcatel 1680 OGX , 48V Fan (Round) w/ Pwr Prongs & Tach Lead (use in # 3EM04820AA)	4
BIGBAND / ADC FANS		
TF-BIGBND-01	BigBand , 12V Fan w/ 3 Wire Open End & Speed Control	5
TF-BIGBND-03SR	BigBand Shelf / Door Repair	5
TF-BIGBPS-01	12V Fan (40mm) w/ 3 Wire Plug for BigBand (FTTP bays) & ADC RF Worx Power Supplies	5
CIENA FANS		
TF-CN1600-01	Ciena 1600 DWDM , 48V Fan w/ 4 Wire Plug (fan only, mtg bracket is not included)	6
TF-DN7100-01	Ciena DN7100 , 12V Fan w/ 3 Wire Plug	6
TF-DN7100-02	Ciena DN7100 , 12V Fan w/ 3 Wire Plug	6
DSC DEX600E FANS		
TF-DEXLAP-01	DEX600E MSP Bay Fan (LAP Fan) (155-2936-055 Equiv., LAP Fans)	7
TF-DEXDSI-01	DEX600E DSI Bay Fan (500-0000-294 Equiv., for DSI (FAIC) type cards)	7
TF-DEXDTI-01	DEX600E DTI Bay Fan (400-0063-900 Equiv., for DTI (AMM) type cards)	7
TF-DEXCS3-01	DEX600E CS3, 48V Fan	7
CISCO 15454 FANS		
TF-C15454-01	Cisco ONS 15454 , 48V Fan w/ 3 Wire Right Angle Conn. (use in # 800-21448-02, HECI: WMMYAFEGAA)	8
GTD-5 FANS		
TF-GTD5-01	GTD-5 , 48V Fan w/ 5 Wire Plug	8
TF-GTD5AG-01	GTD-5 AG Communications Unit , 48V Fan (60x25mm) w/ 3 Wire Plug	8
KENTROX FANS		
TF-AI-180	Kentrox AISwitch Series 180 , 48V Cooling Fan w/ 3 Wire Right Angle Connector	8
CALIX FANS		
TF-CLXE7-01	12V (40mm x 20mm) Fan for Calix E7-2 FTA2 Fan Unit w/ 4 Wire Plug	9
FUJITSU FANS		
TF-FLM150-01	48V (80mm) Fan for Fujitsu FLM 150 Fan Tray w/ 3 Wire Plug	9
TF-FW4500-01	48V Fan for Flashwave 4500 Fan Unit w/ 4 Wire Plug (use in # FC9580FAN1, HECI: SNPQCUG5AB)	CALL



Part #	Description	PG #
DATAKIT FANS		
TF-DATAKIT-01	24V Fan for Datakit System w/ 3 Wire, 4 Pin Connector	9
GALAXY RECTIFIER FANS		
TF-GLX595LTB-01	48V Fan for Galaxy 595LTB Rectifier w/ 4 Wire Plug	9
LORAIN / MARCONI RECTIFIER FANS		
TFT-MRECT	New Fan Tray Assembly for Vortex Rectifier (Lorain / Marconi 104545) (use in Vortex V200D50)	10
TF-MREC-01	Vortex Rectifier (Lorain / Marconi) (V200D50) , 24V Fan w/ 3 Wire Open End	10
TF-MREC-02	Vortex Rectifier (Lorain / Marconi) , 24V Fan (threaded) & 3 Wire Plug (use in V200E50)	10
TF-RHM400-01	RHM-400/800 Rectifier Unit (Lorain / Marconi) , 220VAC Fan	11
TF-LRA25B50-01	Lorain Rectifier (A25B50) , 24V Fan w/ 3 Wire Plug	CALL
TF-LRA50B50-01	Lorain Rectifier (A50B50) , 48V Fan w/ 2 Wire Plug	11
TF-LRV50B50-01	Lorain Rectifier (V50B50) , 24V Fan w/ 3 Wire Plug	11
LUCENT FANS (CBX500, DDM-2000, METROPOLIS, FT-2000, DACS III / IV)		
TF-DDM201	Lucent DDM-2000 , 24V Fan	12
TF-DDM201-KIT1	Lucent DDM-2000 , 24V Fan Kit w/ Mounting Plate	12
TF-DDM202	Lucent DDM-2000 , 48V Fan (use in Nidec T35078-LUC 440233, Comcode: 408741205) (fan only)	12
TF-CBX500-01	Lucent CBX500 OCD , 12V Cooling Fan w/ 3 Wire Pins	13
TF-DMXMET-01	Lucent Metropolis DMX , 48V Fan (use in Comcode: 408769172)	13
TF-DMXMET-02	Lucent Metropolis DMX Access Multiplexer , 48V Fan w/ 4 Wire Black Plug	13
TF-FT201	Lucent Fiber Terminal 2000 (FT-2000) , 48V Fan	13
TF-DACS3/4-01	Lucent DACS III / IV , 48V Fan w/ 4 Wire Plug (KS23913L1), Use in DACS III (ED-2C816-30, G1 or ED-2C906-30) DACS IV (WP92310L4)	14
TF-DACS3/4-02	Lucent DACS III / IV , 48V Fan w/ 5 Wire Plug (KS23913L1), Used in Lucent Fan Assemblies: DACS III / IV (WP91473-L3B)	14
NEC FANS		
TF-NEC-01	NEC , 48V Fan (fan only) (FD-31201A / FD-32401A)	15
TF-NEC01-KIT1	NEC , 48V Fan Kit w/ Mtg Plate & Guard Grill (FD-31201A / FD-32401A)	15
TF-NEC-02	NEC , 48V Fan (fan only) (ITS-2400)	15
TF-NEC02-KIT1	NEC , 48V Fan Kit w/ Mounting Plate & Guard Grill (ITS-2400)	15
TF-NEC-03	NEC , 48V Fan (fan only) (ITS-2400V FL)	15
OMNISTAR FANS		
TF-OMNISTAR-01	OmniStar , 12V Fan (60mm) w/ 2 Wire Plug	16
TF-GX2BTY-01	OmniStar GX2 (RPR) , 5V Fan (25mm) w/ 2 Wire Plug	16
TF-GX2BTY-02	OmniStar GX2 (Laser) , 5V Fan (25mm) w/ 2 Wire Plug	16
WAVESTAR FANS		
TF-WSTR-01	WaveStar TDM 10G , 48V Fan w/ 3 Wire Plug	17
WIDEBAND 3190 FANS		
TF-WB3190	Wideband 3190 , 48V Fan w/ 3 Wire Plug	17
TELCO SYSTEMS FANS (EDGElink 100, M560)		
TF-EL100	Edgelink 100 Fan (40mm)	18
TF-EL100DET	Edgelink 100 Detector PC Board (CCA591G1 Equiv.)	18
TF-EL100-KIT2	Edgelink 100 Fan Kit (40mm)	18
TF-EL100-02	Edgelink 100 Fan (35mm)	18
TF-EL330-01	Edgelink AXX330G1 , Fan (80mm) w/ 3 Wire Plug	18
TF-TEL560-01	Telco Systems M560 Fiber Optic Terminal, 48V Fan	CALL
STP RING NODE FANS		
TF-STPRN-01	STP Ring Node Frame/Cabinet , 48V Fan w/ 5 Wire Plug	19
PATHTRAK (JDSU) FANS		
TF-HCU1500-01	JDSU PathTrak HCU 1500 , 24V Fan w/ 2 Wire Plug	19

**NEW Central Office
Direct Replacement Fans,
Blowers, Alarm Control Boards
& Universal Fan Trays**



Part #	Description	PG #
TELLABS FANS		
TF-TL6500-01	Tellabs 6500 , 12V Fan w/ 4 Wire Plug	19
TF-UMC1000-01	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray with 6 fans)	20
TFC-UMC1000-06	Alarm Control Board for Tellabs UMC1000 Tray (use in AFC tray with 6 fans)	20
TF-UMC1000-02	48V Fan (80mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray with 10 fans)	20
TF-UMC1000-03	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 4 Wire Plug (use in AFC Tray with 8 fans)	20
SIEMENS EWSD FANS		
TF-EWSD-01	Siemens EWSD , Square 48V Fan w/ Power Prongs (fan only, use with existing guard grill)	21
TF-EWSD-02	Siemens EWSD , Round 48V Fan w/ Power Prongs (fan only, use with existing guard grill)	21
STROMBERG CARLSON DCO FANS		
TF-DCOCMF-01	48V Fan for Stromberg Carlson DCO CMF Bay w/ 3 Leads & Fastons	22
TF-DCODCF-01	48V Fan for Stromberg Carlson DCO DCF Bay w/ 3 Leads & Spade Lugs	25
TF-DCONHD-01	48V Fan for Stromberg Carlson DCO Non High Density CMF Bay w/ 2 Wire Open End (for splicing) (Black -48V, Red +48 Return) Includes Guard Grill & (1) Butt Splice	22
TF-DCOMEF-01	48V Fan for Stromberg Carlson DCO MEF Bay (80mm x 45mm) w/ 3 Wire Plug & Guard Grill	22
TF-DCO-02	48V Fan for Stromberg Carlson DCO CMF / DTF Bay w/ 3 Leads & Fastons (fan only)	22
NORTEL FANS (DMS, Carrier VoIP, DPCC SuperNode "Squirrel Cage" Blowers)		
TF-DMS01	DMS-100 , 48V Fan w/ Power Prongs (use in NT3X90AC / NTB63AA fan trays)	23
TF-DMS02	DMS-1U , 48V Fan w/ Power Prongs (unthreaded mounting) (use in NT3X90AC / NTB63AA fan trays)	23
TLMP-DMFA-10	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 10)	24
TLMP-DMFA-25	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 25)	24
TLMP-DMSA-10	DMS Aisle Alarm Repl. Lamp (QTY of 10)	24
TF-DMS03	DMS-100 , 48V Fan w/ TTL Tach & 3 Wire Plug	25
TFC-3X90AF-01	DMS-100, Fan Alarm Board for the NT3X90AF Cooling Fan Unit	25
TF-DMS04AC	DMS-100 , 24VAC Fan w/ Power Prongs	25
TF-RX50FF-01	DMS SDM , 12V Fan w/ 3 Wire Plug & Speed Control (use in Nortel shelf # NTRX50FF)	25
TF-DMS-NTRX91	DMS-100 , 48V Fan w/ 3 Wire Plug (NTRX91AA / NT0X91AA (MVIE & CSDM bays), CLEI: ENMYACM)	26
TF-DMS10-01	DMS-10 , 48V Fan w/ Power Prongs	26
TF-DMS-FOS	Nortel IW SPM-IP , 48V Fan for NTLX56AA Fan Assemblies (used in Nortel IW SPM-IP NTLX55AA cooling units) (fan only, arm assembly is not included)	27
TF-MG9K-01	Nortel / GENBAND Media Gateway 9000 , 48V Fan w/ 3 Wire Plug (use in NTNY18AA)	27
TFT-DMS48KIT4	Nortel DMS-100 (NT3X90AA / NT3X90AB), 24VAC to 48VDC Fan Tray Conversion Kit 4 Includes: (5) TF-DMS05P, DMS-100 48VDC Fans w/ 2 Wire Plug, (1) Fan Control Board with built in Sensors (no paddles needed) (includes cabling, mounting & jumpers), Control Board Label, Frame Block Wiring Labels & Conversion Installation Guide	CALL
TFR-BX63AA-01	TAG Refurbishing, Fan Unit Upgrade - Paddleless Alarm Conversion for DMS-100 ISDN LCME LCEI Bay NTB63AA Fan Unit	28
TF-DMSLGN6-01	DMS-500/250 DPCC (225mm) Impeller Fan for XA-Core Blower Drawer w/ 4 Wire Plug (fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)	29
TF-DMSLGN5	DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC, (replaces A0345301))	30
TF-DMSLGN5A	DMS-100 DPCC XA-Core SuperNode Blower "Squirrel Cage" Replacement w/ 4 Wire Square Plug Adapter Cable (# TFCS-DMSLGN5F2S) (use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))	30
TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit w/ (1) 4 pin plug & (1) 3 pin plug includes (1) 3 pin adapter cable (# TFCS-DMSMCL3) (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (commonly found in DPCC / LIM / ENET bays)	31
TFC-DMSAPW-3	Alarm Control Board Replacement for DMS LIM/ENET Blower	31
TFT-3X9013T ***NEW***	TAG Universal DMS-100 3X9013 Fan Tray (NEW TRAY is pre-assembled w/ (5) NEW fans, Alarm Board, Wiring Harness w/ Connector & Universal Mounting Holes for NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF cooling units) - No 24VAC Inverters - No Paddle Sensors	32

Don't see the fan you are looking for? Send us a sample & we will find a match!

PLEASE CALL: 856-753-8585 or EMAIL: custsvcs@tagcords.com

5ESS Replacement Fans

- All TAG Fans are **NEW** (No Refurbs)
- Exact Drop-in Replacements
- 48V $\overline{\text{DC}}$ 0.40A

DON'T SEE THE FAN YOU NEED?

**Send us a Sample
& we will Find a Match!**




KS22501L3 Models:

PN # TF-5ESS-01F
5ESS Replacement Fan
w/ 3 Leads &
Faston Connectors
(fan w/ power prongs)



PN # TF-5ESS-01P
5ESS Replacement Fan
w/ 3 Leads &
AMP Connector
(fan w/ power prongs)



DC Fan Power Cords are available for KS22501L3 type fans
(order TAG MODEL # TF-DCPWR-01)



KS23912L1A Models:

PN # TF-5ESS-02F
5ESS Replacement Fan
w/ 5 Leads & Faston Connectors
w/ Internal Thermal Speed Control Sensor



PN # TF-5ESS-02P
5ESS Replacement Fan
w/ 5 Leads & AMP Connector
w/ Internal Thermal Speed Control Sensor



KS23912L2 Model:

PN # TF-5ESS-03P
5ESS Replacement Fan
w/ 4 Leads & AMP Connector



KS22501L3A Models:

PN # TF-5ESS-04F
5ESS Replacement Fan
w/ 5 Leads & Faston Connectors




PN # TF-5ESS-04P
5ESS Replacement Fan
w/ 5 Leads & AMP Connector



KS23398L2 Model:

PN # TF-5ESS-10P
ISLU (Square Fan)
48V $\overline{\text{DC}}$ 0.13A
w/ 5 Leads &
AMP Connector



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

Adtran TA3000 / TA5000 Replacement Fans


"TA3000"



(use in TA3000 Module
HECI: M3PQ0AV,
PN: 1181006L1)

PN # TF-TA3000-01

48 Volt Replacement Fan for
Adtran TA3000, Total Access Fan Module
w/ 3 Wire Plug




**3 WIRE
PLUG**

"TA5000"



PN # TF-TA5K-01

48 Volt Replacement Fan for
Adtran TA5000
w/ 4 Wire Plug




**4 WIRE
PLUG**

"TA5000"



PN # TF-TA5K-02

48 Volt Replacement Fan for
Adtran TA5000
w/ 3 Wire Plug



**3 WIRE
PLUG**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group


Alcatel (1000 / 7300 / DSC ECS1 / 1603)* Replacement Fans

"Alcatel 1000 / 7300"

PN # TF-ALC-01

48V Replacement Fan for
Alcatel 1000 / 7300 Fan Tray
w/ Tach Output & 3 Wire Plug

(use in **3EC 15478** (XXXX), **3EC 37933** (XXXX)
& **3EC 36760** (XXXX) Fan Trays)



"Alcatel 7300"

PN # TF-AL7300-02


48V Replacement Fan for
Alcatel 7300 Fan Tray
w/ Internal Sensor, Tach Output
& 3 Wire Plug

(use in **3EC 16697** (XXXX) Fan Trays)


"DSC / Alcatel ECS1"

PN # TF-DSCECS1-01

48V Replacement Fan for
DSC / Alcatel ECS1 Fan Tray
w/ 3 Wire Plug



"Alcatel 1603"



PN # TF-ALC1603-01

48V Replacement Fan for
Alcatel 1603 Low-Volume Fan Tray
w/ 3 Wire Plug



625052-000-0XX (w/ 4 EXISTING FANS)
(fan tray is not included)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Alcatel 1631 / 1680* Replacement Fans

"Alcatel 1631"

PN # TF-ALC1631-01
48V Replacement Fan for
Alcatel 1631 Blower Assembly
w/ Power Prongs

(use in # 695-3363-302 blower assembly)



*(fan only -
use with
existing
guard grill)*

*(fan only -
use with
existing
guard grill)*



"Alcatel 1631"

PN # TF-ALC1631-02
48V Replacement Fan for
Alcatel 1631 Blower Assembly

w/ Power Prongs,
Unterminated Tach Lead & (1) Butt Splice

(use in # 3AL45446AA blower assembly)

"Alcatel 1631"

PN # TF-ALC1631-03
48V Replacement Fan for
Alcatel 1631 APS Blower Assembly
w/ Power Prongs & Unterminated Tach Lead
(use in # 695-8489-001 blower assembly)



*(fan only -
use with existing
guard grill)*

*Unterminated
Tach Lead*

*(fan only -
use with
existing
guard grill)*



"Alcatel 1680"

PN # TF-ALC1680-01
48V Replacement Fan for
Alcatel 1680 OGX Blower Assembly

w/ Power Prongs,
Unterminated Tach Lead & (1) Butt Splice

*(use in # 3EM04820AA blower assembly,
HECI WMMYAA9FAA)*

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

BigBand / ADC Replacement Fans

"BigBand SDV Mux"



*** Customer supplied shelf -**
For more information,
Please call: 856-753-8585
or email: custsvcs@tagcords.com

BIGBAND FAN SHELF →


PN # TF-BIGBND-01
BigBand 12 Volt
3 Wire Open End Replacement Fan
w/ Speed Control
(fan only, use existing guard grill & hardware)
(use in **BigBand SDV Mux**)

PN # TF-BIGBND-03SR *
BigBand Shelf / Door Repair
TAG repair service includes:
(3) PN # TF-BIGBND-01 Fans




PN # TF-BIGBPS-01 **
12 Volt Replacement Fan (40mm)
w/ 3 Wire Plug for
BigBand & ADC RF Worx Power Supplies


"BigBand FTTP & ADC RF Worx"



**POWER SUPPLY
(FRONT VIEW)**



**POWER SUPPLY
(BACK VIEW) w/ EXISTING FANS**



**** fan only - use with existing
mounting bracket / guard grill**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Ciena Replacement Fans

"1600 DWDM"



PN # TF-CN1600-01*


Ciena 1600 DWDM

48 Volt Replacement Fan

(includes instruction sheet & (8) new plastic rivets)

** Fan only -
this fan is used with the
existing mounting bracket*

**INSTALL THE
NEW TAG FAN
INTO THE EXISTING
MOUNTING BRACKET**




"DN7100"

PN # TF-DN7100-01

Ciena DN7100 12 Volt Replacement Fan

*w/ 3 Wire Molex Plug
(Small Fan)
(QTY of 1)*



(2) SMALL FANS)
(ORDER (2) of # TF-DN7100-01)

PN # TF-DN7100-02

Ciena DN7100 12 Volt Replacement Fan

*w/ 3 Wire Molex Plug
(Medium Fan)
(QTY of 1)*



(3) MEDIUM FANS)
(ORDER (3) of # TF-DN7100-02)

**CIENA DN7100
FAN ASSEMBLY
(w/ EXISTING FANS)
(TOP VIEW)**



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DEX600E Replacement Fans



PN # TF-DEXDSI-01 DEX600E DSI


48 Volt Replacement Fan
w/ 5 Wire, 6 Pin Plug
(Fan Assembly w/ Mounting)

*(Replaces Alcatel-Lucent
PN # 500-0000-294 fans
for DSI (FAIC) type cards)*

"DEX600E DSI"



(overhead view)



PN # TF-DEXDTI-01 DEX600E DTI

48 Volt Replacement Fan
w/ 4 Wire, 5 Pin Plug
(Fan Assembly w/ Mounting)

*(Replaces Alcatel-Lucent
PN # 400-0063-900 fans
for DTI (AMM) type cards)*

"DEX600E DTI"



PN # TF-DEXLAP-01 DEX600E MSP

48 Volt Replacement Fan
w/ 3 Wire Plug

*(Replaces Alcatel-Lucent
PN # 155-2936-055 - LAP Fans)*

"DEX600E MSP"



PN # TF-DEXCS3-01 DEX600E CS3

48 Volt Replacement Fan
w/ 4 Wire, 5 Pin Plug

"DEX600E CS3"



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

GTD-5 Replacement Fans



"GTD-5"

PN # TF-GTD5-01
48 Volt Replacement Fan for
GTD-5 Fan Unit
w/ 5 Wire Plug

GTD-5 FAN UNIT



"GTD-5"

(60x25mm)



PN # TF-GTD5AG-01
(60x25mm) 48 Volt Replacement Fan for
AG Communications Unit in the GTD-5
w/ 3 Wire Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Replacement Fans (Calix E7 / Datakit / Fujitsu FLM 150 / Galaxy 595LTB)


"Calix E7"



(40mm x 20mm)

PN # TF-CLXE7-01
12 Volt Replacement Fan for
Calix E7-2 FTA2 Fan Unit
w/ 4 Wire Plug

"Fujitsu FLM 150"



(80mm)

PN # TF-FLM150-01
48 Volt Replacement Fan for
Fujitsu FLM 150 Fan Tray
w/ 3 Wire Plug

"Datakit System"



PN # TF-DATAKIT-01
24 Volt Replacement Fan for
Datakit System
w/ 3 Wire, 4 Pin Connector

"Galaxy 595LTB"



PN # TF-GLX595LTB-01
48 Volt Replacement Fan for
Galaxy 595LTB Rectifier
w/ 4 Wire Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

(Lorain / Marconi) Replacement Trays & Fans

Vortex V200D50

REPLACE LORAIN / MARCONI
104545 FAN TRAYS


NEW FAN TRAY INCLUDES
(3) NEW FANS w/ WIRING HARNESS & CONNECTOR



Ordering Information:


TFT-MRECT	TAG Fan Tray - New TAG Fan Tray Assembly for Vortex Rectifier (Lorain / Marconi 104545)	Call for Pricing
	<i>Includes: (1) <u>NEW</u> Fan Tray & (3) <u>NEW</u> 24 Volt Replacement Fans w/ Wiring Harness & Connector (Use in V200D50 Power Conversion Unit, HECI: PBP1FT0DAA, <u>replaces</u> Nidec Model # T34874-MAR)</i>	
TF-MREC-01 (individual fan)	24V Fan for Vortex V200D50 Rectifier Fan Tray (Lorain / Marconi 104545) w/ 3 Wire Open End - (not shown)	

Vortex V200E50



(fan only - use with existing tray / metal housing)

(top view w/ 2 of the 3 fans removed)



VORTEX RECTIFIER FAN UNIT
w/ EXISTING FANS
(V200E50 type w/ (3) separate trays)

Ordering Information:

TF-MREC-02	24V Fan for Vortex V200E50 Rectifier (Lorain / Marconi) w/ 4 threaded mounting locations & 3 Wire Plug	Call for Pricing
	<i>(Use in V200E50 Power Conversion Unit, HECI: PBPUG0V2AA (fan only - use with existing tray / metal housing)</i>	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645


Telecom Assistance Group

(Lorain / Marconi) Rectifier Unit Replacement Fans

"AC Fan"



"RHM-400/800 Rectifier"



POWER
PRONGS

Ordering Information:


TF-RHM400-01	220VAC Fan for RHM-400/800 Rectifier Unit (Lorain / Marconi) w/ power prongs <i>(use in RHM400D50 & RHM800E50 Rectifier Units)</i>	Call for Pricing
---------------------	--	-------------------------

"DC Fan"



"A50B50* Rectifier"

**V50B50 fans are also available -
see ordering information below*



2 WIRE PLUG

Ordering Information:

TF-LRA50B50-01	48V Fan for A50B50 Rectifier Unit (Lorain / Marconi) w/ 2 Wire Plug	Call for Pricing
TF-LRV50B50-01	24V Fan for V50B50 Rectifier Unit (Lorain / Marconi) w/ 3 Wire Plug - <i>(not shown)</i>	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Lucent DDM-2000 Replacement Fans

"DDM-2000 (24V)"



PN # TF-DDM201-KIT1 *
24 Volt Replacement Fan Kit for
Lucent DDM-2000

Kit includes:

- (1) 24V Replacement Fan
- &
- (1) Mounting Plate

** fans can also be ordered
without the mounting plate,
(order # TF-DDM201)*



"DDM-2000 (48V)"

PN # TF-DDM202 **
48 Volt Replacement Fan for
Lucent DDM-2000

*(for use in Nidec T35078-LUC 440233,
Lucent Comcode: 408741205)*

**** fan only - this fan is used with the
existing mounting bracket**



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Lucent Replacement Fans

"CBX500 OCD"



PN # TF-CBX500-01

12 Volt Replacement Cooling Fan for
CBX 500 OCD
w/ 3 Wire Pins

"FT-2000"



PN # TF-FT201

48 Volt Replacement Fan for
Lucent Fiber Terminal 2000 (FT-2000)
w/ 3 Wire Plug

"Metropolis DMX"



PN # TF-DMXMET-01

48 Volt Replacement Fan for
Lucent Metropolis DMX Fan Shelf
w/ 4 Wire Plug

*Used in Metropolis DMX Fan Shelf -
LUCENT COMCODE NO. 408769172*

"Metropolis DMX Multiplexer"



PN # TF-DMXMET-02

48 Volt Replacement Fan for
**Lucent Metropolis DMX
Access Multiplexer Fan Shelf**
w/ 4 Wire Black Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Lucent DACS III / IV* Replacement Fans



"DACS III / IV"

PN # TF-DACS3/4-01

48 Volt Replacement Fan for
Lucent DACS III / IV
w/ 4 Wire Plug



Equiv. to KS23913L1,

Used in Lucent Fan Assemblies:
DACS III (ED-2C816-30, G1 or ED-2C906-30)
DACS IV (WP92310L4)

DACS IV FAN ASSEMBLY

(WP92310, L4)

(fan assembly is not included)



(back / bottom view)

"DACS III / IV"

PN # TF-DACS3/4-02
48V Replacement Fan for
Lucent DACS III / IV
w/ 5 Wire Plug

Equiv. to KS23913L1,

**Used in Lucent
Fan Assemblies:**
DACS III / IV (WP91473-L3B)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

NEC Replacement Fans



← **PN # TF-NEC-01 ***

** Fan only -
For KIT, see ordering
information below*

NEC
FD-31201A / FD-32401A
LINE TERMINATING
MULTIPLEXER UNIT



Ordering Information:

TF-NEC-01 NEC 48 Volt Replacement Fan (*fan only*)

Call for Pricing

TF-NEC01-KIT1 NEC 48 Volt Replacement Fan Kit w/ Mounting Plate & Guard Grill (*not shown*)



← **PN # TF-NEC-02 ****

*** Fan only -
For KIT, see ordering
information below*

NEC
ITS-2400
INTELLIGENT
TRANSPORTER



Ordering Information:

TF-NEC-02 NEC 48 Volt Replacement Fan (*fan only*)

Call for Pricing

TF-NEC02-KIT1 NEC 48 Volt Replacement Fan Kit w/ Mounting Plate & Guard Grill (*not shown*)



← **PN # TF-NEC-03 *****

**** Fan only -
this fan is used with
existing hardware*

NEC
ITS-2400V FL
INTELLIGENT
TRANSPORTER



Ordering Information:

TF-NEC-03 NEC 48 Volt Replacement Fan (*fan only*)

Call for Pricing

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585

Fax : (856) 768-7645

OmniStar (60mm) Replacement Fans

"OmniStar"

PN # TF-OMNISTAR-01

OmniStar (60mm)

12 Volt Replacement Fan

w/ 2 Wire Plug

(fan only - use with existing guard grill)



60mm



OMNISTAR CHASSIS w/ (4) EXISTING FANS

*(use in GI / Motorola OmniStar
Chassis shelf w/ DC PS,
AM-Omni-CH CM1 DC48)*

OmniStar GX2 (25mm) Replacement Fans

25mm



PIN 2, Red

TF-GX2BTY-01

PIN 1, Black

"OmniStar GX2 (RPR)"

PN # TF-GX2BTY-01

OmniStar GX2 (RPR), (25mm)

5 Volt Replacement Fan

w/ 2 Wire Plug

25mm



PIN 2, Black

TF-GX2BTY-02

PIN 1, Red

"OmniStar GX2 (Laser)"

PN # TF-GX2BTY-02

OmniStar GX2 (Laser), (25mm)

5 Volt Replacement Fan

w/ 2 Wire Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

Replacement Fans (WaveStar TDM 10G / Wideband 3190)

"WaveStar TDM 10G"



PN # TF-WSTR-01
48 Volt Replacement Fan for
WaveStar TDM 10G* Fan Tray
w/ 3 Wire Plug



**REPLACES ANY OF THE (6) FANS
IN A WAVESTAR TDM 10G FAN TRAY**
(fan tray is not included)



"Wideband 3190"



PN # TF-WB3190
48 Volt Replacement Fan for
Wideband 3190 Fan Tray
w/ 3 Wire Plug



**REPLACES ANY OF THE (3) FANS
IN A WIDEBAND 3190 FAN TRAY**
(fan tray is not included)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Edgelink Replacement Fans (40mm, 35mm & 80mm)

40mm



PN # TF-EL100-KIT2 *

Edgelink 100 Replacement Fan Kit (40mm)

** Contents of this kit can be ordered separately, see ordering information below.*

Kit includes:

- (1) TF-EL100, Edgelink 100 Replacement Fan (40mm) &
- (1) TF-EL100DET, Edgelink 100 Replacement Detector PC Board (Equiv. to CCA591G1)

35mm




PN # TF-EL100-02
Edgelink 100

Replacement Fan (35mm)



80mm

PN # TF-EL330-01
Edgelink AXX330G1
Replacement Fan
(80mm)



Ordering Information:

TF-EL100-KIT2	Edgelink 100 Replacement Fan Kit includes: (1) TF-EL100, Edgelink 100 Fan (40mm) (1) TF-EL100DET, Detector PC Board	Call for Pricing
TF-EL100	Edgelink 100 Replacement Fan (40mm)	
TF-EL100DET	Edgelink 100 Replacement Detector PC Board (Equiv. to CCA591G1)	
TF-EL100-02	Edgelink 100 Replacement Fan (35mm)	
TF-EL330-01	Edgelink AXX330G1 Replacement Fan (80mm) w/ 3 Wire Plug	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Replacement Fans (STP Ring Node / JDSU PathTrak / Tellabs 6500)

"STP Ring Node"

PN # TF-STPRN-01

STP Ring Node Frame/Cabinet
48 Volt Replacement Fan w/ 5 Wire Plug

(fan only, use with existing guard grill)


*(use in Lucent J3F011AE fan unit,
HECI E5DYAAC)*



"JDSU PathTrak HCU 1500"


PN # TF-HCU1500-01

JDSU PathTrak HCU 1500
24 Volt Replacement Fan w/ 2 Wire Plug



(fan includes (4) spacers)

**JDSU HCU 1500 PATHTRAK
MODULAR CONTROLLER**
(2) FANS, (1) ON EACH SIDE



"Tellabs 6500"

PN # TF-TL6500-01

Tellabs 6500,
12 Volt Replacement Fan w/ 4 Wire Plug



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

Tellabs UMC1000 Replacement Fans & Alarm Control Boards

"UMC1000"

(120mm)



NEW Alarm Control Boards
are also available,
order # **TFC-UMC1000-06**

PN # TF-UMC1000-01

48V Fan (120mm) for Tellabs UMC1000 Fan Tray
w/ 3 Wire Plug

(Use in AFC Tray # 0310-1716 or 8650-0414)



used in trays with 6 fans

(fan tray is not included)

PN # TF-UMC1000-02

48V Fan (80mm) for Tellabs UMC1000 Fan Tray
w/ 3 Wire Plug



used in trays with 10 fans

(fan tray is not included)



(80mm)

(Use in AFC Fan Tray F10 # 0310-1716)

PN # TF-UMC1000-03

48V Fan (120mm) for Tellabs UMC1000 Fan Tray
w/ 4 Wire Plug

(120mm)



(Use in Tellabs Tray # 4125013, 4195091, 4515090)



used in trays with 8 fans

(fan tray is not included)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Siemens EWSD* Replacement Fans

"Siemens EWSD"

PN # TF-EWSD-01

48 Volt Replacement Fan for

Siemens EWSD Fan Tray

Square Fan w/ Power Prongs

(fan only, use with existing guard grill)



SIEMENS EWSD FAN TRAY (10 SQUARE FANS)
(S30050-B5681, fan tray is not included)



(connector view)



"Siemens EWSD"


PN # TF-EWSD-02

48 Volt Replacement Fan for

Siemens EWSD Fan Tray

Round Fan w/ Power Prongs

(fan only, use with existing guard grill)



SIEMENS EWSD FAN TRAY (6 ROUND FANS)
(S30050-B5877, fan tray is not included)



(connector view)



150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

Stromberg Carlson DCO Replacement Fans



PN # TF-DCONHD-01
48 Volt Replacement Fan for
DCO Non High Density CMF Bay
w/ 2 Wire Open End (for splicing)
(Black -48V, Red +48 Return)
Includes: Guard Grill & (1) Butt Splice



PN # TF-DCOCMF-01
48 Volt Fan for
DCO CMF Bay
w/ 3 Leads &
Faston Connectors



PN # TF-DCODCF-01
48 Volt Fan for
DCO DCF Bay
w/ 3 Leads &
Spade Lugs



PN # TF-DCOMEF-01
48 Volt Replacement Fan
for **DCO MEF Bay**
w/ 3 Wire Plug



PN # TF-DCO-02
48 Volt Replacement Fan for
DCO CMF / DTF Bay
w/ 3 Leads & Faston Connectors
(fan only - use with existing guard grill)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 Replacement Fans

"DMS-100"

PN # TF-DMS01

48 Volt Replacement Fan for
DMS-100 NT3X90AC / NTB63AA
Fan Trays

w/ Power Prongs &
(4) Threaded* Mounting Holes
(screws included)

* also available unthreaded - see ordering information below



DO YOU HAVE BROKEN DMS SENSOR PADDLES THAT NEED TO BE REPLACED?

TAG HAS NEW OPTIONS (where you won't need paddles anymore)
call 856-753-8585 or email www.custsvcs@tagcords.com



EXISTING NT3X90AC FAN TRAY w/ NEW FANS



Ordering Information:

TF-DMS01	48V Fan for DMS-100 NT3X90AC / NTB63AA Fan Trays w/ Power Prongs & (4) Threaded Mounting Holes (<i>screws included</i>)	Call for Pricing
TF-DMS02	48V Fan for DMS-1U NT3X90AC / NTB63AA Fan Trays w/ Power Prongs & (4) Clear, Unthreaded Mounting Holes (<i>not shown</i>)	


150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS Fan Alarm Replacement Lamp




TLMP-DMFA-10

DMS Fan Alarm Replacement Lamp
("Fan Fail" / "Frame Fail")
(QTY of 10)

TLMP-DMFA-25

DMS Fan Alarm Replacement Lamp
("Fan Fail" / "Frame Fail")
(QTY of 25)

DMS Aisle Alarm Replacement Lamp



TLMP-DMSA-10

DMS Aisle Alarm Replacement Lamp
(QTY of 10)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 Replacement Fans & Alarm Control Boards

(use in Nortel
NT3X90AF
fan trays)





PN # TF-DMS03

48V Replacement Fan for **DMS-100**
w/ TTL Tach & 3 Wire Plug

NEW Alarm Control Boards are also available,
order # TFC-3X90AF-01

NORTEL NT3X90AF,
DMS-100 SWITCH BAY (DC POWERED)
w/ EXISTING FANS (5 FANS PER TRAY)



NORTEL NT3X90AA / NT3X90AB, DMS-100 SWITCH BAY
(AC POWERED) w/ EXISTING FANS (5 FANS PER TRAY)



PN # TF-DMS04AC

24 VAC Replacement Fan for **DMS-100**
w/ Power Prongs


(use in Nortel **NT3X90AA** & **NT3X90AB** fan trays)



PN # TF-RX50FF-01*
12V Replacement Fan for
Nortel DMS SDM
w/ 3 Wire Plug &
Speed Control
* (call for pricing)

2 FAN TRAYS
(3 FANS PER TRAY)

(use in Nortel DMS SDM
shelf # **NTRX50FF**)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 / DMS-10 Replacement Fans

"DMS-100"



← 3 Wire Plug

PN # TF-DMS-NTRX91

DMS-100, 48 Volt Replacement Fan
w/ 3 Wire Plug

*(use in DMS-100
NTRX91AA / NT0X91AA fan units
(MVIE and CSDM bays),
CLEI: ENMYACM)*



DMS-100 NTRX91AA FAN UNIT w/ EXISTING FANS

"DMS-10"

Power Prongs →



PN # TF-DMS10-01

DMS-10, 48 Volt Replacement Fan
w/ Power Prongs
(fan only, use with existing mounting)



**FAN SHOWN w/ EXISTING
DMS-10 MOUNTING BRACKET ***

** (mounting bracket is not included)*


150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Carrier VoIP Replacement Fans



"Nortel IW SPM-IP"


PN # TF-DMS-FOS

Nortel IW SPM-IP

48 Volt Replacement Fan
for NTLX56AA fan assemblies*

used in Nortel IW SPM-IP NTLX55AA cooling units

* fan only, arm assembly is not included



← PN # TF-DMS-FOS



FRONT VIEW OF →
NTLX56AA FAN ASSEMBLY
(NOT SUPPLIED)

"Media Gateway 9000"

PN # TF-MG9K-01

Nortel / GENBAND Media Gateway 9000

48 Volt Replacement Fan

w/ 3 Wire Plug

(for use in NTNY18AA Cooling Unit)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585


Fax : (856) 768-7645

Telecom Assistance Group


TAG Refurbishing - Paddleless Alarm Conversion Upgrade for DMS-100 ISDN Bay NTB63AA Fan Unit

NTBX63AA FAN UNITS HAVE PADDLES THAT BEND & BREAK


**UPGRADE your ISDN Bay NTB63AA fan unit,
ELIMINATING THE NEED FOR PADDLES!**



**Nortel DMS-100 NTB63AA
ISDN LCME LCEI Bay Fan Unit**



**5
NEW
FANS**



**(5) # TF-DMS03
DMS-100 48V Fans
w/ TTL Tach &
3 Wire Plug**

**NEW FAN
ALARM CONTROL
(NO PADDLES)**



**(1) # TFC-BX63AA-01
Fan Alarm Control Board
w/ Mounting Bracket**

**(1) # TFCS-DMSBX63
Wiring Harness (not shown)**

Ordering Information:

**TFR-BX63AA-01 TAG Refurbishing, Fan Unit Upgrade - ISDN LCME LCEI Bay
Paddleless Alarm Conversion for DMS-100 NTB63AA Fan Unit**

Includes: (1) Recycled NTB63AA Fan Unit upgraded w/ (5) TF-DMS03, NEW DMS-100 48V Fans w/ TTL Tach & 3 Wire Plug,
(1) TFC-BX63AA-01, Fan Alarm Control Board w/ Mounting Bracket & (1) TFCS-DMSBX63, Wiring Harness

**BEFORE ORDERING
PLEASE CALL or EMAIL:
856-753-8585
custsvcs@tagcords.com**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645

DMS-500/250 DPCC XA-Core Blower Drawer Impeller Replacement

"Impeller Fan for DMS Blower Drawer"

PN # TF-DMSLGN6-01


(225mm) Replacement Impeller Fan for
DMS-500/250 DPCC XA-Core
Blower Drawer

w/ 4 Wire Plug


(fan only, use in existing
tray # **NTLX10AA**,
drawer # **NTLX11AA**)



NT9X01JF DPCC



Existing 225mm Impeller Fan



**(3) BLOWER DRAWERS
LOCATED AT THE
BOTTOM OF THE BAY**

(tray # **NTLX10AA**, drawer # **NTLX11AA**)

Ordering Information:

TF-DMSLGN6-01

(225mm) Replacement Impeller Fan for
DMS-500/250 DPCC XA-Core Blower Drawer
w/ 4 Wire Plug

(fan only, use in existing tray # **NTLX10AA**, drawer # **NTLX11AA**)

Call for Pricing

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group


DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement

► NEW Drop-in Replacement

DMS DPCC SUPERNODE "SQUIRREL CAGE" REPLACEMENT BLOWERS

(use in **NT9X01XX DPCC**,
(replaces **A0345301**))


**CONTROL BOX
w/ INTERNAL SENSOR,
WIRING HARNESS & PLUG**



NT9X01XX DPCC



**"SQUIRREL CAGE"
w/ INTEGRAL MOTOR**



**NT9X01XX DPCC HAS
(4) BLOWER UNITS PER BAY**

Ordering Information:

TF-DMSLGN5

**DMS-100 DPCC SuperNode Blower
"Squirrel Cage" Replacement w/ Internal Sensor**
(use in **NT9X01XX DPCC**, (replaces **A0345301**))

Call for Pricing

TF-DMSLGN5A

**DMS-100 DPCC XA-Core SuperNode Blower
"Squirrel Cage" Replacement
w/ 4 Wire Square Plug Adapter Cable (# TFCS-DMSLGN5F2S) - (not shown)**
(use in **NT9X01BC DPCC** w/ Power Distribution Alarm Board (replaces **A0345301**))

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 Dual-Scroll Blower Replacement Unit



► **NEW Drop-in Replacement**

**DMS-100 DUAL-SCROLL
REPLACEMENT BLOWERS**




(used in
NT9X950 "w/ hanging blowers"
(replaces # A0383325 & A0381714))

(Commonly found in
DPCC / LIM / ENET bays)

w/ (2) CONNECTORS:

- (1) 4 PIN PLUG
&
(1) 3 PIN PLUG*

*(includes adapter cable,
TFCS-DMSMCL3)



**NT9X950
HAS (3) BLOWER UNITS PER BAY**

Ordering Information:

TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit	Call for Pricing
	w/ (1) 4 pin plug & (1) 3 pin plug	
	<i>includes (1) 3 pin adapter cable (# TFCS-DMSMCL3) (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (commonly found in DPCC / LIM / ENET bays)</i>	
TFC-DMSAPW-3	Alarm Board for DMS LIM/ENET Blower - (not shown)	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

TAG DMS-100 3X9013 Universal Fan Tray

TFT-3X9013T

Universal 48VDC Fan Tray

- No 24VAC Inverters

(24VAC inverters cause heat concerns & major equipment failures)

- No Mechanical Sensors

(sensor paddles are known to bend & break)

INSTALLATION VIDEOS:



NT3X90AA/AB



NT3X90AC



NT3X90AF

UNIVERSAL MOUNTING HOLES


5 NEW 48VDC FANS

NEW CONNECTORIZED WIRING HARNESS

NEW CONTROL BOARD WITH BUILT IN ALARMS (no sensor paddles)

NEW FAN TRAY

- Connectorized Universal metal tray with Fan Alarm Board (no sensor paddles)
- Pre-assembled & works with NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF Cooling Units
- Adapter cables* are supplied for NT3X90AA/AB & NT3X90AF Cooling Units
*(adapter cables are not used with NT3X90AC)



Ordering Information:

TFT-3X9013T

TAG Universal DMS-100 3X9013 Fan Tray

Includes: (1) Brand New Fan Tray w/ Universal Mounting Holes,
(5) TF-DMS03, 48VDC Fans w/ TTL Tach & 3 Wire Plug,
(1) Fan Control Board w/ Built in Sensors (no paddles needed), Wiring Labels, Mounting Hardware,
(1) Wiring Harness w/ Connector, NT3X90AA/AB & NT3X90AF Adapter Cables & Installation Guide

Call for Pricing

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645