

---

---

# New Central Office Direct Replacement Fans Available for Frontier

---

---

Provided By:



**TAG INC.**

Telecom Assistance Group, Inc.  
856-753-8585  
www.tagcords.com

---

---

## **ALCATEL FANS**

*(1000, 7300, ECS1, 1603 & 1631)*



## **EDGE LINK FANS**



## **DMS FANS**



→ **NEW DMS** ←

## **UNIVERSAL FAN TRAYS**

*(for NT3X90AA/AB, NT3X90AC & NT3X90AF units)  
(NO MORE PADDLES)*

## **5ESS FANS**



## **DDM-2000 FANS**



## **DMS-100 BLOWERS (SQUIRREL CAGE & DUAL-SCROLL)**



---

---

**ADTRAN, BIGBAND, CIENA, CISCO, EWSD, GTD-5, KENTROX,  
LUCENT FANS (DACS III/ IV, CBX500, FT-2000, METROPOLIS DMX),  
NORTEL / GENBAND, LORAIN / MARCONI, STROMBERG CARLSON DCO,  
TELLABS UMC1000, WAVESTAR, WIDEBAND 3190 FANS & MORE !!**


---

---


# **856-753-8585**

---

---



| Part #  | Description  | FTR UPN #      | PG#  |
|---|--|----------------|------|
| <b>5ESS FANS</b>  |  |                |      |
| TF-5ESS-01P   | KS22501L3 Equiv. 5ESS Fan w/ 3 Leads & AMP Conn. (w/ power prongs)                                   | TF-5ESS-01P    | 1    |
| TF-5ESS-01F   | KS22501L3 Equiv. 5ESS Fan w/ 3 Leads & Fastons (w/ power prongs)                                     | TF-5ESS-01F    | 1    |
| TF-5ESS-02P   | KS23912L1A Equiv. 5ESS Fan w/ 5 Leads & AMP Connector (w/ Internal Thermal Speed Control Sensor)     | TF-5ESS-02P    | 1    |
| TF-5ESS-02F   | KS23912L1A Equiv. 5ESS Fan w/ 5 Leads & Faston Connectors (w/ Internal Thermal Speed Control Sensor) | TF-5ESS-02F    | 1    |
| TF-5ESS-03P   | KS23912L2 Equiv. 5ESS Fan w/ 4 Leads & AMP Connector   | TF5ESS03P      | 1    |
| TF-5ESS-04P   | KS22501L3A Equiv. 5ESS Fan w/ 5 Leads & AMP Connector  | TF-5ESS-04P    | 1    |
| TF-5ESS-04F   | KS22501L3A Equiv. 5ESS Fan w/ 5 Leads & Faston Connectors  | TF-5ESS-04F    | 1    |
| TF-5ESS-10P   | KS23398L2 Equiv. 5ESS ISLU (Square Fan) w/ 5 Leads & AMP Connector                                   | TF-5ESS-10P    | 1    |
| <b>ADTRAN FANS</b>  |  |                |      |
| TF-TA3000-01  | Adtran TA3000, 48V Fan w/ 3 Wire Plug (HECI: M3PQ0AV, 1181006L1)                                     |                | 2    |
| TF-TA5K-01  | Adtran TA5000, 48V Fan w/ 4 Wire Plug  | TF-TA5K-01     | 2    |
| TF-TA5K-02  | Adtran TA5000, 48V Fan w/ 3 Wire Plug  | TF-TA5K-02     | 2    |
| <b>ALCATEL FANS</b>   |  |                |      |
| TF-ALC-01   | Alcatel 1000/7300, 48V Fan w/ Tach & 3W Plug (3EC 15478, 3EC 37933 & 3EC 36760)                      | TF-ALC-01      | 3    |
| TF-AL7300-02  | Alcatel 7300, 48V Fan w/ Internal Sensor, Tach & 3 Wire Plug (3EC 16697 (XXXX))                      | TF-AL7300-02   | 3    |
| TF-DSCECS1-01   | DSC / Alcatel ECS1, 48V Fan w/ 3 Wire Plug   | TF-DSCECS1-01  | 3    |
| TF-ALC1631-01   | Alcatel 1631, 48V Fan (Square) w/ Power Prongs (use in Assembly # 695-3363-302)                      | TF-ALC1631-01  | 4    |
| TF-ALC1631-02   | Alcatel 1631, 48V Fan (Round) w/ Power Prongs & Tach Lead (use in #3AL45446AA)                       | TF-ALC1631-02  | 4    |
| TF-ALC1631-03   | Alcatel 1631 APS, 48V Fan (Square) w/ Pwr Prongs & Tach (use in #695-8489-001)                       |                | 4    |
| TF-ALC1680-01   | Alcatel 1680 OGX, 48V Fan (Round) w/ Pwr Prongs & Tach (use in #3EM04820AA)                          |                | 4    |
| <b>BIGBAND / ADC FANS</b>   |  |                |      |
| TF-BIGBND-01  | BigBand, 12V w/ 3 Wire Open End Fan (w/ Speed Control)   | TFBIGBND01     | 5    |
| TF-BIGBND-03SR  | BigBand Shelf / Door Repair  |                | 5    |
| TF-BIGBPS-01  | 12V Fan (40mm) for BigBand (FTTP bays) & ADC RF Worx Power Supplies                                  | TF-BIGBPS-01   | 5    |
| <b>CIENA FANS</b>   |  |                |      |
| TF-CN1600-01  | Ciena 1600 DWDM, 48V Fan (fan only, mtg bracket is not included)                                     |                | 6    |
| TF-DN7100-01  | Ciena DN7100, 12V Fan w/ 3 Wire Plug (TA225DC Equiv.)  | TF-DN7100-01   | 6    |
| TF-DN7100-02  | Ciena DN7100, 12V Fan w/ 3 Wire Plug (TA300DC Equiv.)  | TF-DN7100-02   | 6    |
| <b>CISCO 15454 / GTD-5 / KENTROX FANS</b>                                 |  |                |      |
| TF-C15454-01  | Cisco ONS 15454, 48V Fan w/ 3 Wire Right Angle Connector   |                | 7    |
| TF-GTD5-01  | GTD-5, 48V Fan w/ 5 Wire Plug  | TF-GTD5-01     | 7    |
| TF-GTD5AG-01  | GTD-5 AG Communications Unit, 48V Fan (60x25mm) w/ 3 Wire Plug                                       |                | 7    |
| TF-AI-180   | Kentrox AISwitch Series 180, 48V Cooling Fan   |                | 7    |
| <b>CALIX / FUJITSU / DATAKIT / GALAXY RECTIFIER FANS</b>                  |  |                |      |
| TF-CLXE7-01   | 12V (40mm x 20mm) Fan for Calix E7-2 FTA2 Fan Unit w/ 4 Wire Plug                                    |                | 8    |
| TF-FW4500-01  | 48V Fan for Flashwave 4500 Fan Unit w/ 4 Wire Plug   |                | CALL |
| TF-FLM150-01  | 48V (80mm) Fan for Fujitsu FLM 150 Fan Tray w/ 3 Wire Plug   | TF-FLM150-01   | 8    |
| TF-DATAKIT-01   | 24V Fan for Datakit System w/ 3 Wire, 4 Pin Connector  |                | 8    |
| TF-GLX595LTB-01   | 48V Fan for Galaxy 595LTB Rectifier w/ 4 Wire Plug   |                | 8    |
| <b>LORAIN / MARCONI RECTIFIER FANS</b>                                    |  |                |      |
| TFT-MRECT   | New Fan Tray for Vortex Rectifier (Lorain/Marconi 104545) (V200D50)                                  | TFT-MRECT      | 9    |
| TF-MREC-01  | Vortex Rectifier (Lorain / Marconi) (V200D50), 24V Fan w/ 3 Wire Open End                            | TF-MREC-01     | 9    |
| TF-MREC-02  | Vortex Rectifier (Lorain/Marconi), 24V Fan & 3 Wire Plug (use in V200E50)                            | TF-MREC-02     | 9    |
| TF-RHM400-01  | RHM-400/800 Rectifier Unit (Lorain/Marconi), 220VAC Fan  | TF-RHM400-01   | 10   |
| TF-LRA25B50-01  | Lorain Rectifier (A25B50), 24V Fan w/ 3 Wire Plug  |                | CALL |
| TF-LRA50B50-01  | Lorain Rectifier (A50B50), 48V Fan w/ 2 Wire Plug  | TF-LRA50B50-01 | 10   |
| TF-LRV50B50-01  | Lorain Rectifier (V50B50), 24V Fan w/ 3 Wire Plug  | TF-LRV50B50-01 | 10   |
| <b>LUCENT FANS (CBX500, DDM-2000, METROPOLIS, FT-2000, DACS III / IV)</b> |  |                |      |
| TF-DDM201   | Lucent DDM-2000, 24V Fan   | TF-DDM201      | 11   |
| TF-DDM201-KIT1  | Lucent DDM-2000, 24V Fan Kit w/ Mounting Plate   | TF-DDM201-KIT1 | 11   |
| TF-DDM202   | Lucent DDM-2000, 48V Fan (for Nidec T35078-LUC 440233, Com 408741205) (fan only)                     |                | 11   |
| TF-CBX500-01  | Lucent CBX500 OCD, 12V Cooling Fan w/ 3 Wire Pins  | TF-CBX500-01   | 12   |
| TF-DMXMET-01  | Lucent Metropolis DMX, 48V Fan w/ 4 Wire Plug  | TF-DMXMET-01   | 12   |
| TF-DMXMET-02  | Lucent Metropolis DMX Access Multiplexer, 48V Fan w/ 4 Wire Black Plug                               | TF-DMXMET-02   | 12   |
| TF-FT201  | Lucent FT-2000, 48V Fan w/ 3 Wire Plug   | TF-FT201       | 12   |
| TF-DACS3/4-01   | Lucent DACS III / IV, 48V Fan w/ 4 Wire Plug (KS23913L1 Equiv.)                                      | TF-DACS3/4-01  | 13   |
| TF-DACS3/4-02   | Lucent DACS III / IV, 48V Fan w/ 5 Wire Plug (KS23913L1 Equiv.)                                      | TF-DACS3/4-02  | 13   |



| Part #   | Description   | FTR UPN #     | PG#   |
|--|---|---------------|-------|
| <b>NEC FANS</b>  |   |               |       |
| TF-NEC-01  | NEC, 48V Fan (fan only) (FD-31201A / FD-32401A)   | TF-NEC-01     | 14    |
| TF-NEC01-KIT1  | NEC, 48V Fan Kit w/ Mounting & Grill (FD-31201A / FD-32401A)  |               | 14    |
| TF-NEC-02  | NEC, 48V Fan (fan only) (ITS-2400)  |               | 14    |
| TF-NEC02-KIT1  | NEC, 48V Fan Kit w/ Mounting & Grill (ITS-2400)   |               | 14    |
| TF-NEC-03  | NEC, 48V Fan (fan only) (ITS-2400V FL)  |               | 14    |
| <b>SIEMENS EWSD FANS</b>   |   |               |       |
| TF-EWSD-01   | Siemens EWSD, Square 48V Fan w/ Pwr Prongs (fan only, use with existing guard grill)  | TF-EWSD-01    | 15    |
| TF-EWSD-02   | Siemens EWSD, Round 48V Fan w/ Pwr Prongs (fan only, use with existing guard grill)   |               | 15    |
| <b>STROMBERG CARLSON DCO FANS</b>  |   |               |       |
| TF-DCOCMF-01   | 48V Fan for Stromberg Carlson DCO CMF Bay w/ 3 Leads & Fastons  | TF-DCOCMF-01  | 16    |
| TF-DCODCF-01   | 48V Fan for Stromberg Carlson DCO DCF Bay w/ 3 Leads & Spade Lugs   |               | 16    |
| TF-DCONHD-01   | 48V Fan for Stromberg Carlson DCO Non-HD CMF Bay w/ 2 Wire Open End   | TF-DCONHD-01  | 16    |
| TF-DCOMEF-01   | 48V Fan for Stromberg Carlson DCO MEF Bay w/ 3 Wire Plug & Guard Grill  | TF-DCOMEF-01  | 16    |
| TF-DCO-02  | 48V Fan for Stromberg Carlson DCO CMF / DTF Bay w/ 3 Leads & Fastons  | TF-DCO-02     | 16    |
| <b>STP RING NODE / JDSU PATHTRACK / TELLABS FANS</b>                           |   |               |       |
| TF-STPRN-01  | STP Ring Node Frame/Cabinet, 48V Fan w/ 5 Wire Plug   |               | 17    |
| TF-HCU1500-01  | JDSU PathTrak HCU 1500, 24V Fan w/ 2 Wire Plug  |               | 17    |
| TF-TL6500-01   | Tellabs 6500, 12V Fan w/ 4 Wire Plug  |               | 17    |
| <b>TELCO SYSTEMS FANS</b>  |   |               |       |
| TF-EL100   | Edgelink 100, Fan (40mm)  | TF-EL100      | 18    |
| TF-EL100DET  | Edgelink 100, Detector PC Board   |               | 18    |
| TF-EL100-KIT2  | Edgelink 100, Fan Kit (40mm)  | TF-EL100-KIT2 | 18    |
| TF-EL100-02  | Edgelink 100, Fan (35mm)  | TF-EL100-02   | 18    |
| TF-EL330-01  | Edgelink AXX330G1, Fan (80mm) w/ 3 Wire Plug  |               | 18    |
| <b>WAVESTAR &amp; WIDEBAND 3190 FANS</b>                                       |   |               |       |
| TF-WSTR-01   | WaveStar TDM 10G, 48V Fan w/ 3 Wire Plug  |               | 19    |
| TF-WB3190  | Wideband 3190, 48V Fan w/ 3 Wire Plug   |               | 19    |
| <b>NORTEL FANS (DMS, Carrier VoIP, DPCC SuperNode "Squirrel Cage" Blowers)</b> |   |               |       |
| TF-DMS01   | DMS-100, 48V Fan w/ Power Prongs (use in NT3X90AC / NTB63AA fan trays)  | TF-DMS01      | 20    |
| TF-DMS02   | DMS-1U, 48V Fan w/ Power Prongs (unthreaded mtg) (use in NT3X90AC / NTB63AA trays)  | TF-DMS02      | 20    |
| TLMP-DMFA-10   | DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 10)  |               | 21    |
| TLMP-DMFA-25   | DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 25)  |               | 21    |
| TLMP-DMSA-10   | DMS Aisle Alarm Repl. Lamp (QTY of 10)  |               | 21    |
| TF-DMS-NTRX91  | DMS-100, 48V Fan (use in NTRX91AA / NT0X91AA, CLEI: ENMYACM)  | TF-DMS-NTRX91 | 22    |
| TF-DMS10-01  | DMS-10, 48V Fan w/ Power Prongs   | TF-DMS10-01   | 22    |
| TF-DMS-FOS   | Nortel IW SPM-IP, 48V Fan for NTLX56AA Fan Assemblies (used in Nortel IW SPM-IP NTLX55AA cooling units) (fan only, arm assembly is not included)  | TF-DMS-FOS    | 23    |
| TF-MG9K-01   | Nortel/GENBAND Media Gateway 9000, 48V Fan w/ 3 Wire Plug (for NTNY18AA)  | TF-MG9K-01    | 23    |
| TF-DMS03   | DMS-100, 48V Fan w/ TTL Tach & 3 Wire Plug (use in NT3X90AF fan trays)  | TFDMS03       | 24    |
| TFC-3X90AF-01  | DMS-100, Fan Alarm Board for the NT3X90AF Cooling Fan Unit  |               | 24    |
| TF-DMS04AC   | DMS-100, 24VAC Fan w/ Power Prongs (use in NT3X90AA / NT3X90AB fan trays)   | TFDMS04AC     | 24    |
| TF-RX50FF-01   | DMS SDM, 12V Fan w/ 3 Wire Plug & Speed Control (use in Nortel shelf # NTRX50FF)  | TF-RX50FF-01  | 24    |
| TFT-DMS48KIT4  | DMS-100 (NT3X90AA / NT3X90AB), 24VAC to 48VDC Fan Tray Conversion Kit 4 (NEW Kit - includes (5) 48V Fans & Fan Control Board w/ built in Sensors (no paddles needed))   | TFT-DMS48KIT4 | CALL  |
| TF-DMSLGN6-01  | DMS-500/250 DPCC (225mm) Impeller Fan for XA-Core Blower Drawer w/ 4 Wire Plug (fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)   |               | 25    |
| TF-DMSMCL-02   | DMS-100 Dual-Scroll Blower Replacement Unit (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (found in DPCC / LIM / ENET bays)   |               | 26    |
| TFC-DMSAPW-3   | Alarm Board Replacement for DMS LIM / ENET Blower   |               | 26    |
| TF-DMSLGN5   | DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC, (replaces A0345301))  | TF-DMSLGN5    | 27    |
| TFT-3X9013T<br>***NEW***   | TAG Universal DMS-100 3X9013 Fan Tray (NEW TRAY is pre-assembled w/ (5) NEW fans, Alarm Board, Wiring Harness w/ Connector & Universal Mounting Holes for NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF cooling units) - No 24VAC Inverters - No Paddle Sensors | TFT-3X9013T   | 28-29 |

**Don't see the fan you are looking for? Send us a sample & we will find a match!**  
**PLEASE CALL: 856-753-8585 or EMAIL: custsvcs@tagcords.com**



# 5ESS Replacement Fans



- ▶ All TAG Fans are **NEW** (No Refurbs)
- ▶ Exact Drop-in Replacements
- ▶ 48V  $\overline{\text{DC}}$  0.40A

**DON'T SEE THE FAN YOU NEED?**

**Send us a Sample  
& we will Find a Match!**

## KS22501L3 Models:

**FTR UPN # TF-5ESS-01F**  
5ESS Replacement Fan  
w/ 3 Leads & Faston Connectors  
*(fan w/ power prongs)*



**FTR UPN # TF-5ESS-01P**  
5ESS Replacement Fan  
w/ 3 Leads & AMP Connector  
*(fan w/ power prongs)*



*DC Fan Power Cords are available for KS22501L3 type fans  
(order TAG MODEL # TF-DCPWR-01)*

## KS23912L2 Model:

**FTR UPN # TF5ESS03P**  
5ESS Replacement Fan  
w/ 4 Leads & AMP Connector



## KS22501L3A Models:

**FTR UPN # TF-5ESS-04F**  
5ESS Replacement Fan  
w/ 5 Leads & Faston Connectors



**FTR UPN # TF-5ESS-04P**  
5ESS Replacement Fan  
w/ 5 Leads & AMP Connector



## KS23912L1A Models:

**FTR UPN # TF-5ESS-02F**  
5ESS Replacement Fan  
w/ 5 Leads & Faston Connectors  
*w/ Internal Thermal Speed Control Sensor*



**FTR UPN # TF-5ESS-02P**  
5ESS Replacement Fan  
w/ 5 Leads & AMP Connector  
*w/ Internal Thermal Speed Control Sensor*



## KS23398L2 Model:

*Square 5ESS Fans  
are also available*

**FTR UPN # TF-5ESS-10P**  
ISLU (Square Fan)  
48V  $\overline{\text{DC}}$  0.13A  
w/ 5 Leads &  
AMP Connector



150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091


[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

**Telecom Assistance Group**


## Adtran TA3000 / TA5000 Replacement Fans

"TA3000"



(use in TA3000 Module  
HECI: M3PQ0AV,  
PN: 1181006L1)

**PN # TF-TA3000-01** (call for pricing)  
48 Volt Replacement Fan for  
**Adtran TA3000, Total Access Fan Module**  
w/ 3 Wire Plug




3 WIRE  
PLUG

"TA5000"



**FTR UPN # TF-TA5K-01**  
48 Volt Replacement Fan for  
**Adtran TA5000**  
w/ 4 Wire Plug




4 WIRE  
PLUG

"TA5000"



**FTR UPN # TF-TA5K-02**  
48 Volt Replacement Fan for  
**Adtran TA5000**  
w/ 3 Wire Plug



3 WIRE  
PLUG

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645


**Telecom Assistance Group**

## Alcatel (1000 / 7300 / DSC ECS1 / 1603)\* Replacement Fans

### "Alcatel 1000 / 7300"

**FTR UPN # TF-ALC-01**  
48V Replacement Fan for  
**Alcatel 1000 / 7300 Fan Tray**  
w/ Tach Output & 3 Wire Plug

(use in **3EC 15478** (XXXX), **3EC 37933** (XXXX)  
& **3EC 36760** (XXXX) Fan Trays)




### "Alcatel 7300"

**FTR UPN # TF-AL7300-02**  
48V Replacement Fan for  
**Alcatel 7300 Fan Tray**  
w/ Internal Sensor, Tach Output  
& 3 Wire Plug

(use in **3EC 16697** (XXXX) Fan Trays)


### "DSC / Alcatel ECS1"

**FTR UPN # TF-DSCECS1-01**  
48V Replacement Fan for  
**DSC / Alcatel ECS1 Fan Tray**  
w/ 3 Wire Plug



### "Alcatel 1603"

**PN # TF-ALC1603-01**  
48V Replacement Fan for  
**Alcatel 1603 Low-Volume Fan Tray**  
w/ 3 Wire Plug



**# 625052-000-0XX (w/ 4 EXISTING FANS)**  
(fan tray is not included)

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585

Fax : (856) 768-7645

**Telecom Assistance Group**



## Alcatel 1631 / 1680\* Replacement Fans

### "Alcatel 1631"

**FTR UPN # TF-ALC1631-01**  
48V Replacement Fan for  
**Alcatel 1631 Blower Assembly**  
w/ Power Prongs

*(use in # 695-3363-302 blower assembly)*



*(fan only -  
use with  
existing  
guard grill)*

*(fan only -  
use with  
existing  
guard grill)*



### "Alcatel 1631"

**FTR UPN # TF-ALC1631-02**  
48V Replacement Fan for  
**Alcatel 1631 Blower Assembly**

w/ Power Prongs,  
Unterminated Tach Lead & (1) Butt Splice

*(use in # 3AL45446AA blower assembly)*

### "Alcatel 1631"

**PN # TF-ALC1631-03** (call for pricing)  
48V Replacement Fan for  
**Alcatel 1631 APS Blower Assembly**  
w/ Power Prongs & Unterminated Tach Lead  
*(use in # 695-8489-001 blower assembly)*



*(fan only -  
use with existing  
guard grill)*

*Unterminated  
Tach Lead*

*(fan only -  
use with  
existing  
guard grill)*



### "Alcatel 1680"

**PN # TF-ALC1680-01** (call for pricing)  
48V Replacement Fan for  
**Alcatel 1680 OGX Blower Assembly**  
w/ Power Prongs,  
Unterminated Tach Lead & (1) Butt Splice  
*(use in # 3EM04820AA blower assembly,  
HECI WMMYAA9FAA)*

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585

Fax : (856) 768-7645

**Telecom Assistance Group**

## BigBand / ADC Replacement Fans

### "BigBand SDV Mux"



**FTR UPN # TFBIGBND01**

**BigBand 12 Volt**  
 3 Wire Open End Replacement Fan  
 w/ Speed Control  
*(fan only, use existing guard grill & hardware)*  
*(use in **BigBand SDV Mux**)*

**PN # TF-BIGBND-03SR \***  
**BigBand Shelf / Door Repair**

TAG repair service includes:  
 (3) PN # TFBIGBND01 Fans


**\* Customer supplied shelf -**  
**For more information,**  
**Please call: 856-753-8585**  
**or email: [custsvcs@tagcords.com](mailto:custsvcs@tagcords.com)**




**BIGBAND FAN SHELF** →

**FTR UPN # TF-BIGBPS-01 \*\***  
 12 Volt Replacement Fan (40mm)  
 w/ 3 Wire Plug for  
**BigBand & ADC RF Worx Power Supplies**


### "BigBand FTTP & ADC RF Worx"



**POWER SUPPLY**  
**(FRONT VIEW)**



**POWER SUPPLY**  
**(BACK VIEW) w/ EXISTING FANS**



**\*\* fan only - use with existing mounting bracket / guard grill**

150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
 Fax : (856) 768-7645

**Telecom Assistance Group**



# Ciena (1600 DWDM / DN7100) Replacement Fans


## "1600 DWDM"



**PN # TF-CN1600-01** (call for pricing)  
**Ciena 1600 DWDM**  
 48 Volt Replacement Fan  
 (includes instruction sheet & (8) new plastic rivets)

(Fan only - use with existing mounting bracket)


**INSTALL THE NEW TAG FAN INTO THE EXISTING MOUNTING BRACKET**



## "DN7100"

**FTR UPN # TF-DN7100-01**  
**Ciena DN7100, 12 Volt Replacement Fan**

w/ 3 Wire Plug  
 (Small Fan)  
 (QTY of 1)



(2) **SMALL FANS**  
 (ORDER (2) of # TF-DN7100-01)

**FTR UPN # TF-DN7100-02**  
**Ciena DN7100, 12 Volt Replacement Fan**

w/ 3 Wire Plug  
 (Medium Fan)  
 (QTY of 1)



(3) **MEDIUM FANS**  
 (ORDER (3) of # TF-DN7100-02)

**CIENA DN7100 FAN ASSEMBLY**  
 (w/ EXISTING FANS)  
 (TOP VIEW)



150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
 Fax : (856) 768-7645

**Telecom Assistance Group**

## Replacement Fans (GTD-5 / Cisco 15454 / Kentrox)

### "GTD-5"



**FTR UPN # TF-GTD5-01**  
48 Volt Replacement Fan for  
**GTD-5 Fan Unit**

w/ 5 Wire Plug

### "GTD-5, AG Comm Unit"



(60x25mm)

**PN # TF-GTD5AG-01** *(call for pricing)*  
48 Volt Replacement Fan (60x25mm) for  
**AG Communications Unit**  
in the **GTD-5**

w/ 3 Wire Plug

### "ONS 15454"



**PN # TF-C15454-01** *(call for pricing)*  
48 Volt Replacement Fan for  
**Cisco ONS 15454**

w/ 3 Wire Right Angle Connector  
*(use in Fan Unit # 800-21448-02,  
HECI: WMMYAFEGAA)*

### "AISwitch 180"



**PN # TF-AI-180** *(call for pricing)*  
48 Volt Replacement Cooling Fan for  
**Kentrox AISwitch Series 180**

w/ 3 Wire Right Angle Connector  
*(use in AICOOL-48 Fan Unit)*

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091


[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

**Telecom Assistance Group**

**Replacement Fans (Calix E7 / Datakit / Fujitsu FLM 150 / Galaxy 595LTB)**


**"Calix E7"**



**(40mm x 20mm)**

**PN # TF-CLXE7-01** (call for pricing)  
 12 Volt Replacement Fan for  
**Calix E7-2 FTA2 Fan Unit**  
 w/ 4 Wire Plug

**"Fujitsu FLM 150"**



**(80mm)**

**FTR UPN # TF-FLM150-01**  
 48 Volt Replacement Fan for  
**Fujitsu FLM 150 Fan Tray**  
 w/ 3 Wire Plug

**"Datakit System"**



**PN # TF-DATAKIT-01** (call for pricing)  
 24 Volt Replacement Fan for  
**Datakit System**  
 w/ 3 Wire, 4 Pin Connector

**"Galaxy 595LTB"**



**PN # TF-GLX595LTB-01** (call for pricing)  
 48 Volt Replacement Fan for  
**Galaxy 595LTB Rectifier**  
 w/ 4 Wire Plug

150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
 Fax : (856) 768-7645

**Telecom Assistance Group**



## (Lorain / Marconi) Replacement Trays & Fans

### Vortex V200D50

**REPLACE LORAIN / MARCONI**  
**104545 FAN TRAYS**

**NEW FAN TRY INCLUDES**  
**(3) NEW FANS w/ WIRING HARNESS & CONNECTOR**



#### Ordering Information:

**TAG Fan Tray Replacement -**  
**New TAG Fan Tray Assembly for Vortex Rectifier (Lorain / Marconi 104545)**  
*Includes: (1) NEW Fan Tray & (3) NEW 24 Volt Replacement Fans w/ Wiring Harness & Connector*  
*(Used in Vortex V200D50 Power Conversion Unit, HECl: PBP1FT0DAA, replaces Nidec Model # T34874-MAR)*

**FTR UPN #**  
**TFT-MRECT**

**24V Fan for Vortex V200D50 Rectifier Fan Tray (Lorain / Marconi 104545)**  
**w/ 3 Wire Open End - (not shown)**


**TF-MREC-01**  
(individual fan)

### Vortex V200E50



*(fan only - use with existing tray / metal housing)*

*(top view w/ 2 of the 3 fans removed)*



**VORTEX RECTIFIER FAN UNIT**  
**w/ EXISTING FANS**  
**(V200E50 type w/ (3) separate trays)**

#### Ordering Information:

**24V Fan for Vortex V200E50 Rectifier (Lorain / Marconi)**  
**w/ 4 threaded mounting locations & 3 Wire Plug**  
*(Used in Vortex V200E50 Power Conversion Unit, HECl: PBPUG0V2AA*  
*(fan only - use with existing tray / metal housing)*

**FTR UPN #**  
**TF-MREC-02**

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645


**Telecom Assistance Group**

# (Lorain / Marconi) Rectifier Unit Replacement Fans

"AC Fan"



"RHM-400/800 Rectifier"



POWER PRONGS

**Ordering Information:**

**220VAC Fan for RHM-400/800 Rectifier Unit (Lorain / Marconi)  
w/ power prongs**  
*(use in RHM400D50 & RHM800E50 Rectifier Units)*

**FTR UPN #**


**TF-RHM400-01**

"DC Fan"



"A50B50\* Rectifier"

*\*V50B50 fans are also available -  
see ordering information below*



2 WIRE PLUG

**Ordering Information:**

**48V Fan for A50B50 Rectifier Unit (Lorain / Marconi)  
w/ 2 Wire Plug**  
**24V Fan for V50B50 Rectifier Unit (Lorain / Marconi)  
w/ 3 Wire Plug - (not shown)**

**FTR UPN #**

**TF-LRA50B50-01**

**TF-LRV50B50-01**

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091


[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

**Telecom Assistance Group**

## Lucent DDM-2000 Replacement Fans

### "DDM-2000 (24V)"



**FTR UPN # TF-DDM201-KIT1 \***  
24 Volt Replacement Fan Kit for  
Lucent DDM-2000

***Kit includes:***

(1) 24V Replacement Fan  
&  
(1) Mounting Plate

\* fans can also be ordered  
without the mounting plate,  
(order FTR UPN # TF-DDM201)



### "DDM-2000 (48V)"

**PN # TF-DDM202 \*\* (call for pricing)**  
48 Volt Replacement Fan for  
Lucent DDM-2000

(for use in Nidec T35078-LUC 440233,  
Lucent Comcode: 408741205)

\*\* fan only - this fan is used with the  
existing mounting bracket



150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

**Telecom Assistance Group**



## Lucent Replacement Fans

### "CBX500 OCD"



**FTR UPN # TF-CBX500-01**  
 12 Volt Replacement Cooling Fan for  
**CBX 500 OCD**  
 w/ 3 Wire Pins

### "FT-2000"



**FTR UPN # TF-FT201**  
 48 Volt Replacement Fan for  
**Lucent Fiber Terminal 2000 (FT-2000)**  
 w/ 3 Wire Plug

### "Metropolis DMX"



**FTR UPN # TF-DMXMET-01**  
 48 Volt Replacement Fan for  
**Lucent Metropolis DMX Fan Shelf**  
 w/ 4 Wire Plug

*Used in Metropolis DMX Fan Shelf -  
 LUCENT COMCODE NO. 408769172*

### "Metropolis DMX Multiplexer"



**FTR UPN # TF-DMXMET-02**  
 48 Volt Replacement Fan for  
**Lucent Metropolis DMX  
 Access Multiplexer Fan Shelf**  
 w/ 4 Wire Black Plug

150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
 Fax : (856) 768-7645

**Telecom Assistance Group**

## Lucent DACS III / IV\* Replacement Fans



### "DACS III / IV"

**FTR UPN # TF-DACS3/4-01**

48 Volt Replacement Fan for  
Lucent DACS III / IV  
w/ 4 Wire Plug


**Equiv. to KS23913L1,**

**Used in Lucent Fan Assemblies:**  
DACS III (ED-2C816-30, G1 or ED-2C906-30)  
DACS IV (WP92310L4)

**DACS IV FAN ASSEMBLY**

(WP92310, L4)

(fan assembly is not included)



(back / bottom view)

### "DACS III / IV"

**FTR UPN # TF-DACS3/4-02**

48V Replacement Fan for  
Lucent DACS III / IV  
w/ 5 Wire Plug

**Equiv. to KS23913L1,**

**Used in Lucent  
Fan Assemblies:**  
DACS III / IV (WP91473-L3B)



150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

**Telecom Assistance Group**

## NEC Replacement Fans



← **FTR UPN # TF-NEC-01 \***

*\* Fan only -  
For KIT, see ordering  
information below*


NEC →  
**FD-31201A / FD-32401A  
LINE TERMINATING  
MULTIPLEXER UNIT**



**Ordering Information:**

**TF-NEC-01**      NEC 48 Volt Replacement Fan (*fan only*)


**TF-NEC01-KIT1**    NEC 48 Volt Repl. Fan Kit w/ Mounting Plate & Guard Grill (*not shown*)      **Call for Pricing**



← **PN # TF-NEC-02 \*\***

*\*\* Fan only -  
For KIT, see ordering  
information below*

NEC →  
**ITS-2400  
INTELLIGENT  
TRANSPORTER**



**Ordering Information:**

**TF-NEC-02**      NEC 48 Volt Replacement Fan (*fan only*)

**Call for Pricing**

**TF-NEC02-KIT1**    NEC 48 Volt Repl. Fan Kit w/ Mounting Plate & Guard Grill (*not shown*)


**Call for Pricing**



← **PN # TF-NEC-03 \*\*\***

*\*\*\* Fan only -  
this fan is used with  
existing hardware*

NEC →  
**ITS-2400V FL  
INTELLIGENT  
TRANSPORTER**



**Ordering Information:**

**TF-NEC-03**      NEC 48 Volt Replacement Fan (*fan only*)      **Call for Pricing**

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

# Telecom Assistance Group



# Siemens EWSD\* Replacement Fans

## "Siemens EWSD"

**FTR UPN # TF-EWSD-01**  
48 Volt Replacement Fan for  
**Siemens EWSD Fan Tray**  
Square Fan w/ Power Prongs

*(fan only, use with existing guard grill)*



**SIEMENS EWSD FAN TRAY (10 SQUARE FANS)**  
*(S30050-B5681, fan tray is not included)*



*(connector view)*



## "Siemens EWSD"

**PN # TF-EWSD-02** *(call for pricing)*  
48 Volt Replacement Fan for  
**Siemens EWSD Fan Tray**  
Round Fan w/ Power Prongs

*(fan only, use with existing guard grill)*



**SIEMENS EWSD FAN TRAY (6 ROUND FANS)**  
*(S30050-B5877, fan tray is not included)*



*(connector view)*



150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

**Telecom Assistance Group**

## Stromberg Carlson DCO Replacement Fans




**FTR UPN # TF-DCONHD-01**  
 48 Volt Replacement Fan for  
**DCO Non High Density CMF Bay**  
 w/ 2 Wire Open End (for splicing)  
 (Black -48V, Red +48 Return)  
*Includes: Guard Grill & (1) Butt Splice*



**FTR UPN # TF-DCOMEF-01**  
 48 Volt Replacement Fan  
 for **DCO MEF Bay**  
 w/ 3 Wire Plug



**FTR UPN # TF-DCO-02**  
 48 Volt Replacement Fan for  
**DCO CMF / DTF Bay**  
 w/ 3 Leads & Faston Connectors  
*(fan only - use with existing guard grill)*



**FTR UPN # TF-DCOCMF-01**  
 48 Volt Fan for  
**DCO CMF Bay**  
 w/ 3 Leads &  
 Faston Connectors



**PN # TF-DCODCF-01\***  
 48 Volt Fan for  
**DCO DCF Bay**  
 w/ 3 Leads &  
 Spade Lugs  
*\*call for pricing*



150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
 Fax : (856) 768-7645

**Telecom Assistance Group**

## Replacement Fans (STP Ring Node / JDSU PathTrak / Tellabs 6500)

### "STP Ring Node"

**PN # TF-STPRN-01**

**STP Ring Node Frame/Cabinet**  
48 Volt Replacement Fan w/ 5 Wire Plug

*(fan only, use with existing guard grill)*


*(use in Lucent J3F011AE fan unit,  
HECI E5DYAAC)*



### "JDSU PathTrak HCU 1500"


**PN # TF-HCU1500-01**

**JDSU PathTrak HCU 1500**  
24 Volt Replacement Fan w/ 2 Wire Plug



*(fan includes (4) spacers)*

**JDSU HCU 1500 PATHTRAK  
MODULAR CONTROLLER**  
(2) FANS, (1) ON EACH SIDE



### "Tellabs 6500"

**PN # TF-TL6500-01**

**Tellabs 6500,**  
12 Volt Replacement Fan w/ 4 Wire Plug



150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585

Fax : (856) 768-7645

**Telecom Assistance Group**



# Edgelink Replacement Fans (40mm, 35mm & 80mm)

**40mm**



**FTR UPN # TF-EL100-KIT2 \***  
**Edgelink 100 Replacement Fan Kit (40mm)**

*\* Contents of this kit can be ordered separately, see ordering information below.*

**Kit includes:**

- (1) TF-EL100, Edgelink 100 Replacement Fan (40mm) &
- (1) TF-EL100DET, Edgelink 100 Replacement Detector PC Board (Equiv. to CCA591G1)

**35mm**




**FTR UPN # TF-EL100-02**  
**Edgelink 100 Replacement Fan (35mm)**

**80mm**



**PN # TF-EL330-01**  
**Edgelink AXX330G1 Replacement Fan (80mm)**



**Ordering Information:**

|  | <b><u>FTR UPN #</u></b>                  |
|--|--|
| <b>Edgelink 100 Replacement Fan Kit</b><br>includes: (1) TF-EL100, Edgelink 100 Fan (40mm)<br>(1) TF-EL100DET, Detector PC Board | <b>TF-EL100-KIT2</b>                     |
| <b>Edgelink 100 Replacement Fan (40mm)</b>   | <b>TF-EL100</b>                          |
| <b>Edgelink 100 Replacement Fan (35mm)</b>   | <b>TF-EL100-02</b>                       |
| <b>Edgelink AXX330G1 Replacement Fan (80mm) w/ 3 Wire Plug</b>   | <b>TF-EL330-01</b><br>(call for pricing) |

150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
 Fax : (856) 768-7645

**Telecom Assistance Group**

## Replacement Fans (WaveStar TDM 10G / Wideband 3190)

### "WaveStar TDM 10G"



**PN # TF-WSTR-01**  
 48 Volt Replacement Fan for  
**WaveStar TDM 10G\* Fan Tray**  
 w/ 3 Wire Plug



**REPLACES ANY OF THE (6) FANS  
 IN A WAVESTAR TDM 10G FAN TRAY**  
*(fan tray is not included)*



### "Wideband 3190"



**PN # TF-WB3190**  
 48 Volt Replacement Fan for  
**Wideband 3190 Fan Tray**  
 w/ 3 Wire Plug



**REPLACES ANY OF THE (3) FANS  
 IN A WIDEBAND 3190 FAN TRAY**  
*(fan tray is not included)*

150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
 Fax : (856) 768-7645

**Telecom Assistance Group**

# DMS-100 Replacement Fans

## "DMS-100"

**FTR UPN # TF-DMS01**  
48 Volt Replacement Fan for  
**DMS-100 NT3X90AC / NTB63AA**  
**Fan Trays**

w/ Power Prongs &  
(4) Threaded\* Mounting Holes  
(screws included)



\* also available unthreaded - see ordering information below

**DO YOU HAVE BROKEN DMS SENSOR PADDLES THAT NEED TO BE REPLACED?**  
**TAG HAS NEW OPTIONS** (where you won't need paddles anymore)  
call 856-753-8585 or email [www.custsvcs@tagcords.com](mailto:www.custsvcs@tagcords.com)



### EXISTING NT3X90AC FAN TRAY w/ NEW FANS



| <b>Ordering Information:</b>   | <b><u>FTR UPN #</u></b> |
|--|-------------------------|
| <b>48V Fan for DMS-100 NT3X90AC / NTB63AA Fan Trays w/ Power Prongs &amp; (4) Threaded Mounting Holes</b> <i>(screws included)</i>   | <b>TF-DMS01</b>         |
| <b>48V Fan for DMS-1U NT3X90AC / NTB63AA Fan Trays w/ Power Prongs &amp; (4) Clear, Unthreaded Mounting Holes</b> <i>(not shown)</i> | <b>TF-DMS02</b>         |

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091


[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

# Telecom Assistance Group




## DMS Fan Alarm Replacement Lamp




**# TLMP-DMFA-10**  
**DMS Fan Alarm Replacement Lamp**  
 ("Fan Fail" / "Frame Fail")  
 (QTY of 10)

**# TLMP-DMFA-25**  
**DMS Fan Alarm Replacement Lamp**  
 ("Fan Fail" / "Frame Fail")  
 (QTY of 25)

## DMS Aisle Alarm Replacement Lamp



**# TLMP-DMSA-10**  
**DMS Aisle Alarm Replacement Lamp**  
 (QTY of 10)



150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
 Fax : (856) 768-7645

**Telecom Assistance Group**

## DMS-100 / DMS-10 Replacement Fans

### "DMS-100"



← 3 Wire Plug

**FTR UPN # TF-DMS-NTRX91**  
**DMS-100**, 48 Volt Replacement Fan  
 w/ 3 Wire Plug

*(use in DMS-100  
 NTRX91AA / NT0X91AA fan units  
 (MVIE and CSDM bays),  
 CLEI: ENMYACM)*



**DMS-100 NTRX91AA FAN UNIT w/ EXISTING FANS**

### "DMS-10"

Power Prongs →



**FTR UPN # TF-DMS10-01**  
**DMS-10**, 48 Volt Replacement Fan  
 w/ Power Prongs  
*(fan only, use with existing mounting)*



**FAN SHOWN w/ EXISTING  
 DMS-10 MOUNTING BRACKET \***

*\* (mounting bracket is not included)*

150 Cooper Rd. (F-15)  
 W. Berlin, NJ 08091



[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585

Fax : (856) 768-7645

**Telecom Assistance Group**

## Carrier VoIP Replacement Fans



FRONT VIEW OF  
**NTLX56AA FAN ASSEMBLY**  
(NOT SUPPLIED)

### "Nortel IW SPM-IP"


**FTR UPN # TF-DMS-FOS**

**Nortel IW SPM-IP**

48 Volt Replacement Fan  
for **NTLX56AA** fan assemblies\*

used in **Nortel IW SPM-IP NTLX56AA** cooling units

\* fan only, arm assembly is not included



### "Media Gateway 9000"

**FTR UPN # TF-MG9K-01**

**Nortel / GENBAND Media Gateway 9000**  
48 Volt Replacement Fan

w/ 3 Wire Plug

(for use in **NTNY18AA** Cooling Unit)



150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)


Telephone: (856) 753-8585  
Fax: (856) 768-7645

**Telecom Assistance Group**



## DMS-100 Replacement Fans & Alarm Control Boards

(use in Nortel  
**NT3X90AF**  
fan trays)





**FTR UPN # TFDMS03**

48V Replacement Fan for **DMS-100**  
w/ TTL Tach & 3 Wire Plug

**NEW** Alarm Control Boards are also available,  
order # TFC-3X90AF-01 (call for pricing)

**NORTEL NT3X90AF,** →  
**DMS-100 SWITCH BAY (DC POWERED)**  
**w/ EXISTING FANS (5 FANS PER TRAY)**




**NORTEL NT3X90AA / NT3X90AB, DMS-100 SWITCH BAY**  
**(AC POWERED) w/ EXISTING FANS (5 FANS PER TRAY)**



**FTR UPN # TFDMS04AC**

24 VAC Replacement Fan for **DMS-100**  
w/ Power Prongs

(use in Nortel **NT3X90AA & NT3X90AB** fan trays)




**FTR UPN # TF-RX50FF-01**

12V Replacement Fan for  
**Nortel DMS SDM**  
w/ 3 Wire Plug &  
Speed Control

**2 FAN TRAYS**  
**(3 FANS PER TRAY)**

(use in Nortel **DMS SDM**  
shelf # **NTRX50FF**)



150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585

Fax : (856) 768-7645

**Telecom Assistance Group**

# DMS-500/250 DPCC XA-Core Blower Drawer Impeller Replacement

## "Impeller Fan for DMS Blower Drawer"

**PN # TF-DMSLGN6-01**


**(225mm) Replacement Impeller Fan for  
DMS-500/250 DPCC XA-Core  
Blower Drawer**

*w/ 4 Wire Plug*


*(fan only, use in existing  
tray # NTLX10AA,  
drawer # NTLX11AA)*



**NT9X01JF DPCC**



**Existing 225mm Impeller Fan**



**(3) BLOWER DRAWERS  
LOCATED AT THE  
BOTTOM OF THE BAY**

*(tray # NTLX10AA, drawer # NTLX11AA)*

### Ordering Information:

**TF-DMSLGN6-01**

**(225mm) Replacement Impeller Fan for  
DMS-500/250 DPCC XA-Core Blower Drawer  
w/ 4 Wire Plug**

**Call for Pricing**

*(fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)*

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645

**Telecom Assistance Group**

# DMS-100 Dual-Scroll Blower Replacement Unit



► **NEW Drop-in Replacement**

**DMS-100 DUAL-SCROLL  
REPLACEMENT BLOWERS**


(used in  
NT9X950 "w/ hanging blowers"  
(replaces # A0383325 & A0381714))

(Commonly found in  
DPCC / LIM / ENET bays)

**w/ (2) CONNECTORS:**

(1) 4 PIN PLUG  
&  
(1) 3 PIN PLUG\*

*\*(includes adapter cable,  
# TFCS-DMSMCL3)*



**NT9X950  
HAS (3) BLOWER UNITS PER BAY**

## Ordering Information:

|                     |   |                         |
|---------------------|---|-------------------------|
| <b>TF-DMSMCL-02</b> | <b>DMS-100 Dual-Scroll Blower Replacement Unit</b><br>w/ (1) 4 pin plug & (1) 3 pin plug<br><i>includes (1) 3 pin adapter cable (# TFCS-DMSMCL3) (used in NT9X950 "w/ hanging blowers"<br/>(replaces # A0383325 &amp; A0381714)) (commonly found in DPCC / LIM / ENET bays)</i> | <b>Call for Pricing</b> |
| <b>TFC-DMSAPW-3</b> | <b>Alarm Board for DMS LIM/ENET Blower - (not shown)</b>  |                         |

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645


**Telecom Assistance Group**



# DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement

## ► NEW Drop-in Replacement

**DMS DPCC SUPERNODE  
"SQUIRREL CAGE"  
REPLACEMENT BLOWERS**  
*(use in NT9X01XX DPCC,  
(replaces A0345301))*



**CONTROL BOX  
w/ INTERNAL SENSOR,  
WIRING HARNESS & PLUG**

NT9X01XX DPCC



**"SQUIRREL CAGE"  
w/ INTEGRAL MOTOR**



**NT9X01XX DPCC HAS  
(4) BLOWER UNITS PER BAY**

### Ordering Information:

**DMS-100 DPCC SuperNode Blower  
"Squirrel Cage" Replacement w/ Internal Sensor**  
*(use in NT9X01XX DPCC, (replaces A0345301))*

**FTR UPN #  
TF-DMSLGN5**

**DMS-100 DPCC XA-Core SuperNode Blower  
"Squirrel Cage" Replacement  
w/ 4 Wire Square Plug Adapter Cable (# TFCS-DMSLGN5F2S) - (not shown)**  
*(use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))*

**TF-DMSLGN5A**  
*(call for pricing)*

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

[www.tagcords.com](http://www.tagcords.com)

Telephone: (856) 753-8585  
Fax : (856) 768-7645


**Telecom Assistance Group**

# TAG DMS-100 3X9013 Universal Fan Tray


# TFT-3X9013T

## Universal 48VDC Fan Tray

- **No 24VAC Inverters**  
(24VAC inverters cause heat concerns & major equipment failures)
- **No Mechanical Sensors**  
(sensor paddles are known to bend & break)



- **Connectorized Universal metal tray with Fan Alarm Board** (no sensor paddles)
- **Pre-assembled & works with NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF Cooling Units**
- **Adapter cables\* are supplied for NT3X90AA/AB & NT3X90AF Cooling Units**  
\*(adapter cables are not used with NT3X90AC)



**Ordering Information:**

**TAG Universal DMS-100 3X9013 Fan Tray**  
Includes: (1) Brand New Fan Tray w/ Universal Mounting Holes, (5) TF-DMS03, 48VDC Fans w/ TTL Tach & 3 Wire Plug, (1) Fan Control Board w/ Built in Sensors (no paddles needed), Wiring Labels, Mounting Hardware, (1) Wiring Harness w/ Connector, NT3X90AA/AB & NT3X90AF Adapter Cable & Installation Guide

**FTR UPN #**  
**TFT-3X9013T**


150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

www.tagcords.com  
**Telecom Assistance Group**

Telephone: (856) 753-8585  
Fax: (856) 768-7645

# TAG's Universal Fan Tray Replaces 3 Generations of DMS-100 NT3X90 Cooling Units

1. NT3X90AA/AB



"AA/AB" FAN TRAY



2. NT3X90AC



"AC" FAN TRAY



3. NT3X90AF



"AF" FAN TRAY



TAG UNIVERSAL FAN TRAY



TFT-3X9013T

- No 24VAC Inverters
- No Paddle Sensors



NT3X90AA/AB  
INSTALLATION  
VIDEO



NT3X90AC  
INSTALLATION  
VIDEO



NT3X90AF  
INSTALLATION  
VIDEO

TAG's Universal Tray Replaces:

- NT3X90AA/AB
- NT3X90AC
- NT3X90AF

**FTR UPN # TFT-3X9013T**

150 Cooper Rd. (F-15)  
W. Berlin, NJ 08091

www.tagcords.com  
**Telecom Assistance Group**

Telephone: (856) 753-8585  
Fax: (856) 768-7645