New Central Office Replacement Fans Available for Lumen/CenturyLink



ALCATEL FANS (1000, 7300, ECS1, 1603 & 1631)



EDGELINK FANS



DMS FANS



→ NEW DMS ←
UNIVERSAL FAN TRAYS
(for NT3X90AA/AB, NT3X90AC & NT3X90AF units)
(NO MORE PADDLES)

5ESS FANS



DDM-2000 FANS



DMS-100 BLOWERS
(SQUIRREL CAGE & DUAL-SCROLL)




ADTRAN, BIGBAND, CIENA, CISCO, DEX600E, LORAIN / MARCONI, LUCENT FANS (DACS III/ IV, CBX500, FT-2000, METROPOLIS DMX), NORTEL / GENBAND, STROMBERG CARLSON DCO, KENTROX, NEC, SIEMENS EWSD, WAVESTAR, WIDEBAND 3190 FANS & MORE!!

856-753-8585

www.tagcords.com REV46 (02-02-24)




NEW Central Office Direct Replacement Fans Available for Lumen/CenturyLink



Part #	Description		MAT#	PG #
I art #	Bescription	5ESS FANS	IIIAI #	
		5ESS Fan w/ 3 Leads & AMP Connector		
TF-5ESS-01P	KS22501L3 Equiv.	(fan w/ power prongs)	1341583	1
TF-5ESS-01F	KS22501L3 Equiv.	5ESS Fan w/ 3 Leads & Faston Connectors	1341520	1
	K322301L3 Equiv.	(fan w/ power prongs)	1341520	<u> </u>
TF-5ESS-02P	KS23912L1A Equiv.	5ESS Fan w/ 5 Leads & AMP Connector	1330513	1
		(w/ Internal Thermal Speed Control Sensor) 5ESS Fan w/ 5 Leads & Faston Connectors		
TF-5ESS-02F	KS23912L1A Equiv.	(w/ Internal Thermal Speed Control Sensor)	1330515	1
TF-5ESS-03P	KS23912L2 Equiv.	5ESS Fan w/ 4 Leads & AMP Connector	1338991	1
TF-5ESS-04P	KS22501L3A Equiv.	5ESS Fan w/ 5 Leads & AMP Connector	1341163	1
TF-5ESS-04F	KS22501L3A Equiv.	5ESS Fan w/ 5 Leads & Faston Connectors	1332759	1
TF-5ESS-10P	KS23398L2 Equiv.	5ESS ISLU (Square Fan) w/ 5 Leads & AMP Connector	1341565	1
		ADTRAN FANS		
TF-TA3000-01	Adtran TA3000, 48	BV Fan w/ 3 Wire Plug (109P0848H401) (use in HECI: M3PQ0AV, 1181006L1)	1479267	2
TF-TA5K-01		BV Fan w/ 4 Wire Plug	1359596	2
TF-TA5K-02	Adtran TA5000, 48	BV Fan w/ 3 Wire Plug	1359595	2
		ALCATEL FANS		
TF-ALC-01		0, 48V Fan w/ 3 Wire Plug & Tach Output	1337633	3
	+ ' '	XX), 3EC 37933 (XXXX) & 3EC 36760 (XXXX) Fan Trays)		٦
TF-AL7300-02	Alcatel 7300, 48V Fan w/ Internal Sensor & Tach output (use in 3EC 16697 (XXXX))		1341521	3
TF-DSCECS1-01	DSC / Alcatel ECS1, 48V Fan			3
TF-ALC1603-01	Alcatel 1603, 48V Fan w/ 3 Wire Plug (use in Low-Volume Fan Tray # 625052-000-0XX)		1475327	3
TF-ALC1631-01	Alcatel 1631, 48V Fan (Square) w/ Pwr Prongs (use in Assembly # 695-3363-302)		1359594	4
TF-ALC1631-02	Alcatel 1631, 48V Fan (Round) w/ Pwr Prongs & Untermin. Tach (use in # 3AL45446AA)		1359611	4
TF-ALC1631-03	Alcatel 1631 APS, 48V Fan w/ Pwr Prongs & Untermin Tach (use in # 695-8489-001)			4
TF-ALC1680-01	Alcatel 1680 OGX	48V Fan (Round) w/ Pwr Prongs & Tach Lead (use in #3EM04820AA)		4
		BIGBAND / ADC FANS		
TF-BIGBND-01		Wire Open End Fan (w/ Speed Control)	1341523	5
TF-BIGBND-03SR	BigBand Shelf / Do	•	7005999	5
TF-BIGBPS-01	` '	// 3 Wire Plug for BigBand (FTTP bays) & ADC RF Worx Power use with existing mounting bracket / guard grill)		5
	Cappines (fair only	CIENA FANS		
TF-CN1600-01	Ciena 1600 DWDM	1, 48V Fan (fan only, mtg bracket is not included)	1341524	6
TF-DN7100-01		V Fan w/ 3 Wire Plug (TA225DC Equiv.)		6
TF-DN7100-02	-	V Fan w/ 3 Wire Plug (TA300DC Equiv.)		6
11 5147 100 02	Gioria Biti 100, 12	DSC DEX600E FANS		J
TF-DEXLAP-01	DEX600E MSP Bar	y Fan (LAP Fan) (Equiv. to 155-2936-055 LAP Fans)	1341525	7
TF-DEXDSI-01	 		1341526	7
TF-DEXDTI-01	DEX600E DSI Bay Fan (Equiv. to 500-0000-294 for DSI (FAIC) type cards)		1341527	7
TF-DEXCS3-01	DEX600E DTI Bay Fan (Equiv. to 400-0063-900 for DTI (AMM) type cards) DEX600E CS3, 48V Fan			7
11-DEVO39-01	DEAGUE 033, 40	CISCO 15454 FANS	1341528	
	Cisco ONS 15454, 48V Fan w/ 3 Wire Right Angle Connector			
TF-C15454-01		454 Fan Tray # 800-21448-02, HECI: WMMYAFEGAA)	1356197	8
		CALIX FANS		
TF-CLXE7-01	Calix E7-2 FTA2 F	an Unit, 12V (40mm x 20mm) Fan for w/ 4 Wire Plug	1490737	8
		KENTROX FANS		
TF-AI-180	Kentrox AlSwitch	Series 180, 48V Cooling Fan	1437966	8




NEW Central Office Direct Replacement Fans Available for Lumen/CenturyLink



Part #	Description	MAT #	PG#
rait#		WAT #	FG #
TE DATAKIT 04	DATAKIT / GALAXY RECTIFIER / FUJITSU FANS	ı	
TF-DATAKIT-01	24V Fan for Datakit System w/ 3 Wire, 4 Pin Connector	4.400007	9
TF-GLX595LTB-01	48V Fan for Galaxy 595LTB Rectifier w/ 4 Wire Plug	1462387	9
TF-FW4500-01	48V Fan for Flashwave 4500 Fan Unit w/ 4 Wire Plug (for # FC9580FAN1, SNPQCUG5AB)		9
TF-FLM150-01	48V (80mm) Fan for Fujitsu FLM 150 Fan Tray w/ 3 Wire Plug		9
	LORAIN / MARCONI RECTIFIER FANS		1
TFT-MRECT	New Fan Tray Assembly for Vortex Rectifier (Lorain/Marconi 104545) (V200D50)	1341614	10
TF-MREC-01	Vortex Rectifier (Lorain / Marconi) (V200D50), 24V Fan w/ 3 Wire Open End		10
TF-MREC-02	Vortex Rectifier (Lorain/Marconi), 24V Fan & 3 Wire Plug (use in V200E50)	1341615	10
TF-RHM400-01	RHM-400/800 Rectifier Unit (Lorain/Marconi), 220VAC Fan	1341529	11
TF-LRA50B50-01	Lorain Rectifier (A50B50), 48V Fan w/ 2 Wire Plug	1444636	11
TF-LRV50B50-01	Lorain Rectifier (V50B50), 24V Fan w/ 3 Wire Plug		11
	LUCENT FANS (CBX500, DDM-2000, METROPOLIS, FT-2000, DACS III / IV)		
TF-DDM201	Lucent DDM-2000, 24V Fan	1341530	12
TF-DDM201-KIT1	Lucent DDM-2000, 24V Fan Kit w/ Mounting Plate	1341531	12
TE DDI :	Lucent DDM-2000 , 48V Fan (use in Nidec T35078-LUC 440233, Comcode: 408741205)		<u> </u>
TF-DDM202	(fan only, mtg. not included)	1359610	12
TF-CBX500-01	Lucent CBX500 OCD, 12V Cooling Fan w/ 3 Wire Pins	1336683	13
TF-DMXMET-01	Lucent Metropolis DMX, 48V Fan w/ 4 Wire Plug	1341532	13
TF-DMXMET-02	Lucent Metropolis DMX Access Multiplexer, 48V Fan w/ 4 Wire Black Plug		13
TF-FT201	Lucent FT-2000, 48V Fan w/ 3 Wire Plug	1341533	13
TF-DACS3/4-01	Lucent DACS III / IV, 48V Fan w/ 4 Wire Plug (KS23913L1 Equiv.) Use in DACS III (ED-2C816-30, G1 or ED-2C906-30) DACS IV (WP92310L4)	1341534	14
TF-DACS3/4-02	Lucent DACS III / IV, 48V Fan w/ 5 Wire Plug (Equiv. to KS23913L1), Used in Lucent Fan Assemblies: DACS III / IV (WP91473-L3B)	1359609	14
	NEC FANS		
TF-NEC-01	NEC , 48V Fan (fan only) (FD-31201A / FD-32401A)	1341428	15
TF-NEC01-KIT1	NEC, 48V Fan Kit w/ Mtg. & Grill (FD-31201A / FD-32401A)	1341429	15
TF-NEC-02	NEC , 48V Fan (fan only) (<i>ITS-2400</i>)	1341500	15
TF-NEC02-KIT1	NEC , 48V Fan Kit w/ Mtg. & Grill (<i>ITS-2400</i>)	1341501	15
TF-NEC-03	NEC , 48V Fan (fan only) (<i>ITS-2400V FL</i>)	1341502	15
11 1120 00	OMNISTAR FANS	1011002	
TF-OMNISTAR-01	OmniStar, 12V Fan (60mm) w/ 2 Wire Plug		16
TF-GX2BTY-01	OmniStar GX2 (RPR), 5V Fan (25mm) w/ 2 Wire Plug		16
			1
TF-GX2BTY-02	OmniStar GX2 (Laser), 5V Fan (25mm) w/ 2 Wire Plug		16
	STP RING NODE FANS		
TF-STPRN-01	STP Ring Node Frame/Cabinet, 48V Fan w/ 5 Wire Plug		17
	PATHTRAK (JDSU) FANS		
TF-HCU1500-01	JDSU PathTrak HCU 1500, 24V Fan w/ 2 Wire Plug		17
	WAVESTAR FANS	,	
TF-WSTR-01	WaveStar TDM 10G, 48V Fan w/ 3 Wire Plug	1341514	18
	WIDEBAND 3190 FANS		
TF-WB3190	Wideband 3190, 48V Fan w/ 3 Wire Plug	1341515	18
	TELCO SYSTEMS FANS (EDGELINK 100 / AXX330G1)	10-1010	
TF-TEL560-01	Telco Systems M560 Fiber Optic Terminal, 48V Fan	1341509	19
TF-FEL100	Edgelink 100, Fan (40mm)	1341510	20
TF-EL100DET	Edgelink 100, Detector PC Board (Equiv. to CCA591G1)	1341511	20
TF-EL100-KIT2	Edgelink 100, Fan Kit (40mm)	1341512	20
TF-EL100-02	Edgelink 100, Fan (35mm)	1341513	20
TF-EL330-01	Edgelink AXX330G1, Fan (80mm) w/ 3 Wire Plug		20
		+	



NEW Central Office Direct Replacement Fans Available for Lumen/CenturyLink



Part #	Description	MAT#	PG#		
SIEMENS EWSD FANS					
TF-EWSD-01	Siemens EWSD, Square 48V Fan w/ Power Prongs (fan only, use with existing guard grill)	1341508	21		
TF-EWSD-02	Siemens EWSD, Round 48V Fan w/ Power Prongs (fan only, use with existing guard grill)		21		
	STROMBERG CARLSON DCO FANS				
TF-DCOCMF-01	48V Fan for Stromberg Carlson DCO CMF Bay w/ 3 Leads & Fastons		22		
TF-DCONHD-01	48V Fan for Stromberg Carlson DCO Non High Density CMF Bay w/ 2 Wire Open End (for splicing) (Black -48V, Red +48 Return) Includes Guard Grill & (1) Butt Splice	1441092	22		
TF-DCOMEF-01	48V Fan for Stromberg Carlson DCO MEF Bay (80mm x 45mm) w/ 3 Wire Plug	1441093	22		
TF-DCO-02	48V Fan for Stromberg Carlson DCO CMF / DTF Bay w/ 3 Leads & Faston Connectors (fan only, use with existing grill)	1439624	22		
	TELLABS FANS				
TF-TL6500-01	Tellabs 6500, 12V Fan w/ 4 Wire Plug		CALL		
	NORTEL FANS (DMS, Carrier VolP, DPCC SuperNode "Squirrel Cage" Blowers)				
TF-DMS01	DMS-100, 48V Fan w/ Power Prongs (use in NT3X90AC / NTBX63AA fan trays)	1330636	23		
TF-DMS01-100	DMS-100, 48V Fan w/ Power Prongs (use in NT3X90AC / NTBX63AA fan trays) (PKG OF 100)	1341503	23		
TF-DMS02	DMS-1U, 48V Fan Pwr Prongs w/ 4 clear, unthreaded (use in NT3X90AC / NTBX63AA fan trays)	1341504	23		
TLMP-DMFA-10	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 10)	1474165	24		
TLMP-DMFA-25	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 25)	1474166	24		
TLMP-DMSA-10	DMS Aisle Alarm Repl. Lamp (QTY of 10)	1474167	24		
TFT-DMS48KIT4	Nortel DMS-100 (NT3X90AA / NT3X90AB), 24VAC to 48VDC Fan Tray Conversion Kit 4 (Fan Control Board w/ built in Sensors (no paddles needed))	1456790	CALL		
TF-DMS03	DMS-100, 48V Fan w/ TTL Tach & 3 Wire Plug (use in NT3X90AF fan trays)	1330361	25		
TFC-3X90AF-01	DMS-100, Fan Alarm Board for the NT3X90AF Cooling Fan Unit	1475822	25		
TF-DMS04AC	DMS-100, 24VAC Fan w/ Power Prongs	1341495	25		
TF-RX50FF-01	DMS SDM, 12V Fan w/ 3 Wire Plug & Speed Control (use in Nortel shelf # NTRX50FF)		25		
TF-DMS-NTRX91	DMS-100, 48V Fan (use in NTRX91AA / NT0X91AA, CLEI: ENMYACM)	1349234	26		
TF-DMS10-01	DMS-10, 48V Fan w/ Power Prongs	1341506	26		
TF-DMS-FOS	Nortel IW SPM-IP, 48V Fan for NTLX56AA Fan Assemblies (use in Nortel IW SPM-IP NTLX55AA cooling units) (fan only, arm assembly is not included)	1341507	27		
TF-MG9K-01	Nortel / GENBAND Media Gateway 9000, 48V Fan w/ 3 Wire Plug (use in NTNY18AA Cooling Unit)	1359401	27		
TF-DMSLGN6-01	DMS-500/250 DPCC (225mm) Impeller Fan for XA-Core Blower Drawer w/ 4 Wire Plug (fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)		28		
TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit w/ (1) 4 pin plug & (1) 3 pin plug (includes adapter cable) (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (found in DPCC / LIM / ENET bays)		29		
TF-DMSLGN5	DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC, (replaces A0345301))	1355241	30		
TF-DMSLGN5A	DMS-100 DPCC XA-Core SuperNode Blower "Squirrel Cage" Replacement w/ 4 Wire Square Plug Adapter Cable (# TFCS-DMSLGN5F2S) (use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))		30		
TFT-3X9013T ** NEW **	TAG Universal DMS-100 3X9013 Fan Tray (NEW TRAY is pre-assembled w/ (5) NEW fans, Alarm Board, Wiring Harness w/ Connector & Universal Mounting Holes for NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF cooling units) - No 24VAC Inverters - No Paddle Sensors	1492217	31-32		

Don't see the fan you are looking for? Send us a sample & we will find a match!

PLEASE CALL: 856-753-8585 or EMAIL: custsvcs@tagcords.com

5ESS Replacement Fans

- ► All TAG Fans are <u>NEW</u> (No Refurbs)
- ► Exact Drop-in Replacements
- ▶ 48V == DC 0.40A

DON'T SEE THE FAN YOU NEED?

Send us a Sample & we will Find a Match!

KS22501L3 Models:

PN # TF-5ESS-01F 5ESS Replacement Fan

w/ 3 Leads & Faston Connectors

(fan w/ power prongs)



PN # TF-5ESS-01P 5ESS Replacement Fan w/ 3 Leads & AMP Connector

(fan w/ power prongs)

Lumen/CLK MAT # 1341583

DC Fan Power Cords are available for KS22501L3 type fans (order TAG MODEL # TF-DCPWR-01, call for pricing)



KS23912L1A Models:

PN # TF-5ESS-02F

5ESS Replacement Fan w/ 5 Leads & Faston Connectors *w/ Internal Thermal Speed Control Sensor*

Lumen/CLK MAT # 1330515

PN # TF-5ESS-02P 5ESS Replacement Fan w/ 5 Leads & AMP Connector w/ Internal Thermal Speed Control Sensor

Lumen/CLK MAT # 1330513





KS23912L2 Model:

PN # TF-5ESS-03P

5ESS Replacement Fan w/ 4 Leads & AMP Connector

Lumen/CLK MAT # 1338991



KS22501L3A Models:

PN # TF-5ESS-04F

5ESS Replacement Fan w/ 5 Leads & Faston Connectors

Lumen/CLK MAT # 1332759

PN # TF-5ESS-04P

5ESS Replacement Fan w/ 5 Leads & AMP Connector

Lumen/CLK MAT # 1341163



KS23398L2 Model:

PN # TF-5ESS-10P ISLU (Square Fan) 48V == DC 0.13A w/ 5 Leads &

AMP Connector

Lumen/CLK MAT # 1341565



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Adtran TA3000 / TA5000 Replacement Fans


"TA3000"



PN # TF-TA3000-01 48 Volt Replacement Fan for Adtran TA3000, Total Access Fan Module w/3 Wire Plug

(use in TA3000 Module, HECI: M3PQ0AV, PN: 1181006L1)


Lumen/CLK MAT # 1479267



"TA5000"



PN # TF-TA5K-01 48 Volt Replacement Fan for Adtran TA5000 w/ 4 Wire Plug




Lumen/CLK MAT # 1359596





PN # TF-TA5K-02 48 Volt Replacement Fan for Adtran TA5000 w/ 3 Wire Plug



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

1359595

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Alcatel (1000 / 7300 / DSC ECS1 / 1603)* Replacement Fans

"Alcatel 1000 / 7300"

PN # TF-ALC-01

48V Replacement Fan for Alcatel 1000 / 7300 Fan Tray w/ Tach Output & 3 Wire Plug

(use in 3EC 15478 (XXXX), 3EC 37933 (XXXX) & 3EC 36760 (XXXX) Fan Trays)











"Alcatel 7300"

PN # TF-AL7300-02

48V Replacement Fan for Alcatel 7300 Fan Tray

w/ Internal Sensor, Tach Output & 3 Wire Plug (use in **3EC 16697** (XXXX) Fan Trays)


Lumen/CLK MAT # 1341521

"DSC / Alcatel ECS1"

PN # TF-DSCECS1-01

48V Replacement Fan for DSC / Alcatel ECS1 Fan Tray w/ 3 Wire Plug

Lumen/CLK MAT # 1341522






"Alcatel 1603"



PN # TF-ALC1603-01 48V Replacement Fan for Alcatel 1603 Low-Volume Fan Tray w/ 3 Wire Plug





625052-000-0XX (w/ 4 EXISTING FANS) (fan tray is not included)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Alcatel 1631 / 1680* Replacement Fans

"Alcatel 1631"

PN # TF-ALC1631-01

48V Replacement Fan for **Alcatel 1631 Blower Assembly** w/ Power Prongs

(use in # 695-3363-302 blower assembly)



(fan only use with existing guard grill)

Lumen/CLK MAT # 1359594

(fan only use with existing guard grill)



Lumen/CLK MAT # 1359611

"Alcatel 1631"

PN # TF-ALC1631-02

48V Replacement Fan for

Alcatel 1631 Blower Assembly

w/ Power Prongs, Unterminated Tach Lead & (1) Butt Splice

(use in # 3AL45446AA blower assembly)

"Alcatel 1631"

PN # TF-ALC1631-03

48V Replacement Fan for **Alcatel 1631 APS Blower Assembly**

w/ Power Prongs & Unterminated Tach Lead

(use in # 695-8489-001 blower assembly)



(fan only use with existing guard grill)



(fan only use with existing guard grill)



"Alcatel 1680"

PN # TF-ALC1680-01

48V Replacement Fan for

Alcatel <u>1680</u> OGX Blower Assembly

w/ Power Pronas. Unterminated Tach Lead & (1) Butt Splice

(use in # 3EM04820AA blower assembly, HECI WMMYAA9FAA)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

BigBand / ADC Replacement Fans

"BigBand SDV Mux"



* Customer supplied shelf -

For more information,
Please call: 856-753-8585
or email: custsvcs@tagcords.com

BIGBAND FAN SHELF

PN # TF-BIGBND-01

BigBand 12 Volt, 3 Wire Open End Replacement Fan w/ Speed Control (fan only, use existing guard grill & hardware) (use in **BigBand SDV Mux**)

Lumen/CLK MAT # 1341523

PN # TF-BIGBND-03SR *

BigBand Shelf / Door Repair

TAG repair service includes: (3) PN # TF-BIGBND-01 Fans

Lumen/CLK MAT # 7005999




PN # TF-BIGBPS-01

12 Volt Replacement Fan (**40mm**) w/ 3 Wire Plug for

BigBand & ADC RF Worx Power Supplies




POWER SUPPLY (FRONT VIEW)



POWER SUPPLY (BACK VIEW) w/ EXISTING FANS

"BigBand FTTP & ADC RF Worx"



(fan only - use with existing mounting bracket / guard grill)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Ciena (1600 DWDM / DN7100) Replacement Fans

"1600 DWDM"




PN # TF-CN1600-01 Ciena 1600 DWDM

48 Volt Replacement Fan (includes instruction sheet & (8) new plastic rivets)

(Fan only - use with existing mounting bracket)

INSTALL THE NEW TAG FAN INTO THE EXISTING **MOUNTING BRACKET**




"DN7100"

Lumen/CLK MAT #

1341524


PN # TF-DN7100-01

Ciena DN7100 12 Volt Replacement Fan



PN # TF-DN7100-02

Ciena DN7100 12 Volt Replacement Fan



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

CIENA DN7100 -**FAN ASSEMBLY** (w/ EXISTING FANS) (TOP VIEW)

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DEX600E Replacement Fans



PN # TF-DEXDSI-01 DEX600E DSI

48 Volt Replacement Fan w/ 5 Wire, 6 Pin Plug (Fan Assembly w/ Mounting)

(Replaces Alcatel-Lucent PN # 500-0000-294 fans for DSI (FAIC) type cards)



(overhead view) MOUNTING JAMES MARRIAGE AND THE PARTY OF THE PARTY

PN # TF-DEXDTI-01 DEX600E DTI

48 Volt Replacement Fan w/ 4 Wire, 5 Pin Plug (Fan Assembly w/ Mounting)

(Replaces Alcatel-Lucent PN # 400-0063-900 fans for DTI (AMM) type cards)





PN # TF-DEXLAP-01

DEX600E MSP 48 Volt Replacement Fan w/ 3 Wire Plug

(Replaces Alcatel-Lucent PN # 155-2936-055 - LAP Fans)

"DEX600E MSP"

Lumen/CLK MAT # 1341525



PN # TF-DEXCS3-01 DEX600E CS3

48 Volt Replacement Fan w/ 4 Wire, 5 Pin Plug



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Replacement Fans (Cisco ONS 15454 / Calix E7 / Kentrox)

PN # TF-C15454-01

48 Volt Replacement Fan for Cisco ONS 15454 Fan Unit w/ 3 Wire Right Angle Connector

(use in Fan Tray # 800-21448-02, HECI: WMMYAFEGAA)



CISCO ONS 15454 FAN UNIT (6 FANS)

(fan tray unit is not included)

"ONS 15454"



"Calix E7"



PN # TF-CLXE7-01

12 Volt Replacement Fan for Calix E7-2 FTA2 Fan Unit w/ 4 Wire Plug






CALIX E7-2 FTA2 FAN UNIT w/ (4 FANS)

(fan unit is not included)

PN # TF-AI-180

48 Volt Replacement Cooling Fan for **Kentrox AlSwitch Series 180 Fan Unit** w/ 3 Wire Right Angle Connector



AICOOL-48 FAN UNIT (8 FANS)

(fan tray unit is not included)

"AlSwitch 180"



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Replacement Fans (Datakit / Galaxy Rectifier / Fujitsu)

"Datakit System"



PN # TF-DATAKIT-01

24 Volt Replacement Fan for **Datakit System**

w/ 3 Wire, 4 Pin Connector

"Galaxy 595LTB"



PN # TF-GLX595LTB-01

48 Volt Replacement Fan for Galaxy 595LTB Rectifier

w/ 4 Wire Plug

"Fujitsu FLM 150"



PN # TF-FLM150-01

48 Volt Replacement Fan for **Fujitsu FLM 150 Fan Tray**

w/ 3 Wire Plug

"Fujitsu FW4500"



PN # TF-FW4500-01

48 Volt Replacement Fan for **Fujitsu Flashwave 4500 Fan Unit** w/ 4 Wire Plug

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Lorain / Marconi Replacement Trays & Fans

Vortex V200D50

REPLACE LORAIN / MARCONI **104545 FAN TRAYS**

NEW FAN TRY INCLUDES (3) NEW FANS w/ WIRING HARNESS & CONNECTOR



Ordering Information:

Lumen/CLK MAT #

TFT-MRECT TAG Fan Tray - New TAG Fan Tray Assembly 1341614

for Vortex Rectifier (Lorain / Marconi 104545)

Includes: (1) NEW Fan Tray & (3) NEW 24 Volt Replacement Fans w/ Wiring Harness & Connector (Use in **V200D50** Power Conversion Unit, HECI: PBP1FT0DAA, replaces Nidec Model # T34874-MAR)

TF-MREC-01

24V Fan for Vortex V200D50 Rectifier Fan Tray

(individual fan)

(Lorain / Marconi 104545) w/ 3 Wire Open End - (not shown)

Vortex V200E50

(top view w/ 2 of the 3 fans removed)



(fan only - use with existing tray / metal housing)

VORTEX RECTIFIER FAN UNIT w/ EXISTING FANS (V200E50 type w/ (3) separate trays)

Ordering Information:

Lumen/CLK MAT # 1341615

TF-MREC-02

24V Fan for Vortex V200E50 Rectifier (Lorain / Marconi)

w/ 4 threaded mounting locations & 3 Wire Plug

(Use in V200E50 Power Conversion Unit, HECI: PBPUG0V2AA (fan only - use with existing tray / metal housing)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

Telephone: (856) 753-8585

Fax: (856) 768-7645


www.tagcords.com

Lorain / Marconi Rectifier Unit Replacement Fans

"AC Fan"



"RHM-400/800 Rectifier"



Ordering Information:

Lumen/CLK MAT #

TF-RHM400-01 220VAC Fan for RHM-400/800 Rectifier Unit

1341529

(Lorain / Marconi) w/ power prongs


(use in RHM400D50 & RHM800E50 Rectifier Units)

"DC Fan"



"A50B50* Rectifier"

*V50B50 fans are also available - see ordering information below



Ordering Information:

<u>Lumen/CLK MAT #</u>
1444636

TF-LRA50B50-01 48V Fan for A50B50 Rectifier Unit

(Lorain / Marconi) w/ 2 Wire Plug

24V Fan for V50B50 Rectifier Unit

24V Fall for Voubou Rectiller Utilt

(Lorain / Marconi) w/ 3 Wire Plug - (not shown)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

TF-LRV50B50-01

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Lucent DDM-2000 Replacement Fans

"DDM-2000 (24V)"

PN # TF-DDM201-KIT1 *

24 Volt Replacement Fan Kit for Lucent DDM-2000

Kit includes:

(1) 24V Replacement Fan

(1) Mounting Plate





Lumen/CLK MAT # 1341531

* fans can also be ordered without the mounting plate, order # TF-DDM201, MAT # 1341530

"DDM-2000 (48V)"

PN # TF-DDM202 **

48 Volt Replacement Fan for Lucent DDM-2000

> Lumen/CLK MAT # 1359610

(for use in Nidec T35078-LUC 440233, Lucent Comcode: 408741205)

** fan only - this fan is used with the existing mounting bracket



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Lucent Replacement Fans

"CBX500 OCD"



PN # TF-CBX500-01

12 Volt Replacement Cooling Fan for CBX 500 OCD

w/ 3 Wire Pins

"FT-2000"



PN # TF-FT201

48 Volt Replacement Fan for **Lucent Fiber Terminal 2000 (FT-2000)** w/ 3 Wire Plug

"Metropolis DMX"



PN # TF-DMXMET-01

48 Volt Replacement Fan for **Lucent Metropolis DMX Fan Shelf** w/ 4 Wire Plug

Used in Metropolis DMX Fan Shelf -LUCENT COMCODE NO. 408769172

"Metropolis DMX Multiplexer"



PN # TF-DMXMET-02

48 Volt Replacement Fan for Lucent Metropolis DMX Access Multiplexer Fan Shelf w/ 4 Wire Black Plug

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Lucent DACS III / IV* Replacement Fans



"DACS III / IV"

PN # TF-DACS3/4-01

48 Volt Replacement Fan for Lucent DACS III / IV w/ 4 Wire Plug

Equiv. to KS23913L1,

Used in Lucent Fan Assemblies:


DACS III (ED-2C816-30, G1 or ED-2C906-30) DACS IV (WP92310L4)

DACS IV FAN ASSEMBLY

(WP92310, L4)

(fan assembly is not included)







"DACS III / IV"

PN # TF-DACS3/4-02

48V Replacement Fan for Lucent DACS III / IV

w/ 5 Wire Plug

Equiv. to KS23913L1,

Used in Lucent Fan Assemblies: DACS III / IV (WP91473-L3B) <u>Lumen/CLK MAT #</u> 1359609



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

NEC Replacement Fans



* Fan only -For KIT, see ordering information below

> NEC -FD-31201A / FD-32401A **LINE TERMINATING MULTIPLEXER UNIT**



Lumen/CLK MAT #

1341428

Lumen/CLK MAT #

1341500

1341501

Ordering Information:

NEC 48 Volt Replacement Fan (fan only) TF-NEC-01

> NEC 48 Volt Replacement Fan Kit w/ Mounting Plate & Guard Grill (not shown) 1341429

TF-NEC01-KIT1



PN # TF-NEC-02 **

** Fan only -For KIT, see ordering information below

> NEC -**ITS-2400 INTELLIGENT TRANSPORTER**



Ordering Information:

TF-NEC-02 **NEC 48 Volt Replacement Fan (fan only)**

TF-NEC02-KIT1 NEC 48 Volt Replacement Fan Kit w/ Mounting Plate & Guard Grill (not shown)





Ordering Information:

INTELLIGENT TRANSPORTER

TF-NEC-03 **NEC 48 Volt Replacement Fan (fan only)** 1341502

Lumen/CLK MAT #

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Fax: (856) 768-7645

Telecom Assistance Group

Telephone: (856) 753-8585

OmniStar (60mm) Replacement Fans

"OmniStar"

PN # TF-OMNISTAR-01

OmniStar (60mm) 12 Volt Replacement Fan

w/ 2 Wire Plug

(fan only - use with existing guard grill)






OMNISTAR CHASSIS w/ (4) EXISTING FANS

(use in GI / Motorola OmniStar Chassis shelf w/ DC PS. # AM-Omni-CH CM1 DC48)

OmniStar GX2 (25mm) Replacement Fans

25mm




"OmniStar GX2 (RPR)"

PN # TF-GX2BTY-01

OmniStar GX2 (RPR), (25mm) 5 Volt Replacement Fan

w/ 2 Wire Plug

25mm



"OmniStar GX2 (Laser)"

PN # TF-GX2BTY-02

OmniStar GX2 (Laser), (25mm) 5 Volt Replacement Fan

w/ 2 Wire Plug

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 (856) 768-7645 Fax:

Replacement Fans (STP Ring Node / JDSU PathTrak)

"STP Ring Node"

PN # TF-STPRN-01

STP Ring Node Frame/Cabinet 48 Volt Replacement Fan w/ 5 Wire Plug

(fan only, use with existing guard grill)

(use in Lucent J3F011AE fan unit, HECI E5DYAAC)



"JDSU PathTrak HCU 1500"


PN # TF-HCU1500-01

JDSU PathTrak HCU 1500 24 Volt Replacement Fan w/ 2 Wire Plug

(fan includes (4) spacers)



JDSU HCU 1500 PATHTRAK MODULAR CONTROLLER (2) FANS, (1) ON EACH SIDE



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Replacement Fans (WaveStar TDM 10G / Wideband 3190)

"WaveStar TDM 10G"



PN # TF-WSTR-01

48 Volt Replacement Fan for WaveStar TDM 10G* Fan Tray w/ 3 Wire Plug

REPLACES ANY OF THE (6) FANS IN A WAVESTAR TDM 10G FAN TRAY

(fan tray is not included)




"Wideband 3190"





PN # TF-WB3190

48 Volt Replacement Fan for Wideband 3190 Fan Tray w/ 3 Wire Plug



REPLACES ANY OF THE (3) FANS IN A WIDEBAND 3190 FAN TRAY (fan tray is not included)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645


Telco Systems M560 Fiber Optic Terminal Replacement Fans



PN # TF-TEL560-01

Telco Systems
M560 Fiber Optic Terminal
48 Volt Replacement Fan

w/ 4 threaded mounting holes



M560 FIBER OPTIC TERMINAL



(connector view)



Application:

TAG's PN # TF-TEL560-01 replaces defective 48 Volt Telco Systems M560 Fiber Optic Terminal fans.

Ordering Information:

TF-TEL560-01

Telco Systems M560 Fiber Optic Terminal 48 Volt Replacement Fan

w/ 4 threaded mounting holes (screws included)

Lumen/CLK MAT #

1341509


150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Edgelink Replacement Fans (40mm, 35mm & 80mm)



PN # TF-EL100-KIT2 *

Edgelink 100 Replacement Fan Kit (40mm)

* Contents of this kit can be ordered separately, see ordering information below.

Kit includes:

(1) TF-EL100, Edgelink 100 Replacement Fan (40mm) &

(1) TF-EL100DET, Edgelink 100 Replacement Detector PC Board (Equiv. to CCA591G1)



35mm



TF-EL330-01 4N=DC 0.01A (TAG 0.01C 156-7:03-45:05 PAI C € 80mm

PN # TF-EL330-01 Edgelink AXX330G1 Replacement Fan (80mm)



Lumen/CLK MAT #

1341512

Ordering Information:

TF-EL100-KIT2

Edgelink 100 Fan Kit

includes: (1) TF-EL100, Edgelink 100 Fan (40mm)

(1) TF-EL100DET, Detector PC Board

TF-EL100 Edgelink 100 Fan (40mm) 1341510

TF-EL100DET Edgelink 100 Detector PC Board (Equiv. to CCA591G1) 1341511

TF-EL100-02 Edgelink 100 Fan (35mm) 1341513

TF-EL330-01 Edgelink AXX330G1 Fan (80mm)

w/ 3 Wire Plug

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Siemens EWSD* Replacement Fans

"Siemens EWSD"

PN # TF-EWSD-01

48 Volt Replacement Fan for **Siemens EWSD Fan Tray**

Square Fan w/ Power Prongs

(fan only, use with existing guard grill)











SIEMENS EWSD FAN TRAY (10 SQUARE FANS) (\$30050-B5681, fan tray is not included)


"Siemens EWSD"

PN # TF-EWSD-02

48 Volt Replacement Fan for **Siemens EWSD Fan Tray**

Round Fan w/ Power Prongs

(fan only, use with existing guard grill)



SIEMENS EWSD FAN TRAY (6 ROUND FANS)

(\$30050-B5877, fan tray is not included)



(connector view)



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Stromberg Carlson DCO Replacement Fans



PN # TF-DCONHD-01

48 Volt Replacement Fan for **DCO Non High Density CMF Bay**

w/ 2 Wire Open End (for splicing) (Black -48V, Red +48 Return) Includes: Guard Grill & (1) Butt Splice





PN # TF-DCOCMF-01 48 Volt Fan for DCO CMF Bay

w/ 3 Leads & Faston Connectors



PN # TF-DCODCF-01 48 Volt Fan for DCO DCF Bay

w/ 3 Leads & Spade Lugs



PN # TF-DCOMEF-01

48 Volt Replacement Fan for **DCO MEF Bay**

w/ 3 Wire Plug





PN # TF-DCO-02

48 Volt Replacement Fan for **DCO CMF / DTF Bay**

w/ 3 Leads & Faston Connectors (fan only - use with existing guard grill)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS-100 Replacement Fans

"DMS-100"

PN # TF-DMS01

48 Volt Replacement Fan for DMS-100 NT3X90AC / NTBX63AA Fan Trays

w/ Power Prongs &
(4) Threaded* Mounting Holes
(screws included)



DO YOU HAVE BROKEN DMS SENSOR PADDLES THAT NEED TO BE REPLACED?

TAG HAS NEW OPTIONS (where you won't need paddles anymore) call 856-753-8585 or email www.custsvcs@tagcords.com



EXISTING NT3X90AC FAN TRAY w/ NEW FANS



Ordering Information: Lumen/CLK MAT

TF-DMS01 48V Fan for DMS-100 NT3X90AC / NTBX63AA 1330636

Fan Trays w/ Power Prongs &

(4) Threaded Mounting Holes (screws included)

TF-DMS01-100 48V Fan for DMS-100 NT3X90AC / NTBX63AA 1341503

Fan Trays w/ Power Prongs (threaded - QTY of 100)

TF-DMS02 48V Fan for DMS-1U NT3X90AC / NTBX63AA 1341504

Fan Trays w/ Power Prongs &

(4) Clear, Unthreaded Mounting Holes (not shown)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

^{*} also available unthreaded - see ordering information below

DMS Fan Alarm Replacement Lamp





#TI MP-DMFA-10

DMS Fan Alarm Replacement Lamp, 24V ("Fan Fail" / "Frame Fail") (QTY of 10)


Lumen/CLK MAT # 1474165

#TLMP-DMFA-25

DMS Fan Alarm Replacement Lamp, 24V ("Fan Fail" / "Frame Fail") (QTY of 25)

Lumen/CLK MAT # 1474166

DMS Aisle Alarm Replacement Lamp



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645


DMS-100 Replacement Fans



NORTEL NT3X90AF. **DMS-100 SWITCH BAY (DC POWERED)** w/ EXISTING FANS (5 FANS PER TRAY)

PN # TF-DMS03 DMS-100, 48 Volt Replacement Fan w/ TTL Tach & 3 Wire Plug

NEW Alarm Control Boards are also available, order # TFC-3X90AF-01 (MAT # 1475822)





NORTEL NT3X90AA / NT3X90AB, DMS-100 SWITCH BAY (AC POWERED) w/ EXISTING FANS (5 FANS PER TRAY)



DMS-100, 24 VAC Replacement Fan w/ Power Prongs

(use in Nortel NT3X90AA & NT3X90AB fan trays)


Lumen/CLK MAT # 1341495



PN # TF-RX50FF-01* DMS SDM, 12 Volt Replacement Fan w/ 3 Wire Plug & **Speed Control** *(call for pricing)

> **2 FAN TRAYS** (3 FANS PER TRAY)

(use in Nortel DMS SDM shelf # NTRX50FF)



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS-100 / DMS-10 Replacement Fans

"DMS-100"



PN # TF-DMS-NTRX91

DMS-100, 48 Volt Replacement Fan w/ 3 Wire Plug

(use in DMS-100 NTRX91AA / NT0X91AA fan units (MVIE and CSDM bays), CLEI: ENMYACM)



DMS-100 NTRX91AA FAN UNIT w/ EXISTING FANS

"DMS-10"



PN # TF-DMS10-01

DMS-10, 48 Volt Replacement Fan

w/ Power Prongs (fan only, use with existing mounting)



FAN SHOWN w/ EXISTING DMS-10 MOUNTING BRACKET *

* (mounting bracket is not included)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Carrier VolP Replacement Fans



"Nortel IW SPM-IP"

PN # TF-DMS-FOS

Nortel IW SPM-IP

48 Volt Replacement Fan for **NTLX56AA** fan assemblies*

used in Nortel IW SPM-IP NTLX55AA cooling units

* fan only, arm assembly is not included



FRONT VIEW OF NTLX56AA FAN ASSEMBLY
(NOT SUPPLIED)



"Media Gateway 9000"

PN # TF-MG9K-01

Nortel / GENBAND Media Gateway 9000 48 Volt Replacement Fan

w/ 3 Wire Plug
(for use in NTNY18AA Cooling Unit)





<u>Lumen/CLK MAT #</u> 1359401

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS-500/250 DPCC XA-Core Blower Drawer Impeller Replacement

"Impeller Fan for DMS Blower Drawer"

PN # TF-DMSLGN6-01


(225mm) Replacement Impeller Fan for DMS-500/250 DPCC XA-Core Blower Drawer

w/ 4 Wire Plug

(fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)



NT9X01JF DPCC







(3) BLOWER DRAWERS
LOCATED AT THE
BOTTOM OF THE BAY

(tray # NTLX10AA, drawer # NTLX11AA)

Ordering Information:

TF-DMSLGN6-01

(225mm) Replacement Impeller Fan for DMS-500/250 DPCC XA-Core Blower Drawer

Call for Pricing

w/ 4 Wire Plug

(fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)


150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS-100 Dual-Scroll Blower Replacement Unit



▶ <u>NEW</u> Drop-in Replacement

DMS-100 DUAL-SCROLL REPLACEMENT BLOWERS

(used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714))

(Commonly found in DPCC / LIM / ENET bays)



NT9X950 HAS (3) BLOWER UNITS PER BAY

Ordering Information:

TF-DMSMCL-02 DMS-100 Dual-Scroll Blower Replacement Unit Call for Pricing

w/ (1) 4 pin plug & (1) 3 pin plug

includes (1) 3 pin adapter cable (# TFCS-DMSMCL3) (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (commonly found in DPCC / LIM / ENET bays)

TFC-DMSAPW-3 Alarm Board for DMS LIM/ENET Blower - (not shown)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement

► <u>NEW</u> Drop-in Replacement


DMS DPCC SUPERNODE
"SQUIRREL CAGE"
REPLACEMENT BLOWERS

(use in NT9X01XX DPCC, (replaces A0345301))


CONTROL BOX w/ INTERNAL SENSOR, WIRING HARNESS & PLUG



NT9X01XX DPCC







NT9X01XX DPCC HAS (4) BLOWER UNITS PER BAY

Ordering Information:

Lumen/CLK MAT #

TF-DMSLGN5 DMS-100 DPCC SuperNode Blower

1355241

"Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC, (replaces A0345301))

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

TAG DMS-100 3X9013 Universal Fan Tray

TFT-3X9013T

Universal 48VDC Fan Tray


- <u>No</u> 24VAC Inverters (24VAC inverters cause heat concerns

- No Mechanical Sensors

& major equipment failures)

(sensor paddles are known to bend & break)

UNIVERSAL MOUNTING HOLES



- Connectorized Universal metal tray with Fan Alarm Board (no sensor paddles)-
- Pre-assembled & works with NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF Cooling Units
- Adapter cables* are supplied for NT3X90AA/AB & NT3X90AF Cooling Units *(adapter cables are not used with NT3X90AC)

Ordering Information:

TFT-3X9013T TAG Universal DMS-100 3X9013 Fan Tray

Lumen/CLK MAT #

1492217

Includes: (1) Brand New Fan Tray w/ Universal Mounting Holes, (5) TF-DMS03, 48VDC Fans w/ TTL Tach & 3 Wire Plug,

- (1) Fan Control Board w/ Built in Sensors (no paddles needed), Wiring Labels, Mounting Hardware,
- (1) Wiring Harness w/ Connector, NT3X90AA/AB & NT3X90AF Adapter Cables & Installation Guide

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com


Telecom Assistance Group

Telephone: (856) 753-8585

Fax: (856) 768-7645

TAG's Universal Fan Tray Replaces 3 Generations of DMS-100 NT3X90 Cooling Units

1. NT3X90AA/AB



"AA/AB" FAN TRAY



2. NT3X90AC



"AC" FAN TRAY



3. NT3X90AF



"AF" FAN TRAY



TAG UNIVERSAL FAN TRAY

- No 24VAC Inverters
- No Paddle Sensors



NT3X90AA/AB INSTALLATION VIDEO



NT3X90AC INSTALLATION VIDEO



NT3X90AF INSTALLATION VIDEO



TFT-3X9013T

TAG's Universal Tray Replaces:

- NT3X90AA/AB
- NT3X90AC
- NT3X90AF

<u>Lumen/CLK MAT #</u> 1492217

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585

Fax: (856) 768-7645