

Brightspeed2025 Product Ordering Guide


Issue 1.1




"TEST CORDS & ADAPTERS"



"TEST CARDS, T1 REPEATERS & EXTENDERS"





"NEBS CERTIFIED SOLID STATE SCSI DRIVES"



- ► DCO
- **▶** EWSD
- ▶ 5ESS
- ▶ DMS-100
- ▶ & MORE



www. tagcords.com

856-753-8585

FEATURES / APPLICATION	PART#	DESCRIPTION
Bantam to (2) Alligator Clips, (2') Bantam to (2) Alligator Clips, (6')	ST400210A-02 ST400210A-06	BANTAM to ALLIGATOR CLIPS
Access to various connectors, bare cable		2' MAT # 1157471 6' MAT # 1157472
310 to (2) Alligator Clips, (6')	ST400310A-06	310 to ALLIGATOR CLIPS
Access to various connectors, bare cable		
		MAT # 1157464
310 to 310, (6')	400310	310 to 310
General purpose test/patch cord		
Available in various lengths		MAT # 1157468
Bantam to 310 Conversion Plug	400239	BANTAM TO 310 CONVERSION PLUG
Slides over Bantam Plug converting it to a 310		BANTAM 400239
Copyright © 2025 by Telecom Assistance Group. Inc.		MAT # 1157438

FEATURES / APPLICATION	PART#	DESCRIPTION
Bantam to Bantam - Black, (6') Bantam to Bantam - Red, (6')	400210BK 400210RD	BANTAM to BANTAM BANTAM to BANTAM
Patching or Test Set Application		di
Red/Black colors for Transmit/Receive		BLACK MAT # 1157483 RED MAT # 1157482
Bantam Looping Plug	400210LP	BANTAM LOOPING PLUG
3 conductor looping plug		
		MAT # 1157492
Bantam to Wire Wraps, (6')	400210WP	BANTAM to WIRE WRAPS
 Slides on standard CO terminal block pins (.045) for test access 		41
		MAT # 1102718
Wire Wraps to Mini Alligator Clips, (1')	400200MA-01	WIRE WRAPS to MINI ALLIGATOR CLIPS
Slide wire wrap over CO mounting Block Pins		
 Alligator clips allow connections to various equipment (Butt-Set, Caller ID, and ADSL Applications) 		
		MAT # 1157487

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

2025 Brightspeed MAT\Master\pg02_r02.dsf (06/18/25)

Telephone: (856) 753-8585 Fax: (856) 768-7645

Copyright © 2025 by Telecom Assistance Group, Inc.

Telecom Assistance Group (TAG) www.tagcords.com

FEATURES / APPLICATION	PART#	DESCRIPTION	
SLC-96 Line Adapter Hollow post and/or modular access to Odd/Even Channel at faceplate of SLC-96 channel units or DISC*S	400396-2M els	SLC-96 LINE ADAPTER SLC-96 MAT # 11574	37
 "The SLICK CORD", (2') Dual Purpose cord for Series 5/SLC 2000 and/or SLC-96/DISC*S faceplate access 	4003956	"SLICK CORD" Series 5 SLC- MAT # 11574	
 SLC Series 5 Test Cord, (1') Dial tone access at faceplate of Series 5 or SLC 2000 	400395-2	SLC SERIES 5 TEST CORD Series 5 SLC MAT # 11575	
SLC-96 Looping Plug • Loops SLC-96 circuits	400396L	SLC-96 LOOPING PLUG MAT # 11575	

	•	
FEATURES / APPLICATION	PART#	DESCRIPTION
463A Plug to Alligator Clips, (2') 463A Plug to Alligator Clips, (6')	ST400300S-02 ST400300S-06	463A PLUG to ALLIGATOR CLIPS
Long pins wired to Alligator clips		
 Non-bridging - Flip to look both ways 463A type plug (protector) to alligator clips 		
Similar to W2GL		2' MAT # 1157465 6' MAT # 1157466
Protector to Protector "Frogger" with	400300FP	"FROGGER" w/ IN-LINE PROTECTION
"In Line Protection", (20')		• Good • Bad •
Frogger with In-Line Protection		
Ideal for quick temporary restoral with "protection"		
		MAT # 1157486
Protector to (4) Alligator Clips, (8')	400300S-4	PROTECTOR to (4) ALLIGATOR CLIPS
Access at (coils) both cable and equipment		
		MAT # 1157485
526A plug to Alligator Clips, (2')	400526A-02	526A PLUG to ALLIGATOR CLIPS
 Monitor access to Protectors via test points without pulling Protector 		
Equivalent to P2FL		MAT # 1157469
iht © 2025 by Telecom Assistance Group, Inc.		2025 Brightspeed MAT\Master\ng04_r02 dsf (06/18)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

2025 Brightspeed MAT\Master\pg04_r02.dsf (06/18/25) **Telephone:** (856) 753-8585 **Fax:** (856) 768-7645

FEATURES / APPLICATION	PART#	DESCRIPTION
Dual Push Pins (310 MDF) to Alligator Clips, (3')	400426	DUAL PUSH PINS to ALLIGATOR CLIPS
 Used to short the tip and ring or to ground the tip and/or ring Plugs to recessed terminals on 310 series connectors Equivalent to P2FM 	9	
		MAT # 1157484
453A plug to Alligator Clips, (3')	400430	453A PLUG to ALLIGATOR CLIPS
 Used to short the tip and ring or to ground the tip and/or ring Plugs to recessed terminals on 300 series connectors (except 		
Equivalent to P2EF		MAT # 1157481
Bantam to 800 DSX, (6')	408210	BANTAM to 800 DSX
Test equipment access to 800 DSX		
		MAT # 1157181
310 to 800 DSX, (12')	408310-12	310 to 800 DSX
Test equipment access to 800 DSX		
		MAT # 1183104
800 DSX Looping Plug	408800LD	800 DSX LOOPING PLUG
Loops both directions		408800LD MAT # 1157470
800 DSX Terminating Plug	408800TP-1	800 DSX TERMINATING PLUG
Available in 100 ohm		MAT # 1335085
Copyright © 2025 by Telecom Assistance Group. Inc.		2025 Brightspeed MAT\Master\pg05_r02 dsf (06/18/25)

	•	
FEATURES / APPLICATION	PART#	DESCRIPTION
Mueller Clip 25C to Mueller Clip 25C, (25')	T-W1BU-3	MUELLER CLIP to MUELLER CLIP
 Retractable "coil" cord used with 188A test set Equivalent to W1BU-3 		
		MAT # 1157494
DB 9 Pin (male) to DB 9 Pin (female), (6')	400720	9 PIN (male) to 9 PIN (female)
 Commonly used from Laptop to test at HDSL circuits 		
Wired straight		MAT # 1157473
15 Pin (female) to LIU connector, (8')	400442F	15 PIN to LIU
15 Pin (male) to LIU connector, (8')	400442M	
Connects Power Panel to LIU for test jack access		STREETS STREET
Available in various lengths		400442F MAT # 1157180 400442M MAT # 1157467
Protected Test Probe w/ LED	P-2000	PROTECTED TEST PROBE W/ LED
Used for testing continuity		
 Built in light for connection verification and fuse for protection 		MAT # 1157493
Pin Plug to Alligator Clip, (6')	400409	PIN PLUG to ALLIGATOR CLIP
Generally used for grounding		
		MAT # 1157476
right @ 2025 by Telecom Assistance Group, Inc.		2025 Brightspeed MAT\Master\pg06 r02.dsf (06

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

2025 Brightspeed MAT\Master\pg06_r02.dsf (06/18/25)

Telephone: (856) 753-8585 Fax: (856) 768-7645

Copyright © 2025 by Telecom Assistance Group, Inc.

Telecom Assistance Group (TAG) www.tagcords.com

FEATURES / APPLICATION	PART#	DESCRIPTION
440A to 440A - Red, (8')	400440ARD	440A to 440A
Coax Patch/Test Cord		
Available in various lengths		
		MAT # 1157479
440A to 440A - Black, (8')	400440ABK	440A to 440A
Coax Patch/Test Cord		
Available in various lengths		
		MAT # 1157477
440A to BNC - Red, (8')	400440BRD	440A to BNC
Coax Patch/Test Cord		
Available in various lengths		
		MAT # 1157480
440A to BNC - Black, (8')	400440BBK	440A to BNC
Coax Patch/Test Cord		
Available in various lengths		
		MAT # 1157478

	•	
FEATURES / APPLICATION	PART#	DESCRIPTION
Universal Carrying Case	600209	UNIVERSAL
Small Carrying Case		CARRYING CASE
 Approx. Dimensions: 5" (H) x 16" (L) 		MAT # 1157463
Universal Carrying Case	600209N	UNIVERSAL
Medium Carrying Case		CARRYING CASE
 Approx. Dimensions: 9" (H) x 16" (L) 		856.753.8585
		MAT # 1157177
8 Pouch Carrying Case	TCC-001P	8 POUCH
Test Cord Carrying Case		CARRYING CASE
Test Cord Carrying Case		
Approx. Dimensions: 12" (H) x 15" (L)		
		MAT # 1157462
Universal Carrying Case	600209F	UNIVERSAL
Large Carrying Case		CARRYING CASE
 Approx. Dimensions: 13" (H) x 20" (L) 		CASE SSC-753-8059
() ()		MAT # 1157461
Universal Carrying Case	600209XL	UNIVERSAL
		CARRYING
Extra Large Carrying Case		CASE
 Approx. Dimensions: 16.25" (H) x 20" (L) x 7.5" (D) 		866-753-9695
		MAT # 1157460
CHI O COOS L. T. I A cities . O I .		2025 Brightspood MATIMaster/page r02 def (06/18

Copyright © 2025 by Telecom Assistance Group, Inc.

Telecom Assistance Group (TAG) www.tagcords.com

150 Cooper Rd. (F-15) W. Berlin, NJ 08091


2025 Brightspeed MAT\Master\pg08_r02.dsf (06/18/25)


Telephone: (856) 753-8585 Fax: (856) 768-7645

DB9M / RS232 to USB Adapter Cable

Need access to a Serial Port on your Laptop?

TAG's Adapter Cable will convert your Laptop's USB Port into a Serial Port!





System Requirements:

- Supports Windows ® 2000 / XP / Server 2008 / Vista / 7 / 8 / 10
- Available USB Port

Application:

Plug the USB connector into your computer and the serial connector into your serial device to exchange files, data and more.



Ordering Information:

400720USB DB9M/RS232 to USB Adapter Cable

Supports Windows @ 2000 / XP / Server 2008 / Vista / 7 / 8 / 10 / 11

MAT # 1157436

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Remote Network Cable Tester w/ Tone Generator

CAT-107G



Cable Test Features:

Displays: • Short

- Reversed
- Miswired
- **Split Pairs**


Tone Generator* Features:

- Verification of Shield Integrity
- Puts Tracer Tone on Cable

* Tone Generator function requires customer supplied Cable Tracing Probe

Additional Features:

- Specially designed Remote Unit that enables one person to test installed cables
- Easy to read Fault Display and high speed testing
- Debug mode for detailed fault identification results
- Auto Sleep Mode and Power Off Switch to decrease power consumption
- Low Battery Indicator
- Uses (4) four AAA batteries





Includes: Soft Vinyl Carrying Pouch & Remote Terminating Cable

Application:

The CAT-107G is a small hand-held cable tester, which enables network professionals to quickly and easily verify the integrity of ethernet twisted pair cables for open pairs, shorted pairs, reversed pairs, crossed pairs and split pairs. Push the TEST button and the CAT-107G will automatically scan for any existing faults in your cable. The specially designed remote terminator is provided for one-person testing of installed cables. The tone generator function can be used to send a signal through installed cables which can be traced with most cable tracers on the market.

Ordering Information:

MAT#

CAT-107G

Remote Network Cable Tester w/ Tone Generator includes: (1) Carrying Pouch, (1) Remote Terminating Cable & (4) AAA Batteries

1157497

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585 Fax: (856) 768-7645

Wire Reel Brake Replacement


WR-102BRK

PUT THE BRAKES ON!!!


Rubber WheelRepair KitPart # WR-102RWK



Wire Reel Brake Replacement Part # WR-102BRK



➤ The WR-102BRK replaces broken and/or worn-out brakes.



New Brake Assemblies for Central Office Wire Reels (wire reel is not included)

Ordering Information:

<u>MAT #</u>

WR-102BRK Cable Reel Brake Assembly

1157502

w/ Grommet & Brake

1157450

WR-102RWK Rubber Wheel Repair Kit

includes (4) Rubber Wheels & (4) Retaining Spring Clips

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

Telephone: (856) 753-8585 Fax: (856) 768-7645

www.tagcords.com

Telecom Assistance Group

DLC Cord Kit DLC-KITQWT (1) # TCC-001P - MAT # 1157462 (1) # 4003956 - MAT # 1157496 "The Slick Cord" - Series 5 & SLC 96 Carrying Case (2) # ST400210A-06 - MAT # 1157472 (1) # 400703-25 Bantam to (2) Alligator Clips, (6') DB 9 Pin (female) to DB 25 Pin (male), (25') (1) # 400722ADSL (2) #408210 Catena DB 9 Pin (female) to RJ45, (6') Bantam to 800 DSX, (6') (1) # 400720 (2) # 400210WP Bantam to Wire Wrap Terminals, (6') DB 9 Pin (male) to DB 9 Pin (female), (6') **BANTAM** (2) # 400239 - MAT # 1157438 (1) # 400703H-25 DB 9 Pin (male) to DB 25 Pin (male), (25') Bantam to 310 Conversion Plug (1) # 400440BLP (1) # 400725N BNC Loopback Cord, (9") DB 25 Pin (male) to DB 25 Pin (female) "NULL" Adapter (1) # 400448XP-10 (1) # 400210BK - MAT # 1157483 Bantam to Bantam, RX - Black, (6') DMX Provisioning (CAT5E) Cross-Over Cable, (10') (1) # 400210RD - MAT # 1157482 (1) # 400448-06 Bantam to Bantam, TX - Red, (6') RJ48 to RJ48, (6') Ordering Information: MAT# **DLC-KITQWT DLC Cord Kit** 1157495 includes: (2) ST400210A-06, (1) 400210BK, (1) 400210RD, (2) 408210, (1) 400720, (2) 400210WP, (2) 400239, (1) 4003956, (1) 400725N, (1) 400703-25, (1) 400448XP-10, (1) 400440BLP, (1) 400703H-25, (1) 400722ADSL, (1) 400448-06 & (1) TCC-001P

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

JDSU HST-3000* Cord Kit

KIT-HST3000H4



Test Cord Kit for use with JDSU HST-3000*


-Individual items can also be ordered-


Provides a carrying case with all the cords that a "Tech" needs in the field

8 Pouch Carrying Case Part # TCC-001P

HST3000 to 463A Protector (Red), (6')

Part # ACT-400100SRD






HST3000 to Mini Test Clips (Red), (6')

Part # ACT-400100TRD

HST3000 to Mini Test Clips (Blue), (6')



HST3000 to Bantam (Red), (6')


Part # ACT-400100BRD

HST3000 to Bantam (Blue), (6')

Part # ACT-400100BBY



Part # ACT-400148BY





KIT-HST3000H4

HST-3000* Cord Kit

includes: (1) ACT-400100SRD, (1) ACT-400100SBY, (1) ACT-400100TRD, (1) ACT-400100TBY,

(1) ACT-400100BRD, (1) ACT-400100BBY,

(1) ACT-400148SBY, (1) ACT-400148BY & (1) TCC-001P

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585 Fax: (856) 768-7645

Telecom Assistance Group

MAT#

1157475





Exfo 635 / Colt 250* Test Set (not included) The TAG # 400250SV is typically used with the Colt 250 and/or Exfo 635 test set to perform xDSL testing.


Ordering Information:

400250SV

RJ45 (snagless) to Alligator Clips / Wire Wraps, (6')

MAT# 1341497

Bonded ADSL2+ / VDSL2 Test Cord



Application:

The TAG # 400251DSLW4 is typically used for testing bonded ADSL2+ / VDSL2 cable pairs in the Central Office.

Ordering Information:

JDSU HST-3000**

Test Set (not included)

400251DSLW4

RJ45 to (4) (2 Blue / 2 Red) Wire Wraps, (8')

MAT#

1339897

(856) 753-8585

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Fax: (856) 768-7645 Telecom Assistance Group

Telephone:

Copyright @ 2025 by Telecom Assistance Group, Inc.

2025 Brightspeed MAT\Master\pg14 r02.dsf (06/18/25)

^{*} Colt 250 & Exfo 635 are registered trademarks of EXFO Electro-Optical Engineering Inc. All rights reserved. ** JDSU Smart Class is a registered Trademark.

MLT Load / Test Box

400301MLT



TAG's MLT Load/Test Box (400301MLT) provides a convenient and easy means to <u>Test</u> with <u>MLT</u> on <u>New Installs</u> and <u>Calibrate "Loop Resistance</u>.

Simply plug the MLT Load/Test Box on the circuit to test with MLT. Establish communication with a MLT tester to verify results.

Note: TAG offers a "Hands Free" Telephone Set - Model WT-1K for added convenience. A sturdy switch on the MLT Load/Test Box allows selecting the following tests:

- Tip to Ring Short
- Ring to Ground (10K)
- Tip to Ring Load (10K)
- Ringer Test Load (>.75A)
- Tip to Ground (10K)
- Thru to Hollow Posts and RJ11 (just in case)

The MLT Load/Test Box plugs to various interface points for ease of testing with MLT. The 400301MLT can be equipped with "coil access" at the RT, RJ11 access at the NID or Alligator Clips for general purpose.

Ordering Information:

MAT#

400301MLT

Cord Protector MLT Test Box, (6')

1157498

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Apparatus Cases (T1, HDSL, DDS)

EXT-209

T1 Loopback Extender (w/ Bantam Jacks)

Application:

- Universal interface to all test sets
- Loops signal and simplex current
- Isolates trouble to repeater or cable
- Bantam Jack access eliminates special probes and cables
- Direct metallic bridging allows current, voltage and loop resistance measurements



1157489

EXT-209T

T1 Repeater Extender (w/ Bantam Jacks)

Application:

- Span current test points
- Loops signal and simplex current
- Test repeaters in the field
- Bantam Jack access to monitor/transmit QRSS, 3 in 24 from test sets
- Direct metallic bridging allows current, voltage and loop resistance measurements



1157488

EXT-238

T1 Line Repeater Wiring Access Board (w/ Bantam Jacks)

Brightspeed SAP MAT #

1157499



Application:

The EXT-238 plugs into T1, 56KB, HDSL, and ISDN apparatus cases for easy access to wiring via "bantam jacks." Plug the EXT-238 into mini T1 line repeater slots to verify wiring and perform cable loss test (T1 acceptance test).

150 Cooper Rd. (F-15) W. Berlin, NJ 08091


www.tagcords.com


Telephone: (856) 753-8585 Fax: (856) 768-7645

T1 Repeater Test Kit

EXT-238K3

The EXT-238K3 Kit is designed for technicians who test at T1 Line Repeater Housings, such as 818 apparatus cases. (see Fig. 1) The Kit Includes:









(1) # 400210RD-03 Bantam to Bantam - Red, (3')



(1) # 400210BK-03 Bantam to Bantam - Black, (3')



(1) # 400210ARD-03 Bantam to Alligator Clips - Red, (3')



(1) # 400210ABK-03 Bantam to Alligator Clips - Black, (3')

Ordering Information:

T1 Repeater Access Kit

Brightspeed SAP MAT #

1157439

includes: (1) EXT-238, (1) 400210RD-03, (1) 400210BK-03, (1) 400210ARD-03, (1) 400210ABK-03 & (1) 600209

150 Cooper Rd. (F-15) W. Berlin, NJ 08091


EXT-238K3


www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

T1 Repeater Wiring Access Board

EXT-239E





Features:

- Enhanced switch settings for Thru, Norm, and Loop testing at T1 line repeater apparatus cases.
- Metallic access at T1 line repeater slots.
- Use with test sets to perform Cable Loss, Resistance, or TDR test set to locate load coils.

Ordering Information:

MAT #

EXT-239E T1 Repeater Wiring Access Board

1157440

w/ Bantam Jacks

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Adtran

"Total Access 3000"



MAT # 1157451

ST-TA3000CU

Adtran **Total Access 3000** CU Streaker Card *w/LEDs*

Application:

The ST-TA3000CU provides both continuity testing and jack access for signal acceptance testing from the Adtran Total Access 3000 CU card slot to the cross-connect wiring points.

TB-TA3000CU

Adtran **Total Access 3000** Test Board w/ Bantam Jacks

Application:

The TB-TA3000CU plugs in the Adtran Total Access 3000 card slots and has Bantam jacks that allow access to the cabling from the card slot to the crossconnect wiring points. Using a T1 Test Set, the tester can transmit and receive T1 signals to verify cable acceptance and continuity.



MAT # 1157444

Accessories:

<u>MAT #</u>

P-2000 Protected Test Probe w/ LED

1157493

600209N Carrying Case

1157177

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Office Repeater / Wiring Access Boards

TB-86B

"DDM Plus"

Office Repeater Test Board (w/ Bantam Jacks)

MAT#

1157445





TB-231B

"220"

Office Repeater Test Board (w/ Bantam Jacks)

<u>MAT #</u>

1157441

TB-3192B

"3190 / 3192"

Office Repeater Test Board (w/ Bantam Jacks)

MAT#

1157442





TB-400B

"HDSL - HRU"

Wiring Access Board (w/ Bantam Jacks)

MAT#

1157443

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Adtran



"Total Access 5000"

ST-T5K-SHDSL

Adtran TA5000 SHDSL Streaker Card

32 Port (w/ 64 LEDs)

<u>MAT #</u>

1108511

ST-T5K-SPLTRV

Adtran TA5000 V2 Splitter Streaker Card

32 Port (w/ 128 LEDs)

MAT #

1157455





ST-T5K-DS1 Adtran TA5000 DS1 Streaker Card

(Can be used for both 32 port DS1 & 32 port DS1 Voice Gateway)

(w/ 128 LEDs)

MAT #

1157459

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Adtran

"Total Access 5000"

ST-T5K-COMBO

Adtran TA5000 Combo Streaker Card

24 Port (w/ 48 LEDs)

<u>MAT #</u>

1121914





ST-T5K-8HT1

Adtran TA5000 8 Port HDSL/T1 Streaker Card

8 Port (w/ 32 LEDs)

MAT # 1157456

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

ArcaDacs Streaker Kit

CT-50ARCKIT



(1) # CT-50ARC 50 Pin Amphenol Cable Streaker Unit



BX-50*
50 Pin Breakout Box
*sold separately



(1) # P-2000 Protected Test Probe w/ LED

> (1) # 400409 Ground Cord, (6')



(1) # 300187-16 50 Pin Amphenol Cable (Specialty Extension Cable - (8'))



(1) # 600209N Carrying Case

Ordering Info	MAT#	
CT-50ARCKIT	50 Pin Amphenol Cable Streaker Unit Test Kit includes: (1) CT-50ARC, (1) 300187-16, (1) 400409, (1) P-2000 & (1) 600209N	1108178
CT-50ARC	50 Pin Amphenol Cable Streaker Unit	1106075
400409	Continuity Ground Cord, (6')	1157476
P-2000	Protected Test Probe w/LED	1157493
600209N	Carrying Case	1157117
BX-50 **not included in kit -	Wiring Access 50 Pin (Amphenol) Breakout Box please order separately**	1157448

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 Telephone: (856) 753-8585 *www.tagcords.com* Fax: (856) 768-7645

Calix E7-2 Streaker Kit

E7-2-KIT-01



(1) # ST-CALIX-E7-2

Calix E7-2 Streaker Card, 48 Port w/ 96 LEDs

Application:

The ST-CALIX-E7-2 provides a quick method to "streak", verify wiring via LEDs, from the backplane of the Calix E7-2 to the Frame. At the Frame simply ground the corresponding pins and the ST-CALIX-E7-2 will light the LED associated with that connection.



(1) # 600209XL Carrying Case



(1) # P-2000

Protected (-48V) Test Probe w/ LED, (6')



(1) # 400409 Pin Plug to Alligator, (6')

Ordering Information:

E7-2-KIT-01 Calix E7-2 Streaker Kit

includes: (1) ST-CALIX-E7-2, (1) 400409, (1) P-2000 &

(1) 600209XL - carrying case

P-2000 Protected Test Probe w/ LED 1157493 600209XL Carrying Case 1157460

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645


Telecom Assistance Group

MAT#

1250641

Portable "C" HDSL Powering / Test Unit Kit


PHTUC-QWE01



- ► Portable Powering / Test Unit
- **▶** Isolates Troubles
- New Installs

- Bantam Jacks for T1 Test Sets
- ▶ 1 Slot (2 & 4 Wire)
- ▶ 3192 Mech.

HDSL Application Diagram



Ordering Information:

PHTUC-QWE01 Portable "C" HDSL Powering / Test Unit Kit Includes: (1) PHTUC-01, (1) 400210RD, (1) 400210BK,

<u>MAT #</u> 1201288

(1) 4C-463LY-12, (1) 4C-412LY-12, (1) 4C-PORTLY-12 & (1) 600510 - Carrying Case


4C-A-12	Male Lock Plug to (4) Std Alligator Clips w/ GND, (12')	1230934
4C-6P-12	Male Lock Plug to (4) 6P Alligator Clips w/ GND, (12')	1230936
4C-412LY-12	Male Lock Plug to 412 Long "Y", (12')	1230933
4C-463LY-12	Male Lock Plug to 463 Long "Y", (12')	1230932
400210BK	Bantam to Bantam Test Set Cord - Black, (6')	1157483
400210RD	Bantam to Bantam Test Set Cord - Red, (6')	1157482

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

T-Berd 209 OSP Test Set Kits & Battery Replacements



BR-209OSP

Battery Replacement for T-Berd 209



T-Berd 209 OSP Test Set

(not included)



- ▶ 12V DC / 2.8 Ah
- ► Drop-in Replacement
- ► 3yr Warranty

TAG's # 400209OSP is the auto-test replacement cable for the T-Berd 209 OSP. The # 400209OSP connects from the Bendix connector on the T-Berd 209 OSP Test Set to the 15 pin connector on the "smart" repeater adapter (TTC 41754 or TAG's # EXT-209OSP).

T-Berd 209 OSP "Smart" Repeater Adapter w/ 15 Pin D Connector

Ordering Information:

KIT-209OSP T-Berd 209 OSP Auto Test T1 Repeater Test Kit

includes: (1) EXT-209OSP, T-Berd 209 OSP "Smart" Repeater Adapter

w/ 15 Pin D Connector (includes Finger Guard # EXT-209FG)

(1) 400209OSP, 15 Pin D (male) to Bendix Connector, (10') &

(1) 600209N - 9" (H) x 16" (L) Carrying Case

400209OSP 15 Pin D (male) to Bendix Connector, (10')

BR-209OSP Battery Replacement for T-Berd 209

Brightspeed SAP MAT #

1456791

MAT#

1282722

1250307

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com


Telecom Assistance Group

Telephone: (856) 753-8585

(856) 768-7645

NEBS Certified - 5ESS Solid State Drive Solutions from TAG

5ESS SWITCH w/ EXISTING DRIVES (w/ "MOVING PARTS")



NEW SOLID STATE DRIVES FROM TAG


NEW HARD DRIVE

(installed on UN375E/F circuit pack)



NEW DAT DRIVE w/ COMPACT FLASH

(installed on **UN376E/F** circuit pack)



Application:

TAG can REPLACE failing / broken 5ESS Hard Drives & DAT Drives with **NEW** Solid State SCSI Drives.

TAG MODEL#	USED ON UN375E AND UN375F CIRCUIT PACKS ((HD)
TSD-5ESS-01	Solid State Replacement for:	9.1 Gb
MAT # R1354898	Hard Drive, HECI code SP3QADRAAA (typical), KS-23908 QUANTUM 3.5 INCH SCSI	

TAG MODEL#	USED ON UN376E AND UN376F CIRCUIT PACKS ((DAT)
TSDT-5ESS-01	Solid State Replacement for:	4 Gb
MAT # R1355139	DAT Drive , C1539, HECl code SP3QADLAAC (typical), Includes: 4Gb Industrial Compact Flash Card (# TSD-CF-04*)	

* Additional Compact Flash Cards are Available: 4Gb (# TSD-CF-04, Brightspeed SAP MAT # 1343960), 8Gb (# TSD-CF-08), 16Gb (# TSD-CF-16), 32Gb (# TSD-CF-32)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585 Fax:

(856) 768-7645

NEBS Certified - Ericsson AXE-10 IOG11 Drive Solutions from TAG

ERICSSON AXE-10 IOG11 MODULES
w/ EXISTING HARD DRIVE & OPTICAL DISK DRIVE
(w/ "MOVING PARTS")



Application:

TAG can **REPLACE** failing / broken Hard Drives and Optical Disk Drives within Ericsson AXE-10 IOG11 Modules with **NEW** Solid State Drives.

AXE-10 IOG11 MODULES w/ NEW SOLID STATE DRIVES FROM TAG



NEW S	NEW SOLID STATE DRIVES AVAILABLE FROM TAG		
TAG MODEL#	USED IN AXE-10 IOG11 HARD DRIVE MODULE (HECI DNPQAL9AAA))	
TSD-AXE10-02	Solid State Replacement for:	2 Gb	
MAT # R1343948	Ericsson AXE-10 IOG11 Module # ROF 137 7942/8 R1A HD-B 2GB (HECI DNPQAL9AAA) Hard Drive		
TAG MODEL#	USED IN AXE-10 IOG11 ODD MODULE (HECI DNMYABKEAA)		
TAG MODEL # TSDT-AXE10-02	Solid State Replacement for: Ericsson AXE-10 IOG11	4 Gb	

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com


Telecom Assistance Group

Telephone: (856) 753-8585 Fax: (856) 768-7645

Tax. (650) 706-7045

NEBS Certified - Siemens EWSD Drive Solutions from TAG

SIEMENS EWSD w/ EXISTING DRIVES MAGNETO-OPTICAL (MO) & HARD DISK (HDD) (w/ "MOVING PARTS")




MAGNETO-OPTICAL (MO)

Application:

TAG can <u>REPLACE</u> failing / broken Siemens EWSD Magneto-Optical (MO) & Hard Disk (HDD) Drives with **NEW** Solid State Drives.

NEW SOLID STATE DRIVES FROM TAG



NEW SOLID STATE DRIVES AVAILABLE FROM TAG

TAG MODEL#	USED IN SIEMENS EWSD HDD MODULE (HECI EQMYAE0DAA)	
TSD-EWSD-01	Solid State Replacement for: Siemens EWSD	9.1Gb
MAT # R1344482	Module # S30807-U2594-X300 (HECI EQMYAE0DAA) Hard Disk Drive (HDD) w/ Mounting (S30122-U789-X-2 (ST-39173N))	

TAG MODEL # USED IN SIEMENS EWSD MO DRIVE MODULE (HECI EGM8JF0BRA)

TSDT-EWSD-01 Solid State Replacement for: Siemens EWSD Module # S30807-U2593-X200 (HECI EGM8JF0BRA) Magneto-Optical (MO) Drive w/ Mounting (S30122-U563-X400)

Includes: 4Gb Industrial Compact Flash Card (# TSD-CF-04*)

* Additional Compact Flash Cards are Available:

4Gb (# TSD-CF-04, Brightspeed SAP MAT # 1343960), 8Gb (# TSD-CF-08), 16Gb (# TSD-CF-16), 32Gb (# TSD-CF-32)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com

Telecom Assistance Group


Telephone: (856) 753-8585

Fax: (856) 768-7645

4Gb


NEBS Certified - Stromberg Carlson DCO Drive Solutions from TAG

DCO MSDA 822010 CIRCUIT PACKS w/ EXISTING HARD DRIVE & TAPE DRIVE (w/ "MOVING PARTS")



NEW SOLID STATE DRIVES FROM TAG

(INSTALLED ON EXISTING CIRCUIT PACKS)



TAG MODEL#	USED ON EXISTING MSDA (DISK) 822010 CIRCUIT PACK
TSD-DCO-01 SAP MAT # R1355062	Solid State Replacement <u>Hard Drive</u> used on: Stromberg Carlson DCO, MSDA (DISK) 822010-706, 4.5Gb
TSD-DCO-02	Solid State Replacement <u>Hard Drive</u> used on: Stromberg Carlson DCO, MSDA (DISK) 822010-716, 9Gb
TAG MODEL#	USED ON EXISTING MSDA (TAPE) 822010 CIRCUIT PACK
TSDT-DCO-01 SAP MAT # 1355063	Solid State Replacement <u>DAT Tape Drive</u> used on: Stromberg Carlson DCO, MSDA (TAPE) 822010-536, 822010-616, 822010-646, 822010-656 Includes: 4Gb Industrial Compact Flash Card (SAP MAT # 1343960, # TSD-CF-04)

Application:

TAG can REPLACE older or failing Hard (Disk) Drives & DAT Tape Drives on existing Stromberg Carlson DCO, MSDA 822010 circuit packs with **NEW** Solid State Drives.

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telecom Assistance Group


Telephone: (856) 753-8585 Fax:

(856) 768-7645

NEBS Certified - DMS-10 (NT8T90BB) Drive Solution from TAG

NORTEL DMS-10 NT8T90BB MODULE w/ Hard Drive (w/ "MOVING PARTS")

NEW SOLID STATE DRIVE FROM TAG



Application:

TAG can <u>REPLACE</u> the failing / broken Nortel DMS-10 Hard Drive in the NT8T90BB Module with a **NEW** Solid State Drive.

NEW SOLID STATE DRIVE AVAILABLE FROM TAG

TAG MODEL#	USED IN NT8T90BB MODULE (HECI EMI2CLCBAA)
TSD-8T90BB	Solid State Replacement for: Nortel DMS-10 (HECI EMI2CLCBAA) NT8T90BB
MAT # R1350768	Hard Drive

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585

Fax: (856) 768-7645

NEBS Certified - DMS-10 (NT4T32BA) Drive Solution from TAG

NORTEL DMS-10 NT4T32BA MODULE w/ Magneto-Optical (MO) Drive (w/ "MOVING PARTS")

EXISTING NT4T32BA MODULE OLD MO DRIVE

NEW SOLID STATE DRIVE FROM TAG



Application:

TAG can <u>REPLACE</u> the failing / broken Nortel DMS-10 Magneto-Optical (MO) Drive in the NT4T32BA Module with a **NEW** Solid State Drive.

NEW SOLID STATE DRIVE AVAILABLE FROM TAG

TAG MODEL#	USED IN NT4T32BA MODULE (HECI EMCPKL0BAA)	
TSDT-4T32BA	Solid State Replacement for:	
MAT # R1350767	Nortel DMS-10 (HECI EMCPKL0BAA) NT4T32BA (Fujitsu MCF3064 SS) Magneto-Optical (MO) Drive, Includes: 4Gb Industrial Compact Flash Card (# TSD-CF-04*)	
* Additional Compact Flash Cards are Available: 4Gb (# TSD-CF-04, SAP MAT # 1343960), 8Gb (# TSD-CF-08), 16Gb (# TSD-CF-16), 32Gb (# TSD-CF-32)		

www.tagcords.com

Telecom Assistance Group

Telephone: (8


(856) 753-8585

Fax: (856) 768-7645

150 Cooper Rd. (F-15) W. Berlin, NJ <u>08091</u>

NEBS Certified - Nortel DMS-100 SLM (NT9X44AD) Drive Solutions from TAG

NORTEL DMS-100 SLM MODULE w/ EXISTING DRIVES (2 DRIVES w/ "MOVING PARTS")



Application:

TAG can **REPLACE** the 2 failing / broken drives on the DMS SLM Module.

- (1) Hard Drive NT9X44AD 3.1GB
- (1) QIC Tape Drive 525MB NT9X4420 / NTA0643549

TAG can provide NEW Solid State Drives

NEW SOLID STATE DRIVES FROM TAG



NEW SOLID STATE DRIVES AVAILABLE FROM TAG

TAG MODEL#	USED IN NT9X44AD MODULE (HECI ENPQAZV1AA) - (1 HD & 1 TAP	E DRIVE)
TSD-9X44AD-01	Solid State Replacement for:	3.1 Gb
<u>MAT #</u> 1457324	Nortel DMS-100 SLM, NT9X44AD (HECI ENPQAZV1AA) Hard Drive	
TSDT-9X44AD-02	Solid State Replacement for:	4 Gb
<u>MAT #</u> 1457386	Nortel DMS-100 SLM, NT9X44AD (HECI ENPQAZV1AA) QIC Tape Drive Includes: 4Gb Industrial Compact Flash Card (# TSD-CF-04)	
* Additional Compact Flash Cards are Available: 4Gb (# TSD-CF-04, SAP MAT # 1343960), 8Gb (# TSD-CF-08),16Gb (# TSD-CF-16), 32Gb (# TSD-		D-CF-32)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com


Telecom Assistance Group

Telephone: (856) 753-8585 Fax: (856) 768-7645

1 ax . (650) 706-7045

NEBS Certified - DMS-100 (XA-CORE, NTLX07AA) DAT Drive Solution from TAG

NORTEL DMS-100 XA-CORE, NTLX07AA MODULE w/ DAT Tape Drive (w/ "MOVING PARTS")



NEW SOLID STATE DRIVE FROM TAG



Application:

TAG can <u>REPLACE</u> the failing / broken Nortel DMS-100 DAT Tape Drive in the XA-CORE, NTLX07AA Module with a **NEW** Solid State Drive.

NEW SOLID STATE DRIVE AVAILABLE FROM TAG

TAG MODEL#	USED IN NTLX07AA MODULE (HECI ENPQA1B	IAA)
TSDT-NTLX07-01	Solid State Replacement for:	4 Gb
MAT # 1495798	Nortel DMS-100 (HECI ENPQA1B1AA) XA-CORE, NTLX07AA, <u>DAT</u> Tape Drive Includes: 4Gb Industrial Compact Flash Card (# TSD-CF-04*)	
4Gb (# TSD-CF-04, SAP M	* Additional Compact Flash Cards are Available: IAT # 1343960), 8Gb (# TSD-CF-08),16Gb (# TSD-CF-16), 32Gb (# TS	SD-CF-32)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS Replacement Terminals - Dual Session

Model:

TT-DCAP-DMSKIT




Kit Includes:

- (1) 17" Flat Screen Monitor
- (1) Dumb Terminal Controller
- (1) Keyboard
- (1) Quick Guide
- (2) 400700, (DB25F Gender Changer) 🐫



(1) 400725NTFX,

(DB25F Null Adapter Cable, (2'))



(2) 400725SB2,

(DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)



Brightspeed SAP MAT #

1332219

SPECIFICATIONS

- VT-100 COMPATIBLE
- DUAL RS-232 INPUTS
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:



Parallel *

* If a Serial Port is needed, please order a Parallel to Serial Adapter (# TT-PSA). Please call 856-753-8585 for more information.

Ordering Information:

TT-DCAP-DMSKIT DMS Dual Session Replacement Terminal Kit

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,

- (1) Dual Session Dumb Terminal Controller, (1) Quick Guide,
- (2) # 400700 (DB25F Gender Changer)
- (1) # 400725NTFX (DB25F Null Adapter Cable, (2')) &
- (2) # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)

TT-DCAP DMS Dual Session Replacement Terminal 1332260

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,

- (1) Dual Session Dumb Terminal Controller, (1) Quick Guide
- (1) # 400725NTFX (DB25F Null Adapter Cable, (2')) &
- (2) # 400700 (DB25F Gender Changer)

400725SB2 DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector 1332198

400725SBW Hardwire Adapter (not shown) for 400725SB2 1332199

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com Fa

Telephone: (856) 753-8585 Fax: (856) 768-7645

DMS Replacement Terminals - Single Session

Model:

TT-SCAP-DMSKIT




Kit Includes:

- (1) 17" Flat Screen Monitor
- (1) Dumb Terminal Controller
- (1) Keyboard
- (1) Quick Guide
- (1) 400700, (DB25F Gender Changer)



(1) 400725NTFX,

(DB25F Null Adapter Cable, (2'))



(1) 400725SB2,

(DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)



SPECIFICATIONS

- VT-100 COMPATIBLE
- SINGLE RS-232 INPUT
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:





Parallel *

* If a Serial Port is needed, please order a Parallel to Serial Adapter (# TT-PSA). Please call 856-753-8585 for more information.

Ordering Information:

TT-SCAP-DMSKIT DMS Single Session Replacement Terminal Kit

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,

(1) Single Session Dumb Terminal Controller, (1) Quick Guide,

(1) # 400700 (DB25F Gender Changer)

(1) # 400725NTFX (DB25F Null Adapter Cable, (2')) &

(1) # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)

400725SB2 DMS Quick Connect Current Loop Adapter Cable 1332198

w/ DEC Connector

400725SBW Hardwire Adapter (not shown) for 400725SB2 1332199

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Brightspeed SAP MAT # 1332218

Single Session Dumb Terminals - Transport / DACS Equipment

<u>NEW</u> TERMINAL WORKS ON Titan 5500, Stromberg Carlson (DCO), CS1, CS1L, DACS II, III, IV, Alcatel 1631 & HDSL

(Titan 5500 shown below)

REMOVE & REPLACE OLD / BROKEN CRTs

Brightspeed SAP MAT # 1332217





SPECIFICATIONS

- VT-100 COMPATIBLE
- SINGLE RS-232 INPUT
- PRINTER OUTPUT
- LOW POWER

New Terminal Includes:

- (1) 17" Flat Screen Monitor
- (1) Dumb Terminal Controller
- (1) Keyboard
- (1) Quick Guide
- (1) 400701, (DB25M Gender Changer)

Ordering Information:

Brightspeed SAP MAT #

TT-VT100S Single Session Dumb Terminal - Transport / DACS

1332217

- includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
 - (1) Single Session Dumb Terminal Controller,
 - (1) DB25M Gender Changer & (1) Quick Guide

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

5ESS Terminal Replacements - Dual Session

Model:

TT-DCAPCE-N



Kit Includes:

- (1) 17" Flat Screen Monitor
- (1) Dumb Terminal Controller
- (1) Keyboard
- (1) Quick Guide
- **(2) 400701,** (DB25M Gender Changer)



(2) 400700N, (DB25F Gender Changer - NULL)



SPECIFICATIONS

- VT-100 COMPATIBLE
- DUAL RS-232 INPUTS
- PRINTER OUTPUT
- LOW POWER



Ordering Information:

TT-DCAPCE-N Dual Craft Access System Kit - 5ESS

Brightspeed SAP MAT # 1444029

includes: (1) 17" Flat Screen Monitor

(1) Keyboard

(1) Dual Session Dumb Terminal Controller

(1) Quick Guide

(2) # 400701 (DB25M Gender Changer)

(2) # 400700N (DB25F Gender Changer - NULL)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com Fa

Telephone: (856) 753-8585 Fax: (856) 768-7645

GP


GP = **GLASS PRINTER**

5ESS MCC Terminal w/ "Glass Printer" Feature

NEW "Glass Printer" Feature allows Capture of ROP & Scroll Reports

Benefits:

- CAPTURE SCROLLING REGION & ROP INFORMATION WITHOUT PAPER
- ELIMINATE OLD TERMINALS, READ ONLY PRINTERS & PAPER WASTE









Ordering Information:

TT-VT100DBS 5ESS MCC Terminal w/ "Glass Printer" Feature **Brightspeed SAP MAT #**

1482000

- includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
 - (1) MCC Terminal Controller w/ Glass Printer (Capture Scroll & ROP),
 - (2) # 400701, DB25M Gender Changers & (1) Quick Guide


150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645


DMS-10/100 Pre-Charge Tool

T-DMSTBT



PN # T-DMSTBT DMS-10/100 Pre-Charge Tool (replacement for NTA0600512)





- THE INDICATOR GOES OUT WHEN IT IS SAFE TO INSTALL THE FUSE (APPROX. 10 SEC).
- IF THE INDICATOR STAYS LIT, THERE IS A LOAD OR FAULT ON THE CIRCUIT.

Application:

TAG's # T-DMSTBT is used to pre-charge shelf power capacitors on a DMS-10/100 switch. This allows a new fuse to be installed without seeing full in-rush surge current. The indicator light goes out when it is safe to install the fuse.

Ordering Information:

<u>MAT #</u>

T-DMSTBT

DMS-10/100 Pre-Charge Tool

1463935

(replacement for NTA0600512)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

5ESS "Pre-Charge" Tool

T-5ESSPCT

5ESS Fuse Bay Control Panel, Lucent # ED-83024-30



PN # T-5ESSPCT 5ESS Pre-Charge Tool

(control panel pre-charge tool replacement)

PUSH TO CHARGE

IARGE

Application:

TAG's PN # T-5ESSPCT is used to pre-charge shelf power capacitors of a 5ESS switch. This allows a new fuse to be installed without seeing full in-rush surge current. The indicator light goes out when it is safe to install the fuse.

- 1. INSERT PROBE (ALARM FUSE)
- 2. PRESS TEST BUTTON
- 3. RED & GRN LEDS WILL LIGHT
- 4. 4-6 SEC LEDS WILL GO OUT
- 5. INSTALL MAIN FUSE
- 6. IF RED LED STAYS ON EXCESS LOAD OR SHORT IS PRESENT

Ordering Information:

T-5ESSPCT

5ESS "Pre-Charge" Tool for Capacitor Charging at Main Fuse Bay (control panel pre-charge tool replacement)

1496454

MAT#

- parier pre-charge toor replacementy

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com


Telecom Assistance Group

Telephone: (8

(856) 753-8585 (856) 768-7645


2025 Brightspeed MAT\Master\pg41_r02.dsf (06/20/25)

Weatherproof Hardwire Multi-Cords




Weatherproof Hardwire to Wire Wraps / 453A / Snagless RJ11 / 6P Alligator Clips, (6')

Use with Deluxe Weatherproof Butt-Sets




Weatherproof Hardwire to Alligator Clips / Wire Wraps / 526P (Porta) / SLC 96, (6')

• Use with Deluxe Weatherproof Butt-Sets



Weatherproof Hardwire to Alligator Clips / Wire Wraps / 463A Protector / 6P Alligator Clips, (6')

• Use with Deluxe Weatherproof Butt-Sets



Weatherproof Hardwire to Alligator Clips / 463A Protector / Snagless RJ11 / 6P Alligator Clips, (6')

• Use with Deluxe Weatherproof Butt-Sets

*** TAG can make Butt-Set Multi-Cords specifically to your design ***

For more information: Please Call 856-753-8585 or Visit www.tagcords.com

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585

ax: (856) 768-7645





	Description	5ESS FANS	SAP MAT#	MAT#
-	K0005041.0.5	JESS I ANS		
-	WESTINATED ENGINE	5ESS Fan w/ 3 Leads & AMP Connector w/ power prongs	I	1341583
	KS22501L3 Equiv.			
TF-5ESS-01F	KS22501L3 Equiv.	5ESS Fan w/ 3 Leads & Faston Connectors w/ power prongs 5ESS Fan w/ 5 Leads & AMP Connector		1341520
TF-5ESS-02P	KS23912L1A Equiv.	(w/ Internal Thermal Speed Control Sensor)	1330513	1330513
TF-5ESS-02F	KS23912L1A Equiv.	5ESS Fan w/ 5 Leads & Faston Connectors		1330515
	· · · · · · · · · · · · · · · · · · ·	(w/ Internal Thermal Speed Control Sensor)		
	KS23912L2 Equiv.	5ESS Fan w/ 4 Leads & AMP Connector	1338991	1338991
	KS22501L3A Equiv.	5ESS Fan w/ 5 Leads & AMP Connector	1341163	1341163
	KS22501L3A Equiv. KS23398L2 Equiv.	5ESS Fan w/ 5 Leads & Faston Connectors 5ESS ISLU (Square Fan) w/ 5 Leads & AMP Connector	1332759	1332759 1341565
11-5235-10F	NOZOGOLZ Equiv.	ADTRAN FANS		1341303
TF-TA3000-01	Adtran TA3000 48\	/ Fan w/ 3 Wire Plug (use in HECI: M3PQ0AV, 1181006L1)	I	1479267
		/ Fan w/ 4 Wire Plug		1359596
		/ Fan w/ 3 Wire Plug	1359595	1359595
11 17/01/ 02	Addan 1A0000, 400	ALCATEL FANS	100000	1000000
TF-ALC-01	Alcatel 1000/7300 4	18V Fan w/ Tach (use in 3EC 15478, 3EC 37933 & 3EC 36760 Fan Trays)	1337633	1337633
		an w/ Internal Sensor & Tach output (use in 3EC 16697 (XXXXX))	1007000	1341521
	DSC / Alcatel ECS1			1341522
		an w/ 3 Wire Plug (use in Low-Volume Fan Tray # 625052-000-0XX)	1475327	1475327
		an (Square) w/ Power Prongs (use in Assembly # 695-3363-302)	147 0027	1359594
		an (Round) w/ Power Prongs & Tach Lead (use in #3AL45446AA)		1359611
		8V Fan (Square) w/ Pwr Prongs & Tach Lead (use in #695-8489-001)		1000011
	·	48V Fan (Round) w/ Pwr Prongs & Tach Lead (use in #3EM04820AA)		
		BIGBAND / ADC FANS		
TF-BIGBND-01	BigBand, 12V w/ 3 V	Wire Open End Fan (w/ Speed Control)		1341523
	BigBand Shelf / Doo			7005999
TF-BIGBPS-01	12V Fan (40mm) w/	3 Wire Plug for BigBand (FTTP bays) & ADC RF Worx Power Supplies		
	,	CIENA FANS		
TF-CN3916-K50	Fan Kit for Ciena 3	916 # 170-3916-904, (Kit includes (50) 12V (40x40x10mm) Fans)		1501840
		48V Fan (fan only, mounting bracket is not included)		1341524
	Ciena DN7100, 12V			
TF-DN7100-02	Ciena DN7100, 12V	Fan w/ 3 Wire Plug		
		DSC DEX600E FANS	•	
TF-DEXLAP-01	DEX600E MSP Bay	Fan (LAP Fan)		1341525
TF-DEXDSI-01	DEX600E DSI Bay F	an (DSI (FAIC) type cards)		1341526
		an (DTI (AMM) type cards)		1341527
TF-DEXCS3-01	DEX600E CS3, 48V	Fan		1341528
		CISCO 15454 / CALIX E7 / KENTROX FANS		
TF-C15454-01	Cisco ONS 15454,	48V Fan w/ 3 Wire Right Angle Connector		1356197
TF-CLXE7-01	Calix E7-2 FTA2 Fa	n Unit, 12V (40mm x 20mm) Fan for w/ 4 Wire Plug	1490737	1490737
-		Series 180, 48V Cooling Fan		1437966
		DATAKIT / FUJITSU / GALAXY RECTIFIER FANS		
TF-DATAKIT-01		System w/ 3 Wire, 4 Pin Connector		
		ave 4500 Fan Unit w/ 4 Wire Plug (for # FC9580FAN1, SNPQCUG5AB)	1	
		Fujitsu FLM 150 Fan Tray w/ 3 Wire Plug	+	
-		595LTB Rectifier w/ 4 Wire Plug		1462387
32,000215-01	Sair for Guiday	LORAIN / MARCONI RECTIFIER FANS		02001
TFT-MRECT I	New Fan Tray Δeeg	mbly for Vortex Rectifier (Lorain/Marconi 104545) (V200D50)		1341614
		prain / Marconi) (V200D50), 24V Fan w/ 3 Wire Open End		1071014
TF-MREC-01		rain/Marconi) 24V Fan & 3 Wire Plug (use in V200F50)		1341615
TF-MREC-01 TF-MREC-02	Vortex Rectifier (Lo	orain/Marconi), 24V Fan & 3 Wire Plug (use in V200E50)		1341615 1341529
TF-MREC-01 TF-MREC-02 TF-RHM400-01	Vortex Rectifier (Lo RHM-400/800 Recti	orain/Marconi), 24V Fan & 3 Wire Plug (use in V200E50) fier Unit (Lorain/Marconi), 220VAC Fan 60B50), 48V Fan w/ 2 Wire Plug		1341615 1341529 1444636





Part #	Description	Brightspeed	MAT#
T dit t ii	LUCENT FANS (CBX500, DDM-2000, FT-2000, METROPOLIS, DACS III / IV)	SAP MAT#	
TF-DDM201	Lucent DDM-2000, 24V Fan	1341530	1341530
TF-DDM201-KIT1	Lucent DDM-2000, 24V Fan Kit w/ Mounting Plate	1341531	1341531
TF-DDM202	Lucent DDM-2000, 48V Fan (fan only, mounting not included)	1011001	1359610
TF-CBX500-01	Lucent CBX500 OCD, 12V Cooling Fan w/ 3 Wire Pins		1336683
TF-FT201	Lucent FT-2000, 48V Fan w/ 3 Wire Plug		1341533
TF-DMXMET-01	Lucent Metropolis DMX, 48V Fan w/ 4 Wire Plug		1341532
TF-DMXMET-02	Lucent Metropolis DMX Access Multiplexer, 48V Fan w/ 4 Wire Black Plug		
TF-DACS3/4-01	Lucent DACS III / IV, 48V Fan w/ 4 Wire Plug (Equiv. to KS23913L1)		1341534
TF-DACS3/4-02	Lucent DACS III / IV, 48V Fan w/ 5 Wire Plug (Equiv. to KS23913L1)		1359609
TF-DACSK1-01	Alcatel-Lucent DACS K01, 48V Fan w/ 3 Wire Open End (includes (2) butt splices)		
	NEC FANS		
TF-NEC-01	NEC, 48V Fan (fan only) (FD-31201A / FD-32401A)		1341428
TF-NEC01-KIT1	NEC, 48V Fan Kit w/ Mounting & Guard Grill (FD-31201A / FD-32401A)		1341429
TF-NEC-02	NEC, 48V Fan (fan only) (ITS-2400)		1341500
TF-NEC02-KIT1	NEC, 48V Fan Kit w/ Mounting & Guard Grill (ITS-2400)		1341501
TF-NEC-03	NEC, 48V Fan (fan only) (ITS-2400V FL) NORTEL FANS (DMS, Carrier VolP, DPCC SuperNode "Squirrel Cage" Blowers		1341502
TFT-3X9013T ** NEW **	TAG Universal DMS-100 3X9013 Fan Tray (NEW TRAY is pre-assembled w/ (5) NEW fans, Alarm Board, Wiring Harness w/ Connector & Universal Mounting Holes for NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF cooling units) - No 24VAC Inverters - No Paddle Sensors	1492217	1492217
TF-DMS01	DMS-100, 48V Fan w/ Power Prongs (use in NT3X90AC / NTBX63AA fan trays)	1330636	1330636
TF-DMS02	DMS-1U, 48V Fan Pwr Prongs w/ 4 clear, unthreaded (use in NT3X90AC / NTBX63AA trays)		1341504
TF-DMS03	DMS-100, 48V Fan w/ TTL Tach & 3 Wire Plug (use in NT3X90AF fan trays)	1330361	1330361
TFC-3X90AF-01	DMS-100, Fan Alarm Board for the NT3X90AF Cooling Fan Unit		1475822
TF-DMS04AC	DMS-100, 24VAC Fan w/ Power Prongs	1341495	1341495
TF-RX50FF-01	DMS SDM, 12V Fan w/ 3 Wire Plug & Speed Control (use in Nortel shelf # NTRX50FF)		
TF-DMS-NTRX91	DMS-100, 48V Fan (use in NTRX91AA / NT0X91AA, CLEI: ENMYACM)	1349234	1349234
TF-DMS10-01	DMS-10, 48V Fan w/ Power Prongs	1341506	1341506
TF-DMS-FOS	Nortel IW SPM-IP, 48V Fan for NTLX56AA Fan Assemblies (fan only)	1341300	
TF-MG9K-01			1341507
	Nortel / GENBAND Media Gateway 9000, 48V Fan w/ 3 Wire Plug (for NTNY18AA)		1359401
TLMP-DMFA-10	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 10)		1474165
TLMP-DMFA-25	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 25)		1474166
TLMP-DMSA-10	DMS Aisle Alarm Repl. Lamp (QTY of 10)		1474167
TF-DMSLGN6-01	DMS-500/250 DPCC (225mm) Impeller Fan for XA-Core Blower Drawer w/ 4 Wire Plug (fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)		
TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit w/ (1) 4 pin plug & (1) 3 pin plug (includes (1) 3 pin adapter cable (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714))(commonly found in DPCC / LIM / ENET bays)	1490298	
TFC-DMSAPW-3	Alarm Board Replacement for DMS LIM / ENET Blower		
TF-DMSLGN5	DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC, (replaces A0345301))	1355241	1355241
	SIEMENS EWSD FANS		
TF-EWSD-01	Siemens EWSD, Square 48V Fan w/ Power Prongs (fan only, use with existing guard grill)		1341508
TF-EWSD-02	Siemens EWSD, Round 48V Fan w/ Power Prongs (fan only, use with existing guard grill)		.541500
	STP RING NODE / PATHTRACK (JDSU) / TELLABS FANS		
TF-STPRN-01	STP Ring Node Frame/Cabinet, 48V Fan w/ 5 Wire Plug		
TF-HCU1500-01	JDSU PathTrak HCU 1500, 24V Fan w/ 2 Wire Plug		
TF-TL6500-01	Tellabs 6500, 12V Fan w/ 4 Wire Plug		
	-	1	L





Part #	Description	Brightspeed SAP MAT #	MAT#
	STROMBERG CARLSON DCO FANS		
TF-DCOCMF-01	48V Fan for Stromberg Carlson DCO CMF Bay w/ 3 Leads & Fastons		
TF-DCODCF-01	48V Fan for Stromberg Carlson DCO DCF Bay w/ 3 Leads & Spade Lugs		
TF-DCONHD-01	48V Fan for Stromberg Carlson DCO Non-HD CMF Bay w/ 2 Wire Open End		1441092
TF-DCOMEF-01	48V Fan for Stromberg Carlson DCO MEF Bay (80mm x 45mm) w/ 3 Wire Plug		1441093
TF-DCO-02	48V Fan for Stromberg Carlson DCO CMF / DTF Bay w/ 3 Leads & Fastons	1439624	1439624
	TELCO SYSTEMS FANS (EDGELINK 100 / AXX330G1, M560)		
TF-EL100	Edgelink 100, Fan (40mm)	1341510	1341510
TF-EL100DET	Edgelink 100, Detector PC Board (Equiv. to CCA591G1)		1341511
TF-EL100-KIT2	Edgelink 100, Fan Kit (40mm)		1341512
TF-EL100-02	Edgelink 100, Fan (35mm)	1341513	1341513
TF-EL330-01	Edgelink AXX330G1, Fan (80mm) w/ 3 Wire Plug		
TF-TEL560-01	Telco Systems M560 Fiber Optic Terminal, 48V Fan		1341509
	WAVESTAR / WIDEBAND 3190 FANS		
TF-WSTR-01	WaveStar TDM 10G, 48V Fan w/ 3 Wire Plug		1341514
TF-WB3190	Wideband 3190, 48V Fan w/ 3 Wire Plug		1341515
	OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS		
TF-NTOPAC	48V Fan for Nortel Opac / OPM Cabinet w/ Round Weatherproof Connector	1337634	1337634
TF-NTOPAC-02	48V Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug	1337635	1337635
TF-NTOPAC-3	48V Fan for Nortel Opac / OPM Cabinet w/ 3 Wire Open End (no connector)	1341516	1341516
TF-NTOPAC-04	48V Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug		1341517
TFG-162KIT-01	Guard Grill Repl. Kit for Round 162mm Fans (includes hardware)		
TF-NTOPAC-05	48V Fan for Nortel Opac Access Node Tray / 800A w/ 3 Wire (FPS Lead) & 3 Pin		7017863
TF-NTOPAC-05F	48V Fan for Nortel Opac Access Node Tray w/ Power Prongs, Untermin. FPS Lead		
TF-NTANCFT-01	48V Fan for Nortel Access Node/Charles Fan Tray (92-FAN840-X) w/ 3 Wire Plug		
TF-DMS06	48V Fan for BFU in DMS-100 OPM Cbnt w/ Pwr Prongs & Unterminated Tach Lead		1359400
TFR-8X06ABT	Tray Refurbish-Paddleless Alarm Conversion Upgrade for DMS OPM NT8X06AB		
TF-SLCAPW-01	(1) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End		1358927
TF-SLCAPW-04	(4) 48V Fans for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End	1358928	1358928
TFC-SLCAPW-4	Alarm Control Board for Reltec/Mclean APW Fan Tray		1459111
TF-SLC201-02	48V Heat Exchanger for 80 Type Cabinet w/ Round Screw on Connector (KS23912L4)	1337731	1337731
TFC-114A-01	114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934)		1355243
TFC-LU4-01	Alarm Control Board for Lucent 4A/4B, 4G/SLC2000 Trays & 114A Control Units		1355244
TF-SLCBC-01	48V Battery Cooling fan for 80 Type Cabinet w/ 3 Wire Plug		1461343
TFC-116A-01	Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket)		1459078
TF-SLC201	48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.)	1336047	1336047
TF-LU2A	48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5 equiv.)		1336048
TF-LU2B	48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.)		1336049
TF-LU2C	48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.)		1336060
TFC-LU2BC-01	Alarm Control Board for Lucent 2B & 2C Fan Trays		1458909
TF-LU2C-02F	48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors		
TF-ES660-01	24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug		
TF-RECARGUS-01	12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug		
TF-RECARGUS-02	24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug		1474133
TF-RECARGUS-03	24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts		
TF-RECARGUS-04	12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End		
TF-ALC7330-4	Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate		1341518
TF-ALC7330-C	(1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing)		1341616
TF-ALC1218-01	24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector		
TF-ALC1218-02	48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads		
	I control of the cont	1	





Part #	Description	Brightspeed SAP MAT #	MAT#
	OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS - continued from previous	•	
TF-COM6DF-01	48V Fan for CommScope Cbnt, 6D/F Bay w/ Internal Thermal Sensor & 3W, 6 Pin		1355242
TF-COM6DF-02	48V Fan for CommScope Cabinet, ALP HX Door w/ 5 Wire, 6 Pin Connector		
TF-COM6DF-02R	48V Fan for CommScope 52/82 Cbnt, HX Door w/ 5W, 6 Pin (w/10k thermistor cbl)		1465437
TF-COM6DF-04	48V Fan for CommScope Cabinet, 6D/F Bay w/ Internal Therm Sensor & 3W, 4 Pin		1466315
TF-COM6BC-01	48V Fan for CommScope Cabinet, 6B/C Battery/ALP HX Door w/ 3 Wire, 4 Pin		1439621
TF-COM52E-01	48V Fan for CommScope 52E Cabinet, Battery w/ (1) 2W, 4 Pin & (1) 2W, 2 Pin		1466728
TFT-COM48B-01	"Salt Air Door Fan Tray" 3-Fan Stainless Steel Assembly for CommScope ALP 448/248 HX Door Fans (includes: (3) NEW 48V FANS (# TF-COM6DF-02B) & Grommet)		
TF-FUJ6200-01	48V Heat Exchanger for Fujitsu 6200 Cabinet w/ 5 Wire Plug		1359018
TF-FUJ6200-02	48V Fan for Fujitsu 6200 Cabinet Tray w/ Power Prongs		
TF-FUJ6200-03	48V Fan for Fujitsu 6200 Cabinet Tray w/ 3 Wire Open End & Power Prongs		
TF-CREX-01	48V Fan for NEC C-REX Cabinet w/ 4 Wire Plug (use in Zhone ISC-303 trays)		1355199
TF-CREX-02	48V Fan for NEC C-REX Cabinet w/ 2 Wire Open End (use in # F2876A)		1355240
TFC-F2876A	Alarm Control Board Replacement for NEC Fan Shelf # F2876A		1479394
TF-CREX-03	48V Fan for NEC C-REX Cabinet ECU w/ 3 Wire Open End (use in NEC Y4899A/74884A)		1461017
TF-DISCSCPU-01	48V Cooling Fan for DISC*S CPU w/ 2 Wire Open End (fan only, use with existing bracket)		1479944
TF-CN5150HX-01	48V HX for Telamon / Ciena 5150 EMUX Cbnt Door w/ 4 Wires & Sealed Connector		
TF-AI-SCT-01	48V (80mm) Fan for AISCOUT w/ 3 Wire Right Angle Plug		
TFT-SLC96-AC01	110VAC Fan w/ Bracket Assembly for SLC96 (36 Type) Cabinet (KS22099L5 Equiv.)	1356198	1356198
TFT-SLC96-AC01L	110VAC (Low Temp) Fan w/ Bkt Assembly for SLC96 (36 Type) Cbnt (KS22099L5)	1000100	1000100
TF-SLC96-AC02	110VAC Fan (fan only) for SLC96 (36 Type) Cabinet (use in KS22099L5)		1356199
TF-LS2000-01	48V Fan for Litespan 2000 PDFA w/ 3 Wire Plug & Guard Grill (use in # 500-1126-723)		1341519
TFC-PDFA-X2	Alarm Control Board for Litespan 2000 PDFA Trays (use in Fan Tray # 500-1126-723)		1041010
TF-LS2000-02	48V Fan for Litespan 2000 High Velocity PDFA w/ 3 Wire Connector		1356400
TFC-PDFA-01	Alarm Control Board for Litespan 2000 HV PDFA Fan Trays (use in # 509-0000-086/163)		1330400
TF-LS2000-03	48V Heat Exchanger for Litespan 2000 Cabinet w/ Unterminated Leads		1250200
			1359389 1496549
TF-LS2KSB-01	48V Heat Exchanger for Litespan 2000 Cabinet Heat Stack w/ Power Prongs Litespan 2000 DFA Fan Kit (w/ (4) 48V Fans & Wiring Harness w/ 12 Wire Plug)		
TF-LS2000-44			1445489
TF-LS2000-04	(1) Individual 48V Fan for Litespan 2000 DFA Tray w/ 3 Wire Open End (for splicing)		1445620
TFC-DFA-01	Alarm Control Board for Litespan 2000 DFA Fan Trays (use in tray # 500-1100-XXX)		1458948
TF-ACABTZ-01A	48V HX (Tarzan) for Litespan 2000 (LSC-2030) Cabinet (includes Adapter Cable)		1359388
TF-ACABLHX-01	48V Heat Exchanger (Lower) for Litespan 2000 (LSC-2030) Cabinet		1460436
TF-LRA25B50-01	24V Fan for A25B50 Rectifier Unit (Lorain / Marconi) w/ 3 Wire Plug		
TF-LPCM-01	24V Fan (80mm) for V15F50/P Lorain Power Conversion Module w/ 3W Male Plug		
TF-LPM-01	48V Fan for Lorain Power Module w/ Power Prongs (fan only - use in # 427215900)		
TF-MESACL-01	48V Fan for Marconi Current Limiter w/ 3 Wire Plug		
TF-MCABTZ-01	48V Heat Exchanger (Tarzan) for Marconi Mesa "Top" HX Cabinet w/ 3 Wire Plug	1359387	1359387
TF-MESA6-01	48V Heat Exchanger for Marconi Mesa "Bottom" HX Cabinet w/ 3 Wire Plug	1359091	1359091
TF-MARCTOP-01	48V Fan for Marconi Cabinet (Top/Inside) w/ Power Prongs		
TFC-FA400-01	Alarm Control Board Replacement for Marconi Mesa Master Tray		1479565
TF-FA400-01	48V Fan for Marconi Mesa Cabinet Master Fan Tray w/ 3 Wire Plug	1439622	1439622
TF-FA400-02	48V Fan for Marconi Mesa Cabinet Slave Fan Tray w/ 3 Wire Plug	1439623	1439623
TFC-MARC6-01	6 Position Environmental Control Unit (ECU) for Marconi Cabinet (supports 6 HX fans)		1461075
TF-MESA384-01	48V (External) HX for Mesa DSLAM 384 Cbnt w/ 4 Wire (Round)(F) Wthrproof Plug		
TF-MESA384-02	48V (Internal) HX for Mesa DSLAM 384 Cbnt w/ 4 Wire (Square) Female Plug		
TFC-MESA-04	4 Port Environmental Control Unit (ECU) (used in Mesa 2 - DSLAM 192 & 384)		
TFC-MESA-02	2 Port Environmental Control Unit (ECU) (used in Mesa 2 - DSLAM 192 Type Cabinets)		
TFC-MESA246-01	6 Fan Environmental Control Unit (ECU) for Remote Cabinet Sites		1461124
TFCS-MESA246-08	Extension Cable for Mesa Fan Controllers, (8')		1475550
TFC-WORX-FAM1	PowerWorx Front Access Fuse Panel (Equiv. to ADC # TFA-FAM)		





Having trouble ordering during the MAT Code transition? SCAN THIS QR CODE TO ACCESS YOUR BRIGHTSPEED SAP MAT CODE REQUEST FORM

Dowt #	Description	Brightspeed	MAT#
Part #	Description	SAP MAT#	MAI#
	SP CABINET / TRAY FANS & ALARM CONTROL BOARDS - continued from previou	ıs page	
TFT-NXWDL-02	TAG Universal 19/23 "Harsh Environment" Cabinet Fan Tray (fits 19" & 23" bays)		1472248
TFT-NXTLEV-03MC	TAG Fan Tray for Next Level Cabinet (includes NEW Fan Tray & (3) NEW 48V Fans)		1444040
TF-NXTLEV-03	48V Fan Assembly for Next Level Cabinet Fan Trays (includes (3) 3 Wire Fans)		1358901
TFT-NXWDL-01	TAG Universal 19/23 Cabinet Fan Tray (fits 19" & 23" bays)		1451023
TF-DCORLS-01	48V Fan for Stromberg Carlson DCO RLS Cabinet Tray w/ 3 Fastons & Power Prongs		1481914
TF-SPB-AC01	120VAC Fan for Seiscor / Pulsecom "B" Cabinet w/ Power Prongs		
TF-SPD-AC01	110VAC Fan for Seiscor / Pulsecom "D" Cabinet w/ Power Prongs & Guard Grill		1501798
TF-UMC1000-01	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray w/ 6 fans)		1466657
TFC-UMC1000-06	Alarm Control Board for Tellabs UMC1000 Tray (use in AFC tray w/ 6 fans)		
TF-UMC1000-02	48V Fan (80mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray w/ 10 fans)		1466656
TF-UMC1000-03	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 4 Wire Plug (use in AFC Tray w/ 8 fans)		1466761
TF-UMC672-01	48V Fan for UMC672 Cabinet w/ 2 Wire Plug (fan only, use with existing metal housing)		
TF-MC133-02	(133mm) Heat Exchanger for Mesa 768 Cabinet w/ 3 Pin Plug	1355448	1355448
TF-MC133-05	(133mm) Heat Exchanger for Mesa Sport Cabinet w/ 3 Pin Bulkhead Plug	1482855	1482855
TF-CSHX133-01	(133mm) Heat Exchanger for Cell Site Mesa Sport w/ 4 Pin Male Weatherproof Plug		
TF-MC133-01	(133mm) Heat Exchanger for Purcell FlexAir 741 (Door) w/ 4 Leads & Fastons	1358926	1358926
TF-MC175-04	(175mm) Heat Exchanger for Purcell A009 Cabinet w/ Weatherproof Connector		
TF-MC175-04-KIT	(175mm) Heat Exch. KIT for Purcell A009 Cabinet w/ Weatherproof Conn. & Bracket		
TF-SRA200-01	(175mm) Heat Exchanger for SRA-200 Cabinet w/ 3 Wire Plug (fan only)		1492655
TF-MC175-02	(175mm) Heat Exchanger for Mesa 4 NXT Cabinet (for Siemens ICN 087-23500-10)		1358925
TF-MC175-03	(175mm) Heat Exchanger for OSP Cabinet w/ 3 Pin Plug		1358924
TF-MC175-03W	(175mm) HX for Tellabs 1000 w/ 3 Leads		1458675
TF-MC175-01	(175mm) Heat Exchanger for Siemens 914EX Metro MXU Cabinet	1467133	1467133
TF-914EHX-01	48V HX for Siemens 914E RT Cbnt w/ Pwr Prongs	1490825	
TF-914EXMET-01	48V Fan for Siemens 914EX Metro MXU Fan Tray w/ Power Prongs	1100020	1359017
TF-OPTI-01	12V Fan for Opti 6100 Fan Trays w/ 3 Wire Plug (use in EFANM Fan Tray # 1184508L2)	1444322	1444322
TF-TA5KHX-02	48V "Low Profile" Heat Exchanger for Adtran TA5000 Cabinet Door w/ 4 Wire Plug		1501884
TF-HX175LP-01	(175mm) "Low Profile" HX for Calix ODC Cabinet Door	1452035	1452035
TF-HX220LP-01	(220mm) "Low Profile" HX for Calix ODC-1000 w/ 4 Leads & Fastons	1102000	1477798
TF-OPM640HX	(175mm) "Low Profile" Impeller for OPM 640 Cbnt (Retro Fit Roof) w/ 3 Wire, 4 Pin Plug		1111100
TF-AFCHX-01	(175mm) "Low Profile" Heat Exchanger for AFC Fan Unit found in OPM Cabinets		1475725
TF-CATNHX-01	(175mm) "Low Profile" Heat Exchanger for Catena Cabinet		1470720
TF-MC179-01A	HX for Mesa Bridge Cabinet (Upper - Internal) w/ 4 Wire Female Weatherproof Plug		1490468
TF-MC179-01	HX for Mesa Bridge Cabinet (Copper - Internal) w/ 4 Wire Female Weatherproof Plug		1430400
	(250mm) HX for Ice Qube Cabinet w/ 4 Wire Open End		
TF-CQ250-01			1456051
TF-AFC672-01 TF-CLXODC-01F	48V Fan for AFC Cabinet Heat Stack w/ Power Prongs 48V Heat Exchanger for Calix ODC Stack w/ 2 Wires & Fastons		1456851 1456478
TFC-CALIX2KHX	Alarm Control Board for Calix ODC-2000 Cabinet HX Controller (alarm board only)		
TF-CLX225-01	(225mm) HX Impeller Fan (Upper) for Calix ODC Cont w/ 4W (F) Snap on Plug, (14")	1490321	1481590
	(225mm) HX Impelier Fan (Upper) for Calix ODC Cont w/ 4W (F) Snap on Plug, (14)	1490321	1/02772
TF-CLX225-02	(225mm) HX Impeller Fan (Opper) for Calix ODC Cabinet w/ 4 Wire Famale Plug (30")		1492772
TF-CLX225-03		1400463	
TF-CLX133-01	(133mm) HX Impeller Fan (Upper/Lower) for Calix Cabinet w/ 4 Wire Plug	1490163	1490163
TF-MCCHX-AC01	110VAC HX Blower for Reltec / McLean Cbnt w/ Pwr Plug & Adapter Plate (fan only)		1481410
TF-MCCHX-AC0R	110VAC (Right)HX Blower for Reltec/McLean Chnt w/ Pwr Plug & Plate (fan only)		1493505
TF-TX33HX-01	(175mm) HX for Mclean ClimaGuard Cabinet Cooler w/ 4 Wire Weatherproof Conn.		1473428
TF-TX38HX-01	(225mm) HX for Mclean ClimaGuard Cabinet Cooler w/ 4 Wire Weatherproof Conn.	4250000	1473110
TF-NP0402-01	48V Heat Exch. for Noren Cooling Unit - Internal (6.71K) w/ 3 Wire Open End	1359090	1359090
TF-NP0414-02	48V Heat Exch. for Noren Cooling Unit - External (8.45K) w/ 3 Wire Open End	10.15	1359019
TF-MC225-01	(225mm) Heat Exchanger for Mesa Cabinet (Top) w/ Round Weatherproof Connector	1345222	1345222
TF-MC225-02	(225mm) Heat Exchanger for Mesa Cabinet (Bottom) w/ 4 Wire Plug (fan only)	1345223	1345223
TF-MC225-02-KIT	(225mm) Heat Exchanger KIT for Mesa Cabinet (Bottom) w/ 4 Wire Plug & Bracket		1451725
TFB-MC225-02	Mounting Bracket & Hardware for Mesa Cabinet 225mm Bottom Heat Exchanger		1451078
TFC-MESA-01	2 Port Mesa Cabinet ECU (Cell Site: XL, SOLE, Span XL, Bridge, Edge & Sport)	1492180	

Don't see the fan you are looking for? Send us a sample & we will find a match! PLEASE CALL: 856-753-8585 or EMAIL: custsvcs@tagcords.com

Fiber Optic Test Cord Kit

FOTC-KIT

Fiber Optic Test Cords Included in Kit:

Carrying Case included with Kit



SC to SC, Singlemode Simplex, 3.0mm vellow, UPC Test Cord, 3 Meters



(2) 430766AAM-03 SC to SC, Singlemode Simplex, 3.0mm yellow, APC Test Cord, 3 Meters



SC/UPC to SC/APC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters



SC/APC to ST/UPC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters



SC to ST, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters



SC to SC, Multimode Simplex, 3.0 mm 62.5 µm orange, UPC Test Cord, 3 Mtrs



SC to LC, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters

Fiber Optic Adapters Included in Kit:



UPC Coupler

(1) 400766AC SC to SC Simplex APC Coupler

(1) 400781C I C to I C Simplex **UPC** Coupler (1) 400781AC LC to LC Simplex **APC Coupler**



SC/UPC to LC/APC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430770M-03 SC to FC, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters

(2) 430778M-03 SC to D4, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters











ST to ST Simplex **UPC** Coupler



(1) 400752C FC to FC Simplex

UPC Coupler



(1) 400756C D4 to D4 Simplex **UPC** Coupler



Ordering Information:

FOTC-KIT Fiber Optic Test Cord Kit

includes: (20) Cords & (7) Adapters (shown above) (1) Carrying Case (not shown)

Brightspeed SAP MAT # 1492596

Cords can also be ordered separately in a variety of lengths & colors

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com **Telecom Assistance Group** Telephone: (856) 753-8585

Fax: (856) 768-7645

TAG DMS-100 3X9013 Universal Fan Tray

TFT-3X9013T

Universal 48VDC Fan Tray

- No 24VAC Inverters

(24VAC inverters cause heat concerns & major equipment failures)

- No Mechanical Sensors

(sensor paddles are known to bend & break)

INSTALLATION VIDEOS:



NT3X90AA/AB




NT3X90AC



NT3X90AF

UNIVERSAL MOUNTING HOLES



- Connectorized Universal metal tray with Fan Alarm Board (no sensor paddles)
- Pre-assembled & works with NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF Cooling Units
- Adapter cables* are supplied for NT3X90AA/AB & NT3X90AF Cooling Units *(adapter cables are not used with NT3X90AC)

Ordering Information:

TFT-3X9013T

TAG Universal DMS-100 3X9013 Fan Tray

Includes: (1) Brand New Fan Tray w/ Universal Mounting Holes,

- (5) TF-DMS03, 48VDC Fans w/ TTL Tach & 3 Wire Plug,
- (1) Fan Control Board w/ Built in Sensors (no paddles needed), Wiring Labels, Mounting Hardware,
- (1) Wiring Harness w/ Connector, NT3X90AA/AB & NT3X90AF Adapter Cables & Installation Guide

www.tagcords.com

Telecom Assistance Group

Brightspeed SAP MAT #

1492217

Telephone: (856) 753-8585

Fax: (856) 768-7645

150 Cooper Rd. (F-15)